

TARUN ENTERPRISES

H.O.: 8/8, Strachy Road, Allahabad - 211001, U.P., INDIA

Phone: +91 8176080204

e-mail: info@optitecheyecare.com, info@ophthalmic.in

GSTIN: 09ACBPJ0823B1ZA

Drug Licence No. ALLD/5/21B/385, ALLD/5/20B/388 Dt. 06.05.2008

DISPATCH CHALLAN

Q2021222471 / O2021222189 / C2021221995

Bill t	٥٠						Ship to:					
Avlokan Eye Centre							Avlokan Eye Centre					
Ae -4 Landmark: Opposite Metro Pillar Number 450												
							Ae -4 Landmark: Opposite Metro Pillar Number 450					
Tagore Garden New Delhi							Tagore Garden New Delhi					
110027, India							110027, India					
Mobile: 9810392627, 9811971959							Mobile: 9810392627, 9811971959					
Dr Shantanu Gupta							Dr Shantanu Gupta					
Chall	an No.	C2021221995					Invoice No:					
Chall	an Date.	March, 09, 2022					Invoice Date:					
Custo	omer Id:	750					Method Of Shipment:		On Dot			
Orde	r No:	O2021222189					Date Of Shipment:					
Sales	Person:	ChandreshSingh					Docket No:					
Dispa	tched From:	Allahabad					SB Number:					
Terms of Delivery: By courier						Terms of Payments : Advance						
Terms & Conditions: Order on phone call						Special Information :						
S.N.	Product Description	HSN	Unit	Qty	Rate	I	Batch No	Mfg Dt./Ex	p Dt.	Discount/Unit	Net Amount	
1	SP 1041 SP 1041 Eye Patch 115 x 80mm Sterile	90185090	Pcs	100	40.18	TE/SP1041/2101		03-2021/02-2026		24.11	1607.15	
Net Total											₹ 1607.15	
Freight Charges											₹ 100	
GST @ 12%											₹ 192.86	
GST @ 18%											₹ 18	
										Grand Total	₹ 1918.01	

Doc No. TE/F-7.5-07 For Tarun Enterprises | BANK AD CODE: 05100052900009 Prepared by Chandresh Singh| Packed by

Remit to:

Payment: 100% T/T(wire) **Bank Details for:** (INR)

Beneficiary's Name :Tarun EnterprisesAccount No. :13172020001243Bank Name :HDFC Bank Ltd. (Rupee)IFSC Code :HDFC0000226

Bank Address: 18-AS.P. Marg, Civil Lines, Allahabad 211001, UP, India

Bank remittance charge shall be paid by payer(buyer)

For Tarun Enterprises

Order Processing Team

This is a computer-generated document. No signature is required.