

## **TARUN ENTERPRISES**

H.O.: 8/8, Strachy Road, Allahabad - 211001, U.P., INDIA

Phone: +91 8176080204

e-mail: info@optitecheyecare.com, info@ophthalmic.in

GSTIN: 09ACBPJ0823B1ZA

Drug Licence No. ALLD/5/21B/385, ALLD/5/20B/388 Dt. 06.05.2008

## DISPATCH CHALLAN

## Q2021222622 / O2021222307 / C2021222109

Bill to:						Ship to:					
Dos Ophthalmic Confrence, Delhi, India						Tarun Enterprises					
Mobile: 9918415522						A96/1 2nd Floor					
Dr Dos Ophthalmic Confrence						Phase-2 Mayapuri Industrial Area					
						New Delhi					
						110064, India					
						Mobile: 8285126065, 01147070362					
						Mr Ibran					
Chall	an No.	C2021222109				Invoice No:					
Chall	an Date.	March, 30, 2022				Invoice Date	<b>):</b>				
Custo	mer Id:	145				Method Of Shipment: Or		On Dot	On Dot		
Order No:		O2021222307				Date Of Ship	oment:				
Sales Person: On		Order Processing				Docket No:					
Dispa	tched From:	Allahabad				SB Number:					
Terms of Delivery: not for sale						Terms of Payments :					
Terms & Conditions: demo for conference						Special Information :					
S.N.	Product Description	on HSN-GST	Unit	Qty	Rate	Batch No	Mfg Dt./Exp Dt.		Discount/Unit	Net Amount	
	Polymer 12034 Pha Tray Large   Sterilization Tray   Model Polymer 1203 Phaco Tray Large   9 x 6.0" x 1.00" with silicon Mat	90185090	Pcs	2	4151.79	TE/12034/2 26/03	11-2021/10-2031		1189.29	5925	
Net Total										₹ 5925	
Freight Charges										₹ 0	
GST @ 12%										₹ 711	
GST @ 18%										₹ 0	
Grand Total										₹ 6636	

Doc No. TE/F-7.5-07 For Tarun Enterprises | BANK AD CODE: 05100052900009

Prepared by Order Processing | Packed by

Remit to:

**Payment:** 100% T/T(wire) **Bank Details for:** (INR)

Beneficiary's Name :Tarun EnterprisesAccount No. :13172020001243Bank Name :HDFC Bank Ltd. (Rupee)IFSC Code :HDFC0000226

Bank Address: 18-AS.P. Marg, Civil Lines, Allahabad 211001, UP, India

Bank remittance charge shall be paid by payer(buyer)

For Tarun Enterprises

Order Processing Team

This is a computer-generated document. No signature is required.