

TARUN ENTERPRISES

B.O.: A96/1, Second Floor Phase II, Mayapuri Industrial Area New Delhi - 110064, INDIA Phone: +91 8176080204

e-mail: delhi@optitecheyecare.com

GSTIN: 07ACBPJ0823B1ZE

Order In Process

Q2020212501 / O2020212555

Grand Total

568.00

Exporter: TARUN ENTERPRISES B.O. A96/1, Second Floor Phase II, Mayapuri Industrial Area New Delhi - 110064. Phone: +91 1147070362 Email: delhi@optitecheyecare.com GST No: 07ACBPJ0823B1ZE		Order No: O2020212555		Order Date: February, 15, 2021		
		Issued From: Delhi			Currency: INR	
		Insurance:			Generated by: Delhi	
Customer(Bill to):		Consingee(Ship to):				
D S Chemist	D S Chemist					
105, Surya Kiran Building		105, Surya Kiran Building				
19, K G Marg		19, K G Marg				
New Delhi, Delhi		New Delhi, Delhi				
1, India		1, India				
Mobile: 9312291656		Mobile: 9312291656				
Email: sanjayaroradiamond@yahoo.co.in		Email: sanjayaroradiamond@yahoo.co.in				
Dr Sanjay Arora		Dr Sanjay Arora				
GST No.: 07AAJFD5787C1ZA		GST No.: 07AAJFD5787C1ZA				
Terms of Delivery:	Terms of Payments:					
Terms & Conditions:						
Special instruction:						
S.N. Product Description	HSN-GST	Qty	Unit	Rate	Discount/Unit	Net Amount
1 Bar Reader Low Vision Device Model Bar Reader	90021100 18 %	2	Boxes	300.8475	60.1695	481.36
Net Total						₹ 481.36
Freight Charges						₹ 0.00
GST @ 18%						₹ 86.64

Greetings!

Thank you for your valued order. Same is under process. We request you to please check all the details as above and arrange payment as per banking details below. In case you wish to use online payment, please use our payment gateway at our website www.optitecheyecare.com/payment.php.

Remit to:

Payment: 100% T/T(wire) **Bank Details for:** (INR)

Beneficiary's Name :Tarun EnterprisesAccount No. :13172020001243Bank Name :HDFC Bank Ltd. (Rupee)IFSC Code :HDFC0000226

Bank Address: 18-AS.P. Marg, Civil Lines, Allahabad 211001, UP, India

Bank remittance charge shall be paid by payer(buyer)

For Tarun Enterprises

Order Processing Team

This is a computer-generated document. No signature is required.