

TARUN ENTERPRISES

H.O.: 8/8, Strachy Road, Allahabad - 211001, U.P., INDIA

Phone: +91 8176080204

e-mail: info@optitecheyecare.com, info@ophthalmic.in

GSTIN: 09ACBPJ0823B1ZA

Drug Licence No. ALLD/5/21B/385, ALLD/5/20B/388 Dt. 06.05.2008

DISPATCH CHALLAN

Q2020211805 / O2020211877 / C2020211733

Bill to:							Ship to:					
Nav Drishti Eye And Dental Hospital							Nav Drishti Eye And Dental Hospital					
Opp. Vedanta Hospital							Opp. Vedanta Hospital					
Near Petrol Pump Lachhirampur, Azamgarh, Uttar Pradesh							Near Petrol Pump Lachhirampur, Azamgarh, Uttar Pradesh					
276001, India							276001, India					
Mobile: 7388029710							Mobile: 7388029710					
Dr J P Srivastava							Dr J P Srivastava					
Challan No.		C2020211733					Invoice No:					
Challan Date.		November, 11, 2020					Invoice Date:					
Customer Id:		1220				Method Of Shipment:		By Hand				
Order No:		O2020211877				Date Of Shipment:						
Sales	Person:	ManojPandey				Docket No: 1800		18000	00127759			
Dispa	tched From:	Allahabad					SB Number:					
Terms of Delivery: By Courier						Terms of Payments: 7 days credit						
Terms & Conditions: Order on call						Special Information :						
S.N.	Product Description	HSN-GST	Unit	Qty	Rate		Batch No	Mfg Dt./Exp Dt.		Discount/Unit	Net Amount	
1	SP 1041 Eye Patch Model SP 1041 60 x 40 mm with flex strip.	90185090 12 %	Pcs	200	15	TE/SP1041/2001		02-2020/01-2025		0	3000	
Net Total											₹ 3000	
Freight Charges											₹ 100	
GST @ 12%											₹ 372	
Grand Total											₹ 3472	

Doc No. TE/F-7.5-07 For Tarun Enterprises | BANK AD CODE: 05100052900009 Prepared by Manoj Pandey | Packed by

Remit to:

Payment: 100% T/T(wire) **Bank Details for:** (INR)

Beneficiary's Name :Tarun EnterprisesAccount No. :13172020001243Bank Name :HDFC Bank Ltd. (Rupee)IFSC Code :HDFC0000226

Bank Address: 18-AS.P. Marg, Civil Lines, Allahabad 211001, UP, India

Bank remittance charge shall be paid by payer(buyer)

For Tarun Enterprises

Order Processing Team

This is a computer-generated document. No signature is required.