

TARUN ENTERPRISES

H.O.: 8/8, Strachy Road, Allahabad - 211001, U.P., INDIA

Phone: +91 8176080204

e-mail: info@optitecheyecare.com, info@ophthalmic.in

GSTIN: 09ACBPJ0823B1ZA

Drug Licence No. ALLD/5/21B/385, ALLD/5/20B/388 Dt. 06.05.2008

DISPATCH CHALLAN

O2021220304 / O2021220428 / C2021220378

Bill to:						Ship to:			-		
Steril Medic Sdn Bhd						Steril Medic Sdn Bhd					
Suite P2-11 Bicma Center						Suite P2-11 Bicma Center					
Lot 2 Jalan 243/51a 46100 Petaling Jaya						Lot 2 Jalan 243/51a 46100 Petaling Jaya					
Selangor						Selangor					
46100, Malaysia						46100, Malaysia					
Mobile: +603-78775528						Mobile: +603-78775528					
Email: sterilmedic@gmail.com						Email: sterilmedic@gmail.com					
Mr Andrew Aw						Mr Andrew Aw					
Challan No.	C20212	C2021220378				Invoice No:					
Challan Date.	May, 19	May, 19, 2021				Invoice Date:					
Customer Id: 245					Method Of Shipment: FEDEX						
Order No: O2021220428					Date Of Shipment:						
Sales Person: TarunJaggi						Docket No:					
Dispatched From: Allahabad						SB Number:					
Terms of Delivery: in production						Terms of Payments : advance					
Terms & Conditions :						Special Information :					
S.N. Product Descri	ption HSN	Unit	Qty	Rate	Batch No		Mfg Dt./Exp Dt.		Discount/Unit	Net Ar	nount
1 D 5060 (NCE) 5060(NCE) Transparent Eye Shield	D 9018	Pcs	20000	0.16	ТЕ	/D5060/2101	04-2021/03-2026		0		3200
Net Total											3200
Freight Charges											1750
Grand Total											4950

Doc No. TE/F-7.5-07 For Tarun Enterprises | BANK AD CODE: 0410003-2900009 Prepared by Tarun Jaggi| Packed by

Remit to:

Payment: 100% T/T(wire) Bank Details for: (USD)

Beneficiary's Name :Tarun EnterprisesAccount No. :111963700000179Bank Name :Yes Bank Limited (USD)SWIFT Code :YESBINBBDEL

Bank Address: Yes Bank Limited, 17/15/1 Maharishi Dayanand Marg, Thornhill Road, Civil Lines, Allahabad 211001, UP,

India

Bank remittance charge shall be paid by payer(buyer)

For Tarun Enterprises

Order Processing Team

This is a computer-generated document. No signature is required.