

```
mysql> SHOW DATABASES;
```

Database
company
information_schema
mysql
performance_schema
sakila
sys
world

```
7 rows in set (0.00 sec)
```

```
mysql> CREATE DATABASE MOVIEDATABASE;
```

```
Query OK, 1 row affected (0.03 sec)
```

```
mysql> SHOW DATABASES;
```

Database
company
information_schema
moviedatabase
mysql
performance_schema
sakila
sys
world

```
8 rows in set (0.00 sec)
```

```
mysql> USE MOVIEDATABASE;
```

```
Database changed
```

```
mysql>
```

```
mysql> CREATE TABLE ACTOR
```

```
-> (  
-> ACT_ID          INT(5)          NOT NULL,  
-> ACT_NAME        VARCHAR(20)     NOT NULL,  
-> ACT_GENDER      CHAR,             
-> PRIMARY KEY (ACT_ID)  
-> );
```

Query OK, 0 rows affected, 1 warning (0.04 sec)

```
mysql> DESCRIBE ACTOR;
```

Field	Type	Null	Key	Default	Extra
ACT_ID	int	NO	PRI	NULL	
ACT_NAME	varchar(20)	NO		NULL	
ACT_GENDER	char(1)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> CREATE TABLE DIRECTOR
```

```
-> (  
-> DIR_ID          INT(5)          NOT NULL,  
-> DIR_NAME        VARCHAR(20)     NOT NULL,  
-> DIR_PHONE       BIGINT,            
-> PRIMARY KEY (DIR_ID)  
-> );
```

Query OK, 0 rows affected, 1 warning (0.04 sec)

```
mysql> DESCRIBE DIRECTOR;
```

Field	Type	Null	Key	Default	Extra
DIR_ID	int	NO	PRI	NULL	
DIR_NAME	varchar(20)	NO		NULL	
DIR_PHONE	bigint	YES		NULL	

3 rows in set (0.00 sec)

```
mysql>
```

```
mysql> CREATE TABLE MOVIES
-> (
-> MOV_ID          INT(4)          NOT NULL,
-> MOV_TITLE       VARCHAR(50)     NOT NULL,
-> MOV_YEAR        INT(4),
-> MOV_LANG        VARCHAR(20),
-> DIR_ID          INT(5)          NOT NULL,
-> PRIMARY KEY (MOV_ID)
-> );
```

Query OK, 0 rows affected, 3 warnings (0.03 sec)

```
mysql> DESCRIBE MOVIES;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
MOV_TITLE	varchar(50)	NO		NULL	
MOV_YEAR	int	YES		NULL	
MOV_LANG	varchar(20)	YES		NULL	
DIR_ID	int	NO		NULL	

5 rows in set (0.00 sec)

```
mysql> CREATE TABLE MOVIE_CAST
-> (
-> ACT_ID          INT(5)          NOT NULL,
-> MOV_ID          INT(4)          NOT NULL,
-> ROLE            VARCHAR(20),
-> PRIMARY KEY (ACT_ID, MOV_ID)
-> );
```

Query OK, 0 rows affected, 2 warnings (0.04 sec)

```
mysql> DESCRIBE MOVIE_CAST;
```

Field	Type	Null	Key	Default	Extra
ACT_ID	int	NO	PRI	NULL	
MOV_ID	int	NO	PRI	NULL	
ROLE	varchar(20)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql>
```

```
mysql> CREATE TABLE RATING
-> (
-> MOV_ID                INT(4)                NOT NULL,
-> REV_STARS             VARCHAR(20)            NOT NULL,
-> PRIMARY KEY (MOV_ID)
-> );
```

Query OK, 0 rows affected, 1 warning (0.03 sec)

```
mysql> DESCRIBE RATING;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
REV_STARS	varchar(20)	NO		NULL	

2 rows in set (0.00 sec)

```
mysql> SHOW TABLES;
```

Tables_in_moviedatabase
actor
director
movie_cast
movies
rating

5 rows in set (0.00 sec)

```
mysql>
```

```
mysql> INSERT INTO ACTOR VALUES
-> ('1', 'MADHURI DIXIT', 'F');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO ACTOR VALUES
-> ('2', 'AAMIR KHAN', 'M');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO ACTOR VALUES
-> ('3', 'JUHI CHAWLA', 'F');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO ACTOR VALUES
-> ('4', 'SHARUKH KHAN', 'M');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM ACTOR;
```

+-----+-----+-----+			
ACT_ID	ACT_NAME		ACT_GENDER
+-----+-----+-----+			
1	MADHURI DIXIT	F	
2	AAMIR KHAN	M	
3	JUHI CHAWLA	F	
4	SHARUKH KHAN	M	
+-----+-----+-----+			

```
4 rows in set (0.00 sec)
```

```
mysql> INSERT INTO DIRECTOR VALUES
-> ('100', 'SUBASH KAPOOR', '9563400156');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO DIRECTOR VALUES
-> ('102', 'ALAN TAYLOR', '9971960035');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO DIRECTOR VALUES
-> ('103', 'SANTHOSH ANANDRAM', '9934611125');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO DIRECTOR VALUES
-> ('104', 'IMTIAZ ALI', '8539920975');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO DIRECTOR VALUES
-> ('105', 'HITCHCOCK', '7766138911');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO DIRECTOR VALUES
-> ('106', 'STEVEN SPIELBERG', '9966138394');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM DIRECTOR;
+-----+-----+
| DIR_ID | DIR_NAME          | DIR_PHONE |
+-----+-----+
| 100    | SUBASH KAPOOR     | 9563400156 |
| 102    | ALAN TAYLOR       | 9971960035 |
| 103    | SANTHOSH ANANDRAM | 9934611125 |
| 104    | IMTIAZ ALI        | 8539920975 |
| 105    | HITCHCOCK         | 7766138911 |
| 106    | STEVEN SPIELBERG  | 9966138394 |
+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('501', 'JAB HARRY MET SEJAL', '2017', 'HINDI', '104');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('502', 'RAJAKUMARA', '2017', 'KANNADA', '103');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('503', 'JOLLY LLB 2', '2013', 'HINDI', '100');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('504', 'TERMINATOR GENESYS', '2015', 'ENGLISH', '102');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('505', 'JAWS', '1975', 'ENGLISH', '106');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('506', 'BRIDGE OF SPIES', '2015', 'ENGLISH', '106');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('507', 'VERTIGO', '1943', 'ENGLISH', '105');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO MOVIES VALUES
-> ('508', 'SHADOW OF A DOUBT', '1943', 'ENGLISH', '105');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM MOVIES;
```

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
501	JAB HARRY MET SEJAL	2017	HINDI	104
502	RAJAKUMARA	2017	KANNADA	103
503	JOLLY LLB 2	2013	HINDI	100
504	TERMINATOR GENESYS	2015	ENGLISH	102
505	JAWS	1975	ENGLISH	106
506	BRIDGE OF SPIES	2015	ENGLISH	106
507	VERTIGO	1943	ENGLISH	105
508	SHADOW OF A DOUBT	1943	ENGLISH	105

```
8 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> INSERT INTO MOVIE_CAST VALUES  
-> ('1', '501', 'HEROINE');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIE_CAST VALUES  
-> ('1', '502', 'HEROINE');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIE_CAST VALUES  
-> ('3', '503', 'COMEDIAN');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIE_CAST VALUES  
-> ('4', '504', 'GUEST');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO MOVIE_CAST VALUES  
-> ('4', '501', 'HERO');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM MOVIE_CAST;
```

+-----+-----+-----+			
ACT_ID	MOV_ID	ROLE	
+-----+-----+-----+			
1	501	HEROINE	
1	502	HEROINE	
3	503	COMEDIAN	
4	501	HERO	
4	504	GUEST	
+-----+-----+-----+			

```
5 rows in set (0.00 sec)
```

```
mysql>
```



```
mysql> INSERT INTO RATING VALUES
-> ('501', '4');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO RATING VALUES
-> ('502', '2');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO RATING VALUES
-> ('503', '5');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO RATING VALUES
-> ('504', '4');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO RATING VALUES
-> ('505', '3');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO RATING VALUES
-> ('506', '2');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM RATING;
```

MOV_ID	REV_STARS
501	4
502	2
503	5
504	4
505	3
506	2

```
6 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> DESCRIBE ACTOR;
```

Field	Type	Null	Key	Default	Extra
ACT_ID	int	NO	PRI	NULL	
ACT_NAME	varchar(20)	NO		NULL	
ACT_GENDER	char(1)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM ACTOR;
```

ACT_ID	ACT_NAME	ACT_GENDER
1	MADHURI DIXIT	F
2	AAMIR KHAN	M
3	JUHI CHAWLA	F
4	SHARUKH KHAN	M

4 rows in set (0.00 sec)

```
mysql> DESCRIBE MOVIES;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
MOV_TITLE	varchar(50)	NO		NULL	
MOV_YEAR	int	YES		NULL	
MOV_LANG	varchar(20)	YES		NULL	
DIR_ID	int	NO		NULL	

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM MOVIES;
```

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
501	JAB HARRY MET SEJAL	2017	HINDI	104
502	RAJAKUMARA	2017	KANNADA	103
503	JOLLY LLB 2	2013	HINDI	100
504	TERMINATOR GENESYS	2015	ENGLISH	102
505	JAWS	1975	ENGLISH	106
506	BRIDGE OF SPIES	2015	ENGLISH	106
507	VERTIGO	1943	ENGLISH	105
508	SHADOW OF A DOUBT	1943	ENGLISH	105

8 rows in set (0.00 sec)

```
mysql>
```

```
mysql> DESCRIBE DIRECTOR;
```

Field	Type	Null	Key	Default	Extra
DIR_ID	int	NO	PRI	NULL	
DIR_NAME	varchar(20)	NO		NULL	
DIR_PHONE	bigint	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM DIRECTOR;
```

DIR_ID	DIR_NAME	DIR_PHONE
100	SUBASH KAPOOR	9563400156
102	ALAN TAYLOR	9971960035
103	SANTHOSH ANANDRAM	9934611125
104	IMTIAZ ALI	8539920975
105	HITCHCOCK	7766138911
106	STEVEN SPIELBERG	9966138394

6 rows in set (0.00 sec)

```
mysql> DESCRIBE MOVIE_CAST;
```

Field	Type	Null	Key	Default	Extra
ACT_ID	int	NO	PRI	NULL	
MOV_ID	int	NO	PRI	NULL	
ROLE	varchar(20)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM MOVIE_CAST;
```

ACT_ID	MOV_ID	ROLE
1	501	HEROINE
1	502	HEROINE
3	503	COMEDIAN
4	501	HERO
4	504	GUEST

5 rows in set (0.00 sec)

```
mysql>
```

```
mysql> DESCRIBE RATING;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
REV_STARS	varchar(20)	NO		NULL	

```
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM RATING;
```

MOV_ID	REV_STARS
501	4
502	2
503	5
504	4
505	3
506	2

```
6 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> DESCRIBE MOVIES;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
MOV_TITLE	varchar(50)	NO		NULL	
MOV_YEAR	int	YES		NULL	
MOV_LANG	varchar(20)	YES		NULL	
DIR_ID	int	NO		NULL	

```
5 rows in set (0.00 sec)
```

```
mysql> ALTER TABLE MOVIES ADD FOREIGN KEY (DIR_ID) REFERENCES DIRECTOR (DIR_ID);
```

```
Query OK, 8 rows affected (0.10 sec)
```

```
Records: 8  Duplicates: 0  Warnings: 0
```

```
mysql> DESCRIBE MOVIES;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
MOV_TITLE	varchar(50)	NO		NULL	
MOV_YEAR	int	YES		NULL	
MOV_LANG	varchar(20)	YES		NULL	
DIR_ID	int	NO	MUL	NULL	

```
5 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> DESCRIBE MOVIE_CAST;
```

Field	Type	Null	Key	Default	Extra
ACT_ID	int	NO	PRI	NULL	
MOV_ID	int	NO	PRI	NULL	
ROLE	varchar(20)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> ALTER TABLE MOVIE_CAST ADD FOREIGN KEY (ACT_ID) REFERENCES ACTOR (ACT_ID);
Query OK, 5 rows affected (0.11 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> ALTER TABLE MOVIE_CAST ADD FOREIGN KEY (MOV_ID) REFERENCES MOVIES (MOV_ID);
Query OK, 5 rows affected (0.08 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> DESCRIBE MOVIE_CAST;
```

Field	Type	Null	Key	Default	Extra
ACT_ID	int	NO	PRI	NULL	
MOV_ID	int	NO	PRI	NULL	
ROLE	varchar(20)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> DESCRIBE RATING;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
REV_STARS	varchar(20)	NO		NULL	

2 rows in set (0.00 sec)

```
mysql> ALTER TABLE RATING ADD FOREIGN KEY (MOV_ID) REFERENCES MOVIES (MOV_ID);
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> DESCRIBE RATING;
```

Field	Type	Null	Key	Default	Extra
MOV_ID	int	NO	PRI	NULL	
REV_STARS	varchar(20)	NO		NULL	

2 rows in set (0.00 sec)

```
mysql> SELECT * FROM MOVIES;
```

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
501	JAB HARRY MET SEJAL	2017	HINDI	104
502	RAJAKUMARA	2017	KANNADA	103
503	JOLLY LLB 2	2013	HINDI	100
504	TERMINATOR GENESYS	2015	ENGLISH	102
505	JAWS	1975	ENGLISH	106
506	BRIDGE OF SPIES	2015	ENGLISH	106
507	VERTIGO	1943	ENGLISH	105
508	SHADOW OF A DOUBT	1943	ENGLISH	105

```
8 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM DIRECTOR;
```

DIR_ID	DIR_NAME	DIR_PHONE
100	SUBASH KAPOOR	9563400156
102	ALAN TAYLOR	9971960035
103	SANTHOSH ANANDRAM	9934611125
104	IMTIAZ ALI	8539920975
105	HITCHCOCK	7766138911
106	STEVEN SPIELBERG	9966138394

```
6 rows in set (0.00 sec)
```

```
mysql> SELECT M.MOV_TITLE  
-> FROM MOVIES AS M, DIRECTOR AS D  
-> WHERE D.DIR_ID = M.DIR_ID AND D.DIR_NAME = 'HITCHCOCK';
```

MOV_TITLE
VERTIGO
SHADOW OF A DOUBT

```
2 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM MOVIES;
```

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
501	JAB HARRY MET SEJAL	2017	HINDI	104
502	RAJAKUMARA	2017	KANNADA	103
503	JOLLY LLB 2	2013	HINDI	100
504	TERMINATOR GENESYS	2015	ENGLISH	102
505	JAWS	1975	ENGLISH	106
506	BRIDGE OF SPIES	2015	ENGLISH	106
507	VERTIGO	1943	ENGLISH	105
508	SHADOW OF A DOUBT	1943	ENGLISH	105

```
8 rows in set (0.00 sec)
```

```
mysql> SELECT* FROM MOVIE_CAST;
```

ACT_ID	MOV_ID	ROLE
1	501	HEROINE
1	502	HEROINE
3	503	COMEDIAN
4	501	HERO
4	504	GUEST

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT MOV_TITLE
-> FROM MOVIES AS M, MOVIE_CAST AS MV
-> WHERE MV.MOV_ID = M.MOV_ID AND ACT_ID IN
-> (
-> SELECT ACT_ID
-> FROM MOVIE_CAST
-> GROUP BY ACT_ID
-> HAVING COUNT (ACT_ID) > 1
-> )
-> GROUP BY MOV_TITLE
-> HAVING COUNT (*) > 1;
```

MOV_TITLE
JAB HARRY MET SEJAL

```
1 row in set (0.00 sec)
```

```
mysql>
```



```
mysql> SELECT * FROM MOVIES;
```

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
501	JAB HARRY MET SEJAL	2017	HINDI	104
502	RAJAKUMARA	2017	KANNADA	103
503	JOLLY LLB 2	2013	HINDI	100
504	TERMINATOR GENESYS	2015	ENGLISH	102
505	JAWS	1975	ENGLISH	106
506	BRIDGE OF SPIES	2015	ENGLISH	106
507	VERTIGO	1943	ENGLISH	105
508	SHADOW OF A DOUBT	1943	ENGLISH	105

```
8 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM ACTOR;
```

ACT_ID	ACT_NAME	ACT_GENDER
1	MADHURI DIXIT	F
2	AAMIR KHAN	M
3	JUHI CHAWLA	F
4	SHARUKH KHAN	M

```
4 rows in set (0.00 sec)
```

```
mysql> SELECT ACT_NAME, MOV_TITLE, MOV_YEAR
-> FROM ACTOR AS A
-> JOIN MOVIE_CAST AS MV
-> ON A.ACT_ID = MV.ACT_ID
-> JOIN MOVIES AS M
-> ON M.MOV_ID = MV.MOV_ID
-> WHERE M.MOV_YEAR NOT BETWEEN '2000' AND '2015';
```

ACT_NAME	MOV_TITLE	MOV_YEAR
MADHURI DIXIT	JAB HARRY MET SEJAL	2017
MADHURI DIXIT	RAJAKUMARA	2017
SHARUKH KHAN	JAB HARRY MET SEJAL	2017

```
3 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM MOVIES;
```

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
501	JAB HARRY MET SEJAL	2017	HINDI	104
502	RAJAKUMARA	2017	KANNADA	103
503	JOLLY LLB 2	2013	HINDI	100
504	TERMINATOR GENESYS	2015	ENGLISH	102
505	JAWS	1975	ENGLISH	106
506	BRIDGE OF SPIES	2015	ENGLISH	106
507	VERTIGO	1943	ENGLISH	105
508	SHADOW OF A DOUBT	1943	ENGLISH	105

8 rows in set (0.00 sec)

```
mysql> SELECT * FROM RATING;
```

MOV_ID	REV_STARS
501	4
502	2
503	5
504	4
505	3
506	2

6 rows in set (0.00 sec)

```
mysql> SELECT MOV_TITLE, MAX (REV_STARS)
-> FROM MOVIES AS M, RATING AS R
-> WHERE M.MOV_ID = R.MOV_ID
-> GROUP BY MOV_TITLE
-> HAVING MAX (REV_STARS) > 0
-> ORDER BY MOV_TITLE;
```

MOV_TITLE	MAX (REV_STARS)
BRIDGE OF SPIES	2
JAB HARRY MET SEJAL	4
JAWS	3
JOLLY LLB 2	5
RAJAKUMARA	2
TERMINATOR GENESYS	4

6 rows in set (0.00 sec)

```
mysql>
```

```
mysql> SELECT * FROM RATING;
```

MOV_ID	REV_STARS
501	4
502	2
503	5
504	4
505	3
506	2

```
6 rows in set (0.00 sec)
```

```
mysql> UPDATE RATING
```

```
-> SET REV_STARS = '5'
```

```
-> WHERE MOV_ID IN
```

```
-> (
```

```
-> SELECT MOV_ID
```

```
-> FROM MOVIES
```

```
-> WHERE DIR_ID IN
```

```
-> (
```

```
-> SELECT DIR_ID
```

```
-> FROM DIRECTOR
```

```
-> WHERE DIR_NAME = 'STEVEN SPIELBERG'
```

```
-> )
```

```
-> );
```

```
Query OK, 2 rows affected (0.01 sec)
```


```
Rows matched: 2  Changed: 2  Warnings: 0
```

```
mysql> SELECT * FROM RATING;
```

MOV_ID	REV_STARS
501	4
502	2
503	5
504	4
505	5
506	5

```
6 rows in set (0.00 sec)
```

```
mysql>
```



ACTOR

ACT_ID	ACT_NAME	ACT_GENDER
--------	----------	------------

DIRECTOR

DIR_ID	DIR_NAME	DIR_PHONE
--------	----------	-----------

MOVIES

MOV_ID	MOV_TITLE	MOV_YEAR	MOV_LANG	DIR_ID
--------	-----------	----------	----------	--------

MOVIE\_CAST

ACT_ID	MOV_ID	ROLE
--------	--------	------

RATING

MOV_ID	REV_STARS
--------	-----------

