

# Product Data Sheet



**FD-5080RB**  
Parking & Area Drain  
Round Grate with  
Bucket

Standard: ASME A112.6.3-2001

Bottom Outlet

Grate Free Area  
235 cm<sup>2</sup>



## Features

- Parking & Area Drain, suitable with 3, 4 & 6" pipe connection.
- Bottom Outlet.
- Large sump Body with 15" (381 mm) flange dia.
- Inside Gasketed connection or No Hub (Coupling) Connection (3", 4" & 6") as per DIN and ASTM pipe size.
- Clamp (When used with water proofing system).
- Seepage Holes for any seepage around the drain (When used with water proofing system).
- Sediment Bucket.
- Extra Heavy Duty Round Grate.
- Bolts and Screws.

## Materials


- Body, clamp, and bucket: Gray Cast Iron.
- Round grate: Ductile Iron.
- Bolts and Screws: Stainless Steel

## Dimensions


As per Drawing

## Surface Finish

- Cast iron parts: Epoxy Coating
- Ductile Iron Parts: Epoxy Coating



	<b>FLOOR DRAINS</b> <b>PARKING &amp; AREA DRAIN</b>	<i>Bottom Outlet - Round Grate</i> <b>Model No: FD-5080RB</b>	<b>Date:</b>
--	--	--	--------------



Unless otherwise specified: All dimensions are in millimeter (mm)		
	NAME	DATE
DRAWN	Romel	29/10/14
CHECKED	Karam	29/10/14
APPROVED		
SCALE: N.T.S.	SHT 1 of 2	
REF. DWG: FD-5080RB.00		



BY SAUDI CAST

All information contained in this document is property of FloDrain and may not be reproduced in whole part, without permission of FloDrain.

TITLE: Installation of FD-5080RB	
DWG NO: I-5080RB	A4 Rev. 00