

File - test  
C:/Users/AMIT/AppData/Local/Programs/Python/Python37/python.exe "C:/Users/AMIT/Documents/Python Scripts/project/test.py"  
correctness have students ['student1', 'student25', 'student68']  
high fidelity inference capability have students ['student1', 'student32']  
convolution have students ['student1', 'student63']  
intelligent control have students ['student1']  
effectiveness have students ['student1']  
production rjms middleware oar have students ['student1']  
cluster classification have students ['student1']  
deep clustering network have students ['student1']  
noise measurement have students ['student1', 'student9']  
mapreduce have students ['student1', 'student45', 'student49']  
feedback have students ['student1', 'student68']  
pattern discovery have students ['student1', 'student96']  
information processing have students ['student1', 'student27', 'student87']  
cnn implementations have students ['student1', 'student81']  
learning performance have students ['student1']  
data checklist have students ['student1']  
big data processing have students ['student1', 'student89']  
search space reduction have students ['student1', 'student91']  
brain modeling have students ['student1', 'student74', 'student81']  
radio emitter have students ['student1']  
pattern matching have students ['student1', 'student20', 'student83']  
threat judgment have students ['student1', 'student6', 'student16']  
counting circuits have students ['student1', 'student19', 'student35', 'student39']  
mos capacitors have students ['student1']  
hpc idle resources have students ['student2']  
image sampling have students ['student2', 'student51']  
i&x;neural network hardware have students ['student2']  
classification tree analysis have students ['student2', 'student6']  
fuzzy neural network have students ['student2', 'student37']  
decision tree induction algorithms id3 have students ['student2']  
lstm based model have students ['student2', 'student51']  
big social data have students ['student2', 'student16']  
adaptive learning have students ['student2', 'student9', 'student47', 'student50']  
progression evaluation have students ['student2']  
fpna have students ['student2', 'student14']  
modelling have students ['student2', 'student68']  
deep reinforcement learning algorithm have students ['student2', 'student87']  
regression analysis have students ['student2']  
case study have students ['student3', 'student96']  
object detection have students ['student3', 'student34', 'student96']  
fuzzy logic have students ['student3', 'student12', 'student95']  
probability have students ['student3', 'student9', 'student69']  
business data have students ['student3', 'student89']  
power generation economics have students ['student3']  
multidimensional data set have students ['student3']  
resource and job management system have students ['student3', 'student68']  
stock markets have students ['student3', 'student32']  
numerical simulation have students ['student4', 'student29']  
best effort have students ['student4', 'student11', 'student62', 'student65', 'student85']  
adaptation models have students ['student4']  
deep q-learning have students ['student4']  
chaotic communication have students ['student4']  
live data massive streaming have students ['student4', 'student70']  
pose estimation have students ['student4', 'student27', 'student31', 'student73']  
hepatitis disease diagnosis have students ['student4', 'student84']  
null value have students ['student4']  
machinable thoughts have students ['student4']  
datamining have students ['student4', 'student8']  
memory have students ['student4']  
big data platforms have students ['student4', 'student74', 'student81']  
mil have students ['student4', 'student52', 'student94']  
q-learning loss value have students ['student5']  
online data have students ['student5', 'student11']  
character recognition have students ['student5']  
semantic technologies have students ['student5', 'student44']  
feature extraction and classification have students ['student5', 'student42', 'student94']  
data quality dimension have students ['student5', 'student63']  
file systems have students ['student5', 'student38']  
terrorism have students ['student5']  
duty cycle have students ['student5']  
lof have students ['student5']  
crossbreed genetic algorithm have students ['student5', 'student19']  
data archive have students ['student5', 'student47']  
federated intercloud environment have students ['student5', 'student26', 'student71']  
supervised deep learning framework have students ['student5', 'student6']  
big data quality problem have students ['student5']  
stabilization have students ['student5']  
la study have students ['student5']  
quality assessment have students ['student6', 'student11', 'student81']  
decoding have students ['student6']  
computational modeling have students ['student6']  
test pattern have students ['student6', 'student12', 'student69']  
context have students ['student6']  
information storage mechanism have students ['student6']  
boolean factor analysis have students ['student6', 'student30']  
crowd sourcing geographic data today have students ['student6', 'student27', 'student37', 'student54', 'student65', 'student87', 'student98']  
energy consumption have students ['student6', 'student49']  
big data quality have students ['student6', 'student84']  
crowdsourcing have students ['student6', 'student78']  
matrix decomposition have students ['student6', 'student49', 'student88']  
i&x;decision trees have students ['student6', 'student44', 'student62', 'student70']  
biological system modeling have students ['student6']  
analogue processing circuits have students ['student6', 'student58']  
wavelength division multiplexing have students ['student6', 'student19']  
bison have students ['student6', 'student78']  
data integrity have students ['student6']  
infinity norm have students ['student6', 'student97']  
pattern classification have students ['student6']  
computer vision have students ['student6']  
distributed platform have students ['student7', 'student82']  
dynamic backward error assignment have students ['student7', 'student55', 'student56']  
training progress have students ['student7']  
function approximation capability have students ['student7', 'student8', 'student9', 'student28']  
human arm movement patterns have students ['student7', 'student40', 'student56', 'student82', 'student86']  
big datasets have students ['student7', 'student82']  
usaf have students ['student7']  
java have students ['student7']  
hand gesture recognition have students ['student7', 'student35', 'student58', 'student76']  
large-scale systems have students ['student7']  
multiplying circuits have students ['student7', 'student48']  
scheduling have students ['student7']  
hippocampal circuit have students ['student7', 'student17', 'student38']  
insurance have students ['student7', 'student66']  
graph-based unsupervised learning have students ['student8']  
stock market forecasting have students ['student8', 'student65']  
object identification have students ['student8']  
hcl device have students ['student8']  
concrete have students ['student8', 'student42', 'student50', 'student94']  
unfiltered web page have students ['student8']  
discrete hopfield neural network have students ['student8', 'student37']  
myo armband have students ['student8', 'student53']  
education have students ['student8', 'student81', 'student94']  
production engineering computing have students ['student8', 'student41']  
social media big data have students ['student8', 'student95']  
theoretical analysis have students ['student8', 'student12', 'student64', 'student80']  
computer resource have students ['student8', 'student17']  
groupware have students ['student8', 'student33']  
parallel architectures have students ['student8']  
speech recognition have students ['student8']  
optimal kernel function have students ['student8', 'student87']  
subthreshold mos have students ['student8', 'student75']  
mean square error methods have students ['student8', 'student87']  
statistic information have students ['student8']  
compensator have students ['student9', 'student80']  
fast learning have students ['student9', 'student21']  
hyperparameter optimization have students ['student9']  
computation energy distribution have students ['student9']  
deeprl have students ['student9', 'student11']  
cnn have students ['student9', 'student55']  
open source machine learning have students ['student9', 'student14', 'student50']  
computer game have students ['student9', 'student92']  
earth have students ['student9']  
deep q-learning network algorithm have students ['student9', 'student64']  
open science have students ['student9']  
financial market have students ['student10']  
company have students ['student10', 'student28']  
recognition rate have students ['student10']  
dia have students ['student10', 'student13', 'student33']  
ethic have students ['student10', 'student38']  
output units have students ['student10', 'student52']  
dispatching have students ['student10', 'student16']  
system stability have students ['student10']  
multilayer neural networks have students ['student10']  
geospatial data point processing have students ['student11', 'student56', 'student84']  
resource description framework have students ['student11', 'student49']  
kernel function have students ['student11', 'student57']  
synapse circuits have students ['student11', 'student38']  
dqn have students ['student11']  
kera have students ['student11']  
recurrent neural nets have students ['student11', 'student35']  
flash-based capacitor have students ['student11', 'student100']  
recurrent neural networks have students ['student11', 'student29']  
gpu have students ['student11']  
asynchronous random neural networks have students ['student11', 'student38', 'student43']  
filtering have students ['student11', 'student80']  
testing have students ['student11']  
shuffling method have students ['student11', 'student93']  
imbalanced classes have students ['student11', 'student62', 'student63']  
chebyshev approximation have students ['student11']  
convolutional codes have students ['student11', 'student43', 'student49', 'student66']  
hardware implementation have students ['student12', 'student99']  
domain model have students ['student12', 'student83']  
i&x;flexible structures have students ['student12']  
fuzzy neural nets have students ['student12', 'student13']  
open source framework have students ['student12', 'student21']  
highly efficient deep learning inference mechanisms have students ['student12', 'student49']  
dcnn have students ['student12', 'student70', 'student89']

File - test  
genetic programming have students ['student12']  
computational social science have students ['student12']  
fault diagnosis have students ['student12', 'student56']  
arm data center have students ['student12', 'student53']  
machine learning classification techniques have students ['student12', 'student43']  
cellular automata have students ['student12', 'student28', 'student37']  
laboratory have students ['student12']  
robustness have students ['student12']  
cased based reasoning have students ['student13', 'student78']  
social set analysis have students ['student13', 'student21', 'student84', 'student96']  
highly accurate inference have students ['student13']  
outer-product synaptic weight adjustments have students ['student13']  
solid state disk have students ['student13', 'student89']  
medical computing have students ['student13']  
parallel structure have students ['student13']  
machine learning in medicine have students ['student13']  
logic circuits have students ['student13', 'student69']  
constraint have students ['student13']  
actuator have students ['student13', 'student48']  
neural nets have students ['student13', 'student15', 'student18']  
index have students ['student14']  
behavior acquisition have students ['student14']  
worst-case control have students ['student14']  
data engineering have students ['student14']  
data analytics process have students ['student14', 'student21']  
three layer feedforward network have students ['student14', 'student27']  
field programmable gate arrays have students ['student14', 'student35', 'student72']  
hadoop have students ['student14']  
electronic neuromic model have students ['student14']  
decision tree have students ['student14']  
application have students ['student14']  
neuroboard have students ['student15', 'student27']  
nike sales forecasting have students ['student15']  
digitally-controlled synapse have students ['student15']  
seal have students ['student15', 'student47', 'student60']  
business application have students ['student15', 'student55']  
clustering algorithms have students ['student15']  
deep convolutional neural network have students ['student15', 'student31', 'student83']  
docker have students ['student15']  
hazard have students ['student15', 'student82']  
active learning have students ['student15']  
least squares methods have students ['student15']  
customer relationship management have students ['student15']  
medical information systems have students ['student15', 'student87']  
large scale integration have students ['student15']  
data locality manager have students ['student15', 'student24', 'student32', 'student76']  
new words extraction have students ['student15']  
concept algebra have students ['student16', 'student48', 'student75']  
fault tolerant computing have students ['student16', 'student19']  
deep core learning have students ['student16', 'student58']  
coordinated behaviors have students ['student16', 'student87']  
chemical have students ['student16']  
human pose estimation have students ['student16', 'student58']  
computer science have students ['student16']  
cognition have students ['student16', 'student57']  
function approximation have students ['student16', 'student95']  
unknown nonlinear plant have students ['student16']  
multimedia databases have students ['student16', 'student52']  
shared goal have students ['student16', 'student41']  
spatiotemporal data have students ['student16', 'student23']  
pagerank have students ['student16']  
digital architecture have students ['student16', 'student56']  
deep thinking have students ['student16']  
electronic learning have students ['student16']  
data integration and analysis system program have students ['student16']  
remote sensing data classification have students ['student16']  
copyright protection have students ['student17', 'student44']  
embryo have students ['student17', 'student72', 'student81', 'student84', 'student89']  
sign recognition have students ['student17', 'student49']  
differential equations have students ['student17', 'student18', 'student78']  
data mining algoritm have students ['student17']  
biological neural network have students ['student17']  
pulse modulation have students ['student17']  
neural objects have students ['student17', 'student38', 'student69']  
manufacturing systems have students ['student17']  
social network have students ['student17', 'student39', 'student47']  
best practices have students ['student18', 'student32', 'student83']  
hierarchical deep learning models have students ['student18', 'student73']  
standard have students ['student18']  
automatic control have students ['student18', 'student48', 'student52', 'student89']  
deep reinforcement learning have students ['student18']  
knowledge engineering have students ['student18']  
design engineering have students ['student18']  
workload balanced division have students ['student18']  
computer aided instruction have students ['student18']  
storage cost have students ['student18', 'student19']  
big data scheduling have students ['student18']  
big data analytics have students ['student18', 'student53']  
mathematics have students ['student18', 'student24']  
functional regression have students ['student18', 'student55']  
reliability have students ['student18', 'student69']  
dynamic scheduling have students ['student19']  
medical diagnosis have students ['student19', 'student77']  
dynamic have students ['student19', 'student83']  
unsupervised feature learning have students ['student19']  
big data have students ['student19', 'student27']  
task learning acceleration have students ['student19', 'student53', 'student98']  
accident risk determination have students ['student19', 'student66']  
distributed environment have students ['student19', 'student31', 'student68']  
decision support systems have students ['student20']  
text recognition have students ['student20']  
hypertension have students ['student20']  
principal component analysis have students ['student20']  
dq issued have students ['student20']  
protein have students ['student20', 'student37']  
computer-aided diagnosis have students ['student20', 'student76']  
distributed mining have students ['student20']  
numerical analysis have students ['student20', 'student52']  
optimization have students ['student20']  
owl have students ['student20', 'student29']  
neurite networks have students ['student20']  
formal concept analysis have students ['student20']  
svm classifier inference have students ['student21', 'student63']  
control logic circuit have students ['student21']  
government have students ['student21', 'student27', 'student46']  
hand x-ray image have students ['student21', 'student77']  
logistics have students ['student21', 'student100']  
classification accuracy have students ['student21', 'student36', 'student59']  
hpc and big data convergence have students ['student21', 'student63']  
gennets have students ['student21']  
1>recurrent neural networks have students ['student21']  
1>magnesium compounds have students ['student21', 'student63']  
quantitative analysis method have students ['student21']  
modified total sharp score have students ['student22', 'student77']  
hpc workload have students ['student22']  
counter-terrorism have students ['student22']  
two-stage machine learning system have students ['student22']  
machine learning accuracy have students ['student22']  
diverse data sources have students ['student22']  
ordinary differential equation have students ['student22', 'student93']  
control signal have students ['student22', 'student49']  
job shop scheduling have students ['student22']  
educational courses have students ['student22', 'student83', 'student86']  
post synaptic potentials have students ['student22', 'student27', 'student35', 'student93']  
deep learning research have students ['student22', 'student54']  
automation have students ['student22', 'student74']  
systems engineering and theory have students ['student23', 'student29', 'student96']  
high-dimensional real-world applications have students ['student23']  
big scientific data have students ['student23', 'student25', 'student52', 'student65']  
scalable machine learning problems have students ['student23', 'student77']  
deep autoencoders have students ['student23']  
arm archive have students ['student24', 'student35']  
factor concepts have students ['student24', 'student82']  
chinese web filtering have students ['student24', 'student84']  
fatigue have students ['student24']  
radial basis function network structure have students ['student24']  
gas turbines have students ['student24', 'student74']  
computer simulation have students ['student24']  
exploratory machine learning attack have students ['student24', 'student72', 'student91']  
conference have students ['student24', 'student70']  
neural chips have students ['student24', 'student38']  
instrument have students ['student25', 'student99']  
intelligent cooperative multiple agents have students ['student25']  
fitness function have students ['student25', 'student97']  
learning algorithm have students ['student25', 'student87']  
dot product matching neural network have students ['student25', 'student44', 'student75', 'student91']  
optical computing have students ['student25']  
wavelet analysis have students ['student25', 'student99', 'student100']  
cognitive systems have students ['student25']  
deep learning algorithm have students ['student25', 'student49']  
research community have students ['student25']  
video lecture have students ['student25', 'student30', 'student67', 'student78']  
coal have students ['student25']  
knowledge acquisition have students ['student25']  
analog t-model neural network hardware have students ['student25', 'student64']  
alzheimers disease classification have students ['student26', 'student90']  
road have students ['student26']  
drug-drug interactions have students ['student26', 'student82', 'student89']  
middleware have students ['student26', 'student57']  
restricted boltzman machine have students ['student26']  
arithmetic have students ['student26', 'student60']  
hyperparameters have students ['student26', 'student100']  
formal concept have students ['student26']  
big data application workflow have students ['student26', 'student38']  
convolution structure have students ['student26']  
digital control have students ['student26', 'student58']  
matched filters have students ['student26', 'student51']  
traffic engineering computing have students ['student26']  
tellurium have students ['student26', 'student61']  
deep learning inference runtime have students ['student26', 'student40']

File - test  
industrial equipment design have students ['student26']  
video signal processing have students ['student26']  
open-loop structures have students ['student27', 'student53']  
statistic have students ['student27']  
field programmable neural arrays have students ['student27', 'student64', 'student92']  
fpnn have students ['student27', 'student35', 'student68']  
sosevi have students ['student27', 'student37']  
algorithm have students ['student27', 'student57']  
engineering have students ['student27']  
classification incremental learning algorithm have students ['student27', 'student31']  
functional link network have students ['student27']  
hierarchical feature representation have students ['student27']  
computerised tomography have students ['student27']  
semantic computing have students ['student27']  
force have students ['student27', 'student88']  
identity-based encryption have students ['student27']  
fuzzy set theory have students ['student27']  
biomedical monitoring have students ['student27', 'student36', 'student62']  
major brain functions have students ['student28', 'student63']  
educational institutions have students ['student28', 'student47', 'student86']  
large-scale data intensive scientific application have students ['student28', 'student73']  
data compression have students ['student28']  
exploratory spatial data analysis have students ['student28', 'student65', 'student84']  
big data collections have students ['student28']  
medical diagnostics have students ['student28', 'student56', 'student69', 'student95']  
cross industry standard platform for data mining have students ['student29', 'student60']  
upper bound have students ['student29']  
training set information have students ['student29']  
geospatial data point normalization have students ['student29']  
neural network models have students ['student29']  
layered topology have students ['student29']  
uncertainty have students ['student29', 'student70']  
two-character-nouns have students ['student29', 'student87']  
belief networks have students ['student29', 'student95']  
dataset query have students ['student30']  
standard feedforward networks have students ['student30', 'student99']  
1>accuracy have students ['student30']  
big data search and mining have students ['student30', 'student32']  
game ai domain have students ['student30', 'student92']  
inverse dynamics have students ['student30', 'student42', 'student44']  
heart have students ['student30']  
open loop systems have students ['student30']  
scem have students ['student30', 'student69']  
1>cloud computing have students ['student31', 'student64']  
1>biological neural networks have students ['student31']  
finger joint detection have students ['student31']  
adaptive control have students ['student31']  
inference framework have students ['student31']  
metric space have students ['student31', 'student96']  
continuous hopfield neural network have students ['student31']  
genetic algorithm have students ['student31']  
application software have students ['student31']  
hippocampal ltp process have students ['student31']  
1>learning (artificial intelligence) have students ['student31']  
redundant outputs have students ['student31', 'student70']  
protocol have students ['student31', 'student38']  
fault samples have students ['student32']  
dual codes have students ['student32', 'student89', 'student100']  
adaptation rule circuit have students ['student32']  
distributed databases have students ['student32']  
fpga have students ['student32', 'student46']  
information systems have students ['student32']  
fuzzy sets have students ['student32']  
ordinary least squares algorithm have students ['student32', 'student47']  
learning paradigm have students ['student32', 'student54']  
visualization have students ['student32']  
very large scale integration have students ['student33']  
iterated game executions have students ['student33', 'student85']  
video analysis have students ['student33', 'student54']  
job production systems have students ['student33', 'student38', 'student83', 'student100']  
liver have students ['student33']  
internet-of-things have students ['student33']  
digital neurochip have students ['student33']  
supervised fast learning filter neural network have students ['student33']  
mean absolute percentage error have students ['student33', 'student69']  
maximum probability have students ['student34', 'student55']  
counter-terrorism field have students ['student34', 'student42', 'student89']  
server have students ['student34', 'student47']  
clinical big data have students ['student34', 'student88', 'student92']  
machine learning techniques have students ['student34', 'student66', 'student89']  
the times have students ['student34']  
multi agent systems have students ['student34', 'student66', 'student74']  
generating control bits have students ['student34']  
deep representation learning have students ['student34', 'student94']  
ports (computers) have students ['student35', 'student54']  
pressure measurement have students ['student35']  
text analysis have students ['student35', 'student53']  
flexible beam have students ['student35', 'student99']  
circuit have students ['student35', 'student58', 'student78']  
safety have students ['student35']  
foot x-ray image have students ['student35', 'student54']  
multi-layer neural network have students ['student35']  
basal ganglia have students ['student35', 'student45']  
data locality have students ['student36', 'student37', 'student41']  
communication links have students ['student36']  
road accident have students ['student36', 'student64']  
training have students ['student36', 'student69']  
latent variable have students ['student36']  
social set visualizer have students ['student36']  
collaboration have students ['student36']  
web services have students ['student36']  
semantics algebra have students ['student36']  
htm algorithm have students ['student36', 'student74']  
cloud have students ['student37']  
architecture have students ['student37', 'student80']  
neural network hardware implementations have students ['student37', 'student68', 'student86']  
classifier training have students ['student37']  
patient datasets have students ['student37', 'student44']  
ols algorthm have students ['student37', 'student73']  
mitre research team have students ['student37', 'student50']  
unsupervised learning have students ['student37']  
big data systems have students ['student37']  
concurrent learning agents have students ['student37', 'student63']  
subject-based data archives have students ['student38', 'student60']  
production equipment have students ['student38', 'student69']  
data mining have students ['student38', 'student55', 'student73']  
logic programming languages have students ['student38']  
comprehension quizzes have students ['student38']  
big data validation have students ['student38']  
input data preprocessing methods have students ['student38', 'student39', 'student55']  
internet of things have students ['student38', 'student65']  
learning techniques have students ['student38']  
disturbance-rejection neural network control have students ['student38']  
deep knowledge learning have students ['student38', 'student41']  
nonlinear dynamical systems have students ['student38', 'student49']  
extraterrestrial measurements have students ['student38']  
modified backpropagation learning have students ['student39']  
cognitive solution have students ['student39']  
discrete wavelet transforms have students ['student39']  
data geographical distribution have students ['student39']  
intelligent data analysis have students ['student39', 'student43']  
geographic location have students ['student39', 'student77']  
machine learning method have students ['student39', 'student57', 'student66', 'student74']  
risk management have students ['student39']  
material have students ['student39', 'student78']  
deep neural networks have students ['student39', 'student96']  
bone have students ['student39']  
discrete wavelet transform have students ['student39', 'student93']  
biological cells have students ['student40']  
text classification application have students ['student40']  
fault-tolerant have students ['student40', 'student90']  
trajectory have students ['student40', 'student98']  
indexing have students ['student40']  
target data have students ['student40']  
aida sales framework have students ['student40']  
computer have students ['student40']  
push recovery learning have students ['student40']  
approximation algorithms have students ['student40', 'student58', 'student72', 'student78']  
state estimation have students ['student40']  
representations learning have students ['student40', 'student79']  
optical fiber theory have students ['student41', 'student61']  
data distribution have students ['student41', 'student100']  
iot sensor device have students ['student41']  
accelerometer have students ['student41', 'student90']  
rewarding system have students ['student41', 'student53']  
backpropagation neural network have students ['student41', 'student92']  
standard backpropagation have students ['student41', 'student58']  
company data have students ['student41']  
h infinity control have students ['student41', 'student64', 'student99']  
multidimensional untron have students ['student41']  
signal detection have students ['student41']  
fuzzy neural networks have students ['student42']  
medical decision making have students ['student42']  
data space have students ['student42']  
charge domain characteristics have students ['student42']  
chinese new word extraction have students ['student42']  
preoperative planning have students ['student42', 'student75']  
loss measurement have students ['student42', 'student83']  
energy states have students ['student42', 'student45', 'student67']  
data exchange scheme have students ['student42']  
distributed deep learning platform have students ['student42']  
surveillance platform have students ['student43', 'student69', 'student99']  
robust deep models have students ['student43', 'student81']  
commercial hotspots have students ['student43', 'student59', 'student93']  
electromyography have students ['student43']  
real-time systems have students ['student43']  
taxonomy have students ['student43']  
decision making have students ['student43', 'student55', 'student94']  
semantics have students ['student43']  
frequency have students ['student43']

File - test  
learning have students ['student43']  
i»;cognitive systems have students ['student44']  
online analytical process have students ['student44']  
distributed storage have students ['student44', 'student53']  
computer games have students ['student44', 'student90']  
record processing have students ['student44', 'student48']  
dynamical learning process have students ['student44']  
eigenvalues and eigenfunctions have students ['student44', 'student56']  
inference algorithms have students ['student44', 'student70']  
multi-layer svm have students ['student44']  
hardware resource utilization have students ['student44']  
library have students ['student44']  
network topology have students ['student45']  
python-based deep learning library have students ['student45']  
deep sarsa learning have students ['student45']  
business data processing have students ['student45']  
vibration control have students ['student45']  
market research have students ['student45']  
data management have students ['student45']  
exploratory attacks have students ['student46', 'student59', 'student64', 'student90']  
collaborative work have students ['student46']  
facebook data have students ['student46', 'student77', 'student86']  
synchronization have students ['student46', 'student69']  
deep layers have students ['student46', 'student100']  
cooperative behavior have students ['student46', 'student86']  
cellular neural nets have students ['student46']  
unsupervised deep learning approach have students ['student46', 'student100']  
output feedback have students ['student46']  
logic programming have students ['student46']  
moco have students ['student46', 'student62']  
i»;chaos have students ['student47']  
engine have students ['student47']  
sensor have students ['student47']  
software prototyping have students ['student47', 'student89']  
i»;economic indicators have students ['student47']  
decision trees have students ['student47']  
i»;optimization methods have students ['student47', 'student93']  
h/sup /spl infin control have students ['student47', 'student93']  
modern storage systems have students ['student47']  
video frames have students ['student47', 'student57']  
artificial generalized intelligence have students ['student48']  
time factors have students ['student48', 'student49', 'student56']  
benes interconnection network have students ['student48', 'student80']  
ocean have students ['student48']  
backpropagation learning have students ['student48']  
i»;capacitors have students ['student48']  
learning (artificial intelligence) have students ['student48']  
auto-associative memory have students ['student48', 'student57']  
extrapolation have students ['student48']  
tensorflow have students ['student48']  
prototype have students ['student48', 'student64']  
i»;probability density function have students ['student48', 'student72']  
graphics processing unit have students ['student49']  
iot device have students ['student49']  
weibo check-in data have students ['student49', 'student82']  
privacy protection have students ['student49']  
clustering have students ['student49']  
data analysis have students ['student49', 'student59']  
terrestrial atmosphere have students ['student49']  
security challenges have students ['student49']  
rheumatoid arthritis have students ['student50', 'student52', 'student83', 'student84']  
2d compatible neural networks have students ['student50']  
network type have students ['student50']  
data quality have students ['student50']  
industry have students ['student50', 'student70']  
machine intelligence have students ['student50']  
metadata management have students ['student50', 'student79']  
feedforward neural nets have students ['student50', 'student53', 'student59']  
adversarial machine learning have students ['student50']  
complexity have students ['student50', 'student60', 'student81']  
insider threat detection have students ['student50']  
protection have students ['student50', 'student61', 'student71']  
shallow learning have students ['student50']  
medical big data research have students ['student50', 'student53']  
entropy have students ['student50']  
information management have students ['student51', 'student67']  
statistical learning have students ['student51']  
returns to scale have students ['student51']  
ontology have students ['student51']  
heterogeneous data sources have students ['student51']  
baipas have students ['student51']  
analytical models have students ['student51']  
i»;performance evaluation have students ['student51']  
network weights have students ['student51']  
data handling have students ['student51']  
security have students ['student51']  
big data i/o performance have students ['student52', 'student93']  
clean data have students ['student52']  
knee surgeries have students ['student52', 'student74']  
polynomial have students ['student52']  
high dimensional feature space have students ['student52']  
multilayered perceptron neural network have students ['student53']  
wuc have students ['student53']  
performance evaluation have students ['student53']  
computational efficiency have students ['student53']  
parallel classifiers ensemble have students ['student53']  
genetic engineering have students ['student53']  
public domain software have students ['student53']  
online machine learning algorithms have students ['student53']  
facebook data analytics have students ['student54', 'student95']  
ma have students ['student54', 'student88']  
cctv cameras have students ['student54', 'student76', 'student95']  
hard disk drive have students ['student54']  
rule induction have students ['student54']  
doubles pong game have students ['student54']  
search methods have students ['student54', 'student82']  
big data access have students ['student54']  
sigmoid circuit have students ['student54']  
continual neural networks have students ['student54']  
psychology have students ['student55', 'student66']  
collective effort have students ['student55']  
main building blocks have students ['student55']  
nonlinear control systems have students ['student55']  
triangular maps have students ['student55']  
production have students ['student55']  
softmax classifier have students ['student55']  
ca problem have students ['student55']  
data preprocessing have students ['student55', 'student88', 'student94']  
error correction have students ['student55']  
japan have students ['student56']  
space technology have students ['student56', 'student75']  
sequential decision making have students ['student56']  
big-data analyses have students ['student56']  
vegetation have students ['student56']  
limited interconnection scheme have students ['student56', 'student78', 'student84']  
speaker-independent spoken number recognition have students ['student56']  
intel xeon e5540 processors have students ['student56', 'student68']  
class labels have students ['student56', 'student71', 'student80', 'student99']  
classification algorithms have students ['student57']  
big data integration have students ['student57']  
biodiversity data have students ['student57', 'student87']  
communication networks have students ['student57']  
marketing data processing have students ['student57']  
deep kernel learning have students ['student57', 'student90', 'student100']  
next-gen tools have students ['student57']  
cognitive knowledge bases have students ['student57']  
liver diseases have students ['student57']  
total knee arthroplasty have students ['student58']  
tka have students ['student58']  
cognitive foundations have students ['student58']  
cluster mining have students ['student58']  
biomedical education have students ['student59']  
artificial neural netw (ann) have students ['student59']  
cognitive robotics have students ['student59', 'student68']  
hyper planes have students ['student59']  
diagnosis system have students ['student59']  
multidimensional climate observations have students ['student59']  
neurocontrollers have students ['student59']  
bismuth have students ['student59', 'student91']  
machine understandable forms have students ['student59']  
portfolio have students ['student60', 'student65']  
streaming media have students ['student60']  
risk analysis have students ['student60']  
storm have students ['student60']  
flexible visualization-based user interface have students ['student60']  
generalisation (artificial intelligence) have students ['student60']  
intelligent algorithms have students ['student60']  
modern computers have students ['student60']  
software have students ['student60', 'student63']  
esda have students ['student61']  
deep architectures have students ['student61']  
switched-capacitor implementations have students ['student61']  
patient treatment have students ['student61']  
darwin machines have students ['student61']  
social networks have students ['student61', 'student74']  
ontologies (artificial intelligence) have students ['student61']  
inter-cloud have students ['student61', 'student95']  
hierarchical machine learning have students ['student62', 'student63']  
code have students ['student63']  
atmospheric measurements have students ['student63']  
dqn model have students ['student63']  
read-write memory have students ['student63']  
analogue computer circuits have students ['student63']  
programmable nonlinear capacitor have students ['student63']  
social networking (online) have students ['student63']  
embedded systems have students ['student63', 'student87']  
fault tolerance have students ['student63', 'student68']  
feedforward controller have students ['student63']  
machine learning theory have students ['student63', 'student99']  
big data management infrastructure have students ['student63', 'student70']

File-test  
formal brain studies have students ['student63']  
case-based reasoning have students ['student63', 'student100']  
rl agent have students ['student63']  
research and development have students ['student63']  
biomedical imaging have students ['student64']  
feedforward have students ['student64']  
platform independent machine learning library have students ['student64']  
triples (data structure) have students ['student64', 'student80']  
neuroscience have students ['student64']  
user assessable data files have students ['student64', 'student77']  
market prediction have students ['student64']  
worst-case identification have students ['student64', 'student68']  
i&x;intelligent networks have students ['student65', 'student90']  
i&x-ray imaging have students ['student65', 'student80']  
redundancy have students ['student65']  
calibrated data agglomerations have students ['student65']  
deep convolutional belief network have students ['student65']  
data integration have students ['student65', 'student77']  
distributed deep learning platform have students ['student65']  
deep learning performance have students ['student66', 'student92']  
boolean functions have students ['student66']  
jugonet have students ['student66', 'student81']  
chaotic time series have students ['student66']  
i&x;terrorism have students ['student66', 'student85']  
hebbian learning have students ['student66']  
incremental support vector machine have students ['student66', 'student85']  
pattern recognition have students ['student66']  
data source have students ['student66']  
openai gym have students ['student66']  
hybrid approach have students ['student66']  
i&x;dictionaries have students ['student66', 'student68']  
core memory have students ['student67']  
reinforcement learning have students ['student67']  
efficient selection have students ['student67']  
context modeling have students ['student67']  
ds have students ['student67']  
subsymbolic data mining have students ['student67', 'student78', 'student84']  
restricted boltzmann machines have students ['student67', 'student86', 'student94']  
graphics processing units have students ['student67']  
equation have students ['student67']  
correlation theory have students ['student67']  
cardiovascular diseases have students ['student68']  
dynamic programming have students ['student68']  
statistical analysis have students ['student68']  
resource allocation have students ['student68']  
content-addressable storage have students ['student68']  
scholarly communication have students ['student68']  
cognitive process have students ['student68']  
deep belief networks have students ['student68', 'student77', 'student86']  
software frameworks have students ['student68', 'student77', 'student86']  
storage management have students ['student69']  
fine-grain parallel computing have students ['student69']  
predictive models have students ['student69', 'student78']  
hopfield neural nets have students ['student69']  
order parameter coherency have students ['student69']  
cooperative behaviors have students ['student69', 'student77']  
data stores have students ['student69']  
feedforward neural networks have students ['student69']  
time series analysis have students ['student70']  
switched capacitor networks have students ['student70', 'student84']  
nasc have students ['student70', 'student75']  
dwt have students ['student70']  
iteration algorithm have students ['student70', 'student72']  
i&x;mathematical model have students ['student70']  
visual doom ai game have students ['student70']  
oddball have students ['student70', 'student88']  
petroleum have students ['student70']  
high dimensional state-space have students ['student70']  
discussion forum have students ['student71']  
machine vision quality inspection have students ['student71']  
process identification have students ['student71', 'student94']  
intelligent robots have students ['student71']  
deep reinforcement learning approach have students ['student72']  
prediction algorithms have students ['student72']  
iot devices have students ['student72']  
on-policy reinforcement learning have students ['student72']  
cybernetics have students ['student72']  
spatial databases have students ['student72']  
medical diagnostic computing have students ['student72']  
stabilized parallel deep learning architectures have students ['student72']  
benchmark testing have students ['student73']  
iso standards have students ['student73']  
simulated annealing have students ['student73', 'student79']  
i&x;training have students ['student73']  
i&x;support vector machines have students ['student74']  
time series data have students ['student74']  
crsip-dm have students ['student74', 'student75']  
clinical big data analysis have students ['student74', 'student80']  
emotional systems have students ['student74']  
quaternion have students ['student74', 'student90']  
parallel processing have students ['student74']  
road accident occurrence status analysis have students ['student75', 'student98']  
machine learning approach have students ['student75']  
graphical user interface have students ['student75']  
qos have students ['student75', 'student82']  
security applications have students ['student76', 'student80', 'student83']  
sales management have students ['student76', 'student98']  
disclosure risk have students ['student76']  
massive online open course have students ['student76']  
dynamic loci have students ['student76']  
humanoid robots have students ['student76']  
m.2 ssd cache have students ['student76']  
accuracy have students ['student76']  
life estimation have students ['student76']  
human computer interaction have students ['student76']  
multiple parallel deep learning frameworks have students ['student76', 'student93']  
discriminative loss function optimization have students ['student77']  
approximate equivalence neural network have students ['student77', 'student82']  
cognitive machine learning have students ['student77']  
algorithm design and analysis have students ['student77']  
mean correlation have students ['student77']  
domain-specific knowledge have students ['student77', 'student84']  
iot applications have students ['student77', 'student99']  
research institutions have students ['student78']  
deep q-networks have students ['student78']  
neural network have students ['student78']  
training data have students ['student78']  
imbalanced distributions have students ['student78']  
computation complexity have students ['student78']  
ge power and water have students ['student79']  
systematics have students ['student79']  
closed circuit television have students ['student79']  
up/down counter have students ['student79']  
x-ray image have students ['student79']  
intelligent big data analysis architecture have students ['student79']  
convolution neural networks have students ['student79']  
inspection have students ['student80']  
genetic method have students ['student80']  
event study have students ['student80']  
deep learning algorithms have students ['student80']  
nonlinear systems have students ['student80']  
eprom have students ['student80']  
qos requirements have students ['student80']  
predictive medicine have students ['student81']  
text processing have students ['student81']  
i&x;road accidents have students ['student81']  
multilayer support vector machine have students ['student81']  
denotational mathematics have students ['student81']  
network-on-a-chip have students ['student81']  
benchmark deep learning datasets have students ['student81']  
backpropagation have students ['student81']  
algebra have students ['student81', 'student93']  
multimedia communication have students ['student82']  
atmospheric radiation measurement climate research facility have students ['student82', 'student95']  
ill-protected copies have students ['student82']  
effective cooperative behaviors have students ['student82']  
single machine scheduling have students ['student82']  
wdm networks have students ['student82']  
multiagent systems have students ['student83']  
coal mining have students ['student83', 'student84']  
standards organizations have students ['student83']  
analog computers have students ['student84', 'student85', 'student92']  
behavior changes have students ['student84']  
critical time have students ['student84', 'student91', 'student93']  
unlabeled data have students ['student84']  
geometry have students ['student84']  
fitting have students ['student85']  
storage capacitor have students ['student85']  
machine learning strategies have students ['student85']  
distributed tensorflow have students ['student85']  
information technology have students ['student86']  
depth kernel learning have students ['student86']  
routing have students ['student86', 'student87']  
m-th order ordinary differential equations have students ['student86']  
process control have students ['student86']  
data analytics problems have students ['student86']  
haar wavelet have students ['student86', 'student87', 'student95']  
gesture recognition have students ['student87', 'student99']  
compensation have students ['student87']  
hpc collocation have students ['student87']  
unified modeling language have students ['student87']  
filter have students ['student87']  
recombining method have students ['student87']  
personnel have students ['student87']  
geographic information systems have students ['student87']  
missing patient data have students ['student87', 'student98']  
hebbian theory have students ['student88']  
unlabeled/unsupervised data have students ['student88']

File-test  
domain-model terms have students ['student88']  
brain have students ['student88', 'student99']  
logic programming language have students ['student88']  
approximate transformable technique have students ['student88']  
extended bam neural network model have students ['student89']  
graph-based unsupervised machine learning methods have students ['student89']  
analog computation have students ['student89']  
transputers have students ['student89']  
chemical technology have students ['student89']  
analog multiplier have students ['student90']  
signal processing algorithms have students ['student90']  
unsolicited electronic mail have students ['student90']  
video streaming have students ['student90']  
electronic mail have students ['student90']  
marketing have students ['student90']  
routing algorithm have students ['student90']  
encryption have students ['student91']  
relationship graphs have students ['student91']  
deep multiple instance learning have students ['student91']  
modified error backpropagation technique have students ['student91']  
on-chip error backpropagation learning have students ['student91']  
hadoop yarn have students ['student91']  
time series have students ['student92']  
apache spark mllib 2 have students ['student92']  
medical diagnostic imaging have students ['student92']  
aging have students ['student92']  
partitioning algorithms have students ['student93']  
intelligent agent have students ['student93']  
signal capturing have students ['student93']  
high-performance have students ['student93']  
peer-to-peer computing have students ['student93']  
supervised classification have students ['student94']  
monitoring have students ['student94']  
big-data processing performance have students ['student94']  
proposal have students ['student94']  
organization performance have students ['student94']  
video games control problems have students ['student94']  
reward schemes have students ['student94']  
I×optical fiber networks have students ['student94']  
signal processing have students ['student94']  
software algorithms have students ['student94', 'student95', 'student98']  
application execution scheduling have students ['student95']  
optical fibre networks have students ['student95']  
self-routing have students ['student95']  
nike have students ['student95']  
data acquisition have students ['student95']  
conceptual design have students ['student95']  
big data risk analysis have students ['student95']  
data collector have students ['student95']  
data visualization have students ['student96']  
I×data mining have students ['student96']  
logical resources have students ['student96']  
classification reanalysis have students ['student97']  
spark have students ['student97']  
ssd cache have students ['student98']  
algorithms and programming techniques for big data processing have students ['student98']  
deep reinforcement learning have students ['student98']  
random forest have students ['student98']  
biological control systems have students ['student98']  
neocortical network have students ['student98']  
design optimization have students ['student99']  
netcdf file format have students ['student99']  
self adjusting fuzzy modeling have students ['student99']  
credit assignment problem have students ['student99']  
experience replay have students ['student99']  
probability distribution have students ['student99']  
regression method have students ['student100']  
objective function have students ['student100']  
I×discrete wavelet transforms have students ['student100']  
history have students ['student100']  
dynamic security-level maximization have students ['student100']  
parallel data processing have students ['student100']  
I×machine learning have students ['student100']  
abstract1 : 13 : ('student82', 'student67', 'student42', 'student18', 'student87', 'student29', 'student95', 'student9', 'student75', 'student22', 'student70', 'student8', 'student99')  
abstract2 : 14 : ('student92', 'student67', 'student82', 'student39', 'student47', 'student48', 'student6', 'student52', 'student77', 'student1', 'student71', 'student66', 'student57', 'student74')  
abstract3 : 24 : ('student58', 'student87', 'student48', 'student26', 'student23', 'student51', 'student11', 'student80', 'student70', 'student89', 'student57', 'student8', 'student65', 'student82', 'student56', 'student93', 'student6', 'student77', 'student69', 'student55', 'student36', 'student66', 'student71', 'student99')  
abstract4 : 20 : ('student88', 'student72', 'student58', 'student40', 'student76', 'student20', 'student90', 'student70', 'student89', 'student57', 'student65', 'student67', 'student29', 'student78', 'student69', 'student49', 'student63', 'student11', 'student12', 'student99')  
abstract5 : 17 : ('student35', 'student88', 'student58', 'student7', 'student27', 'student76', 'student90', 'student77', 'student77', 'student28', 'student69', 'student55', 'student59', 'student49', 'student74', 'student43', 'student94', 'student99')  
abstract6 : 27 : ('student92', 'student18', 'student16', 'student74', 'student73', 'student95', 'student50', 'student9', 'student79', 'student23', 'student86', 'student3', 'student57', 'student67', 'student6', 'student78', 'student52', 'student97', 'student69', 'student71', 'student84', 'student49', 'student36', 'student17', 'student94', 'student22', 'student33')  
abstract7 : 20 : ('student68', 'student16', 'student18', 'student73', 'student95', 'student1', 'student32', 'student70', 'student89', 'student35', 'student52', 'student77', 'student66', 'student55', 'student38', 'student43', 'student27', 'student34', 'student12')  
abstract8 : 14 : ('student40', 'student95', 'student75', 'student1', 'student41', 'student69', 'student80', 'student37', 'student89', 'student15', 'student4', 'student12', 'student8')  
abstract9 : 14 : ('student47', 'student26', 'student100', 'student51', 'student50', 'student77', 'student9', 'student19', 'student32', 'student6', 'student37', 'student2', 'student43')  
abstract10 : 14 : ('student72', 'student98', 'student18', 'student16', 'student40', 'student56', 'student48', 'student77', 'student19', 'student66', 'student89', 'student57', 'student38')  
abstract11 : 15 : ('student58', 'student87', 'student63', 'student40', 'student21', 'student79', 'student11', 'student1', 'student5', 'student70', 'student89', 'student57', 'student17', 'student11', 'student15', 'student12')  
abstract12 : 15 : ('student31', 'student33', 'student48', 'student6', 'student26', 'student95', 'student49', 'student57', 'student24', 'student15', 'student66', 'student8')  
abstract13 : 22 : ('student88', 'student16', 'student40', 'student19', 'student98', 'student33', 'student93', 'student6', 'student60', 'student77', 'student28', 'student69', 'student55', 'student59', 'student41', 'student36', 'student66', 'student63', 'student2', 'student27', 'student43')  
abstract14 : 21 : ('student72', 'student87', 'student64', 'student21', 'student100', 'student70', 'student89', 'student25', 'student29', 'student6', 'student97', 'student15', 'student63', 'student11', 'student12', 'student44', 'student83')  
abstract15 : 19 : ('student92', 'student16', 'student87', 'student38', 'student19', 'student86', 'student10', 'student70', 'student89', 'student24', 'student12', 'student60', 'student54', 'student22', 'student74', 'student11', 'student27', 'student44', 'student83')  
abstract16 : 16 : ('student82', 'student42', 'student67', 'student45', 'student48', 'student48', 'student64', 'student56', 'student97', 'student77', 'student19', 'student15', 'student22', 'student63', 'student74', 'student43')  
abstract17 : 18 : ('student82', 'student35', 'student67', 'student68', 'student98', 'student16', 'student39', 'student56', 'student76', 'student61', 'student52', 'student77', 'student5', 'student84', 'student53', 'student2', 'student11')  
abstract18 : 13 : ('student58', 'student18', 'student87', 'student40', 'student29', 'student6', 'student97', 'student90', 'student91', 'student5', 'student49', 'student15', 'student38')  
abstract19 : 25 : ('student92', 'student72', 'student74', 'student64', 'student48', 'student95', 'student21', 'student100', 'student19', 'student81', 'student3', 'student57', 'student25', 'student94', 'student1', 'student17', 'student43', 'student27', 'student12', 'student99')  
abstract20 : 18 : ('student72', 'student58', 'student61', 'student16', 'student87', 'student2', 'student95', 'student51', 'student70', 'student89', 'student43', 'student12', 'student8')  
abstract21 : 31 : ('student42', 'student58', 'student61', 'student16', 'student76', 'student20', 'student50', 'student79', 'student86', 'student19', 'student81', 'student46', 'student80', 'student70', 'student89', 'student30', 'student7', 'student39', 'student47', 'student29')  
abstract22 : 23 : ('student44', 'student42', 'student62', 'student95', 'student1', 'student3', 'student70', 'student89', 'student57', 'student24', 'student35', 'student67', 'student7', 'student45', 'student77', 'student96', 'student5', 'student54', 'student66', 'student49', 'student22', 'student17', 'student34', 'student12')  
abstract23 : 17 : ('student82', 'student31', 'student87', 'student63', 'student26', 'student75', 'student77', 'student32', 'student5', 'student71', 'student22', 'student94', 'student30', 'student12')  
abstract24 : 25 : ('student87', 'student16', 'student100', 'student50', 'student32', 'student81', 'student1', 'student57', 'student35', 'student6', 'student99', 'student5', 'student54', 'student59', 'student71', 'student63', 'student15', 'student94', 'student12', 'student13', 'student99')  
abstract25 : 15 : ('student42', 'student31', 'student61', 'student64', 'student76', 'student51', 'student77', 'student46', 'student32', 'student86', 'student53', 'student22', 'student38', 'student65')  
abstract26 : 19 : ('student58', 'student16', 'student76', 'student50', 'student19', 'student46', 'student70', 'student89', 'student37', 'student22', 'student63', 'student53', 'student63', 'student38', 'student11', 'student12', 'student83')  
abstract27 : 14 : ('student42', 'student18', 'student87', 'student21', 'student64', 'student50', 'student52', 'student77', 'student36', 'student85', 'student94', 'student8', 'student65')  
abstract28 : 25 : ('student58', 'student18', 'student16', 'student26', 'student90', 'student46', 'student61', 'student86', 'student70', 'student89', 'student35', 'student45', 'student47', 'student6', 'student60', 'student78', 'student41', 'student44', 'student15', 'student54', 'student19', 'student22', 'student31', 'student22', 'student12')  
abstract29 : 15 : ('student31', 'student58', 'student47', 'student93', 'student51', 'student90', 'student46', 'student32', 'student70', 'student37', 'student12', 'student89', 'student27', 'student44')  
abstract30 : 20 : ('student88', 'student40', 'student26', 'student79', 'student90', 'student70', 'student89', 'student30', 'student47', 'student63', 'student6', 'student93', 'student69', 'student5', 'student59', 'student84', 'student37', 'student71', 'student12')  
abstract31 : 16 : ('student18', 'student73', 'student25', 'student64', 'student26', 'student78', 'student81', 'student80', 'student70', 'student89', 'student49', 'student11', 'student34', 'student12', 'student8')  
abstract32 : 18 : ('student31', 'student16', 'student73', 'student64', 'student4', 'student100', 'student51', 'student77', 'student32', 'student59', 'student80', 'student70', 'student89', 'student57', 'student2', 'student27', 'student14')  
abstract33 : 14 : ('student44', 'student42', 'student51', 'student58', 'student98', 'student47', 'student19', 'student51', 'student77', 'student20', 'student89', 'student57', 'student1', 'student70', 'student89', 'student94', 'student12')  
abstract34 : 19 : ('student61', 'student95', 'student75', 'student19', 'student1', 'student70', 'student89', 'student57', 'student8', 'student31', 'student12', 'student35', 'student39', 'student93', 'student77', 'student96', 'student37', 'student74', 'student44')  
abstract35 : 18 : ('student35', 'student7', 'student33', 'student16', 'student95', 'student17', 'student6', 'student38', 'student19', 'student54', 'student22', 'student77', 'student12', 'student27', 'student44')  
abstract36 : 26 : ('student72', 'student68', 'student64', 'student48', 'student26', 'student100', 'student46', 'student11', 'student81', 'student91', 'student10', 'student57', 'student24', 'student25', 'student65', 'student6', 'student98', 'student77', 'student69', 'student36', 'student63', 'student38', 'student11', 'student27', 'student13', 'student99')  
abstract37 : 36 : ('student92', 'student88', 'student16', 'student87', 'student73', 'student20', 'student95', 'student75', 'student86', 'student32', 'student70', 'student89', 'student2', 'student8', 'student31', 'student7', 'student45', 'student33', 'student47', 'student15', 'student56', 'student6', 'student78', 'student77', 'student28', 'student5', 'student16', 'student21', 'student77', 'student89', 'student25', 'student97', 'student11', 'student12', 'student44', 'student83')  
abstract38 : 16 : ('student18', 'student87', 'student33', 'student16', 'student76', 'student50', 'student19', 'student46', 'student70', 'student89', 'student37', 'student22', 'student62', 'student60', 'student55', 'student22', 'student63', 'student38', 'student11', 'student12', 'student83')  
abstract39 : 21 : ('student16', 'student76', 'student50', 'student51', 'student9', 'student70', 'student89', 'student60', 'student6', 'student97', 'student5', 'student49', 'student84', 'student1', 'student37', 'student17', 'student12', 'student13', 'student83')  
abstract40 : 20 : ('student87', 'student26', 'student21', 'student95', 'student81', 'student70', 'student89', 'student12', 'student45', 'student98', 'student29', 'student60', 'student78', 'student37', 'student63', 'student94', 'student27', 'student44')  
abstract41 : 23 : ('student42', 'student72', 'student68', 'student87', 'student74', 'student18', 'student20', 'student81', 'student25', 'student65', 'student82', 'student98', 'student6', 'student54', 'student71', 'student37', 'student63', 'student38', 'student12', 'student83')  
abstract42 : 21 : ('student68', 'student87', 'student95', 'student100', 'student9', 'student86', 'student32', 'student1', 'student70', 'student89', 'student57', 'student45', 'student74', 'student69', 'student84', 'student22', 'student63', 'student11', 'student27')  
abstract43 : 18 : ('student72', 'student16', 'student73', 'student23', 'student1', 'student70', 'student89', 'student4', 'student31', 'student77', 'student55', 'student54', 'student15', 'student53', 'student22', 'student27', 'student12')  
abstract44 : 6 : ('student92', 'student72', 'student64', 'student21', 'student27', 'student77')  
abstract45 : 20 : ('student18', 'student68', 'student74', 'student40', 'student26', 'student100', 'student51', 'student81', 'student4', 'student33', 'student77', 'student41', 'student54', 'student49', 'student38', 'student2', 'student13', 'student83')  
abstract46 : 23 : ('student61', 'student68', 'student87', 'student40', 'student26', 'student9', 'student80', 'student70', 'student57', 'student56', 'student6', 'student96', 'student69', 'student22', 'student11', 'student38', 'student43', 'student27', 'student12', 'student99', 'student14')  
abstract47 : 15 : ('student42', 'student31', 'student18', 'student48', 'student6', 'student100', 'student17', 'student77', 'student1', 'student41', 'student36', 'student80', 'student37', 'student74', 'student14')  
abstract48 : 14 : ('student72', 'student29', 'student48', 'student25', 'student6', 'student63', 'student75', 'student77', 'student32', 'student49', 'student84', 'student53', 'student94', 'student34')  
abstract49 : 27 : ('student92', 'student42', 'student18', 'student16', 'student64', 'student76', 'student21', 'student100', 'student91', 'student1', 'student32', 'student89', 'student24', 'student65', 'student6', 'student77', 'student43', 'student15', 'student49')  
abstract50 : 18 : ('student68', 'student87', 'student95', 'student79', 'student1', 'student81', 'student59', 'student80', 'student3', 'student89', 'student63', 'student49', 'student11', 'student27', 'student12', 'student69', 'student65')  
abstract51 : 16 : ('student88', 'student16', 'student87', 'student48', 'student64', 'student56', 'student95', 'student56', 'student1', 'student70', 'student89', 'student57', 'student3', 'student27', 'student12', 'student14')  
abstract52 : 18 : ('student72', 'student18', 'student56', 'student48', 'student21', 'student75', 'student77', 'student91', 'student1', 'student55', 'student80', 'student15', 'student49', 'student3', 'student25', 'student27', 'student44')  
abstract53 : 23 : ('student68', 'student18', 'student40', 'student48', 'student26', 'student81', 'student1', 'student70', 'student89', 'student30', 'student8', 'student94', 'student24', 'student7', 'student60', 'student78', 'student41', 'student44', 'student15', 'student54', 'student19', 'student22', 'student31', 'student22', 'student12')  
abstract54 : 14 : ('student18', 'student47', 'student44', 'student21', 'student50', 'student9', 'student79', 'student20', 'student80', 'student57', 'student15', 'student63', 'student13', 'student14')  
abstract55 : 2 : ('student23', 'student16')  
abstract56 : 27 : ('student92', 'student44', 'student61', 'student66', 'student87', 'student25', 'student6', 'student22', 'student38', 'student4', 'student27', 'student12', 'student13', 'student99')  
abstract57 : 21 : ('student16', 'student76', 'student50', 'student51', 'student9', 'student70', 'student89', 'student60', 'student6', 'student97', 'student5', 'student49', 'student84', 'student1', 'student37', 'student17', 'student12', 'student13', 'student83')  
abstract58 : 20 : ('student87', 'student26', 'student21', 'student95', 'student81', 'student70', 'student89', 'student12', 'student45', 'student98', 'student29', 'student60', 'student78', 'student37', 'student63', 'student94', 'student27', 'student44')  
abstract59 : 20 : ('student58', 'student61', 'student16', 'student40', 'student26', 'student81', 'student61', 'student86', 'student25', 'student94', 'student6', 'student53', 'student49', 'student1', 'student37', 'student71', 'student12')  
abstract60 : 17 : ('student92', 'student98', 'student26', 'student62', 'student25', 'student64', 'student9', 'student75', 'student46', 'student81', 'student80', 'student49', 'student63', 'student38', 'student4', 'student8')  
abstract61 : 34 : ('student18', 'student87', 'student16', 'student48', 'student95', 'student100', 'student51', 'student9', 'student70', 'student89', 'student66', 'student8', 'student10', 'student50', 'student70', 'student57', 'student25', 'student65', 'student31', 'student39', 'student29', 'student27', 'student12')  
abstract62 : 19 : ('student88', 'student61', 'student73', 'student50', 'student32', 'student70', 'student24', 'student67', 'student29', 'student71', 'student66', 'student85', 'student37', 'student74', 'student11', 'student49')  
abstract63 : 14 : ('student87', 'student16', 'student29', 'student25', 'student20', 'student51', 'student86', 'student21', 'student77', 'student1', 'student45', 'student69', 'student84', 'student22', 'student63', 'student11', 'student27')  
abstract64 : 30 : ('student44', 'student88', 'student68', 'student16', 'student40', 'student8', 'student20', 'student50', 'student51', 'student23', 'student86', 'student1', 'student25', 'student4', 'student82', 'student7', 'student29', 'student56', 'student52', 'student96', 'student55', 'student49', 'student66', 'student63', 'student74', 'student14')  
abstract65 : 20 : ('student58', 'student61', 'student16', 'student40', 'student20', 'student81', 'student61', 'student86', 'student25', 'student94', 'student6', 'student53', 'student49', 'student1', 'student37', 'student71', 'student12')  
abstract66 : 17 : ('student92', 'student98', 'student26', 'student62', 'student25', 'student64', 'student9', 'student75', 'student46', 'student81', 'student80', 'student49', 'student63', 'student38', 'student4', 'student8')  
abstract67 : 11 : ('student68', 'student56', 'student64', 'student20', 'student81', 'student61', 'student86', 'student25', 'student94', 'student6', 'student53', 'student49', 'student1', 'student37', 'student71', 'student12')  
abstract68 : 17 : ('student58', 'student39', 'student74', 'student56', 'student8', 'student32', 'student41', 'student89', 'student24', 'student4', 'student27', 'student43', 'student94')  
abstract69 : 12 : ('student98', 'student87', 'student76', 'student60', 'student69', 'student3', 'student49', 'student89', 'student2', 'student38', 'student25', 'student12')  
abstract70 : 22 : ('student68', 'student87', 'student64', 'student20', 'student9', 'student80', 'student4', 'student25', 'student35', 'student33', 'student39', 'student96', 'student25', 'student89', 'student45', 'student60', 'student52', 'student77', 'student69', 'student54', 'student53', 'student85', 'student66', 'student49', 'student