

🏅 lmb

Quality has a new name



Dualpress

Simultaneous separation of two blood bags

Features

- High quality device for whole blood separation
- Quick blood separation process and high platelet recovery
- Blood flow control
- Bloodseparation on two places simoultaneously
- LAN data transfer, Network ability, ERYSYS
- TOP/TOP and TOP/BOTTOM Process
- Touchscreen with easy menu navigation
- Open system for each type of bloodbag
- Colour learning sensors for each tube and bag system





Möslstr. 17

D-85445 Schwaig

Tel: +49-8122-88096-0 Fax: +49 - 8122 - 880 96 - 60

www.lmb.de info@lmb.de





Dualpress





Technical Data	
Power Supply	230 VAC +/- 10 %
Frequency	50 Hz
Power Consumption	450 VA max
Fuse	2 x 6,3A/250V
Dimensions	470 x 346 x 402 mm
Weight	45 kg
Sealing clamps	8
Sealing time	0,5 - 5,0 Sec.
Flow regulation	YES
Compressen air suppl	y 6 bar min.
Air quantity	5l/min
Data transfer	LAN
Sensor system	2x6 optical bag sensors with adjustable position and 2x2 tube sensors
Balances	4 internal, opt. 2 external
Display	Color LCD 640 x 480 dots / touch screen





Optical sensors inside the clamp automatically calibrate to different plasma color

Lmb Technologie GmbH Möslstr. 17 D-85445 Schwaig

Tel: +49-8122-88096-0 Fax: +49 - 8122 - 880 96 - 60 www.lmb.de

info@lmb.de