

Introduction to Neural Networks



- Neural Networks Quiz
- Deep Learning vs Machine Learning

Agenda

- Neural Network Architecture
- Activation Functions
- Loss Functions
- Gradient Descent and Backpropagation



Let's begin the discussion by answering a few questions on neural networks



Which of the following statements are true about Deep Learning in general?

- In Deep Learning, feature extraction is performed manually, and in Machine Learning it is performed automatically
- In Deep Learning, feature extraction is performed automatically, and in Machine Learning it is performed manually
- Deep Learning models are typically less interpretable when compared to Machine Learning models
- Deep Learning requires comparatively less computational power than Machine Learning

This file is meant for personal use by amitava.basu@gmail.com only.



Which of the following statements are true about Deep Learning in general?

- In Deep Learning, feature extraction is performed manually, and in Machine Learning it is performed automatically
- In Deep Learning, feature extraction is performed automatically, and in Machine Learning it is performed manually
- Deep Learning models are typically less interpretable when compared to Machine Learning models
- Deep Learning requires comparatively less computational power than Machine Learning

This file is meant for personal use by amitava.basu@gmail.com only.

Deep Learning vs Machine Learning



Machine Learning

Deep Learning

Requires manual feature extraction and selection

Automatically does feature extraction

Less effective when working with unstructured data

More effective when working with unstructured data

Requires comparatively less computational power and memory


Requires comparatively more computational power and memory *

Are generally more interpretable

Are generally less interpretable



How many parameters (including bias) will be trained in a fully connected neural network architecture shown below?



A 8

3

11

С


6

D

9



How many parameters (including bias) will be trained in a fully connected neural network architecture shown below?



A 8 B 11 C 6 D 9

This file is meant for personal use by amitava.basu@gmail.com only.


Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

Neural Network



A neural network architecture comprising interconnected input, hidden, and output layers, facilitating the learning of complex relationships between input and output data




Neuron

This file is meant for personal use by amitava.bas **Neumail detwork**Sharing or publishing the contents in part or full is liable for legal action.
Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

Neural Network Architecture





Input Layer x Hidden Layer: 3 neurons of input layer connected to 2 neurons in the hidden layer $| 3 \times 2 | = 6$ connections, i.e., 6 weight parameters | 1 bias parameter for each neuron in the hidden layer | 6 + 2 | = 8 parameters in total between input and hidden layers

Hidden Layer x Output Layer: 2 neurons of hidden layer connected to 1 neuron in the output layer $|2 \times 1 = 2$ connections, i.e., 2 weight parameters |1 bias parameter for the neuron in the output layer |2 + 1 = 3 parameters in total between hidden and output layers

So, we have a total of 11 partial file free for personal use by amitava.basu@gmail.com only.



What is the purpose of an activation function in a neural network?

- A To compute the gradient of the loss function during backpropagation.
- B To regulate the magnitude of weights and biases in the network.
- To introduce non-linearity into the network, enabling it to learn complex patterns.
- To normalize the input data before feeding it into the neural network.

This file is meant for personal use by amitava.basu@gmail.com only.



What is the purpose of an activation function in a neural network?

- A To compute the gradient of the loss function during backpropagation.
- B To regulate the magnitude of weights and biases in the network.
- To introduce non-linearity into the network, enabling it to learn complex patterns.
- To normalize the input data before feeding it into the neural network.


This file is meant for personal use by amitava.basu@gmail.com only.

Activation Function



Determines the output of a neuron based on the input

Introduces non-linearity and enables the neural network to learn complex patterns in the data





Which of the following activation functions can be used in a hidden layer?

A Sigmoid

B TanH

c ReLU

D Leaky ReLU

This file is meant for personal use by amitava.basu@gmail.com only.



Which of the following activation functions can be used in a hidden layer?

A Sigmoid

B TanH

c ReLU

D Leaky ReLU

This file is meant for personal use by amitava.basu@gmail.com only.

Activation Functions for Hidden Layers





Sigmoid


Tanh


ReLU

Leaky ReLU











Consider a neural network built to predict whether a student will pass or fail in an exam. Which of the following activation functions would be most appropriate to use in the output layer?

A Sigmoid

B Softmax

c Linear

D Leaky ReLU

This file is meant for personal use by amitava.basu@gmail.com only.



Consider a neural network built to predict whether a student will pass or fail in an exam. Which of the following activation functions would be most appropriate to use in the output layer?

A Sigmoid

B Softmax


C Linear

D Leaky ReLU

This file is meant for personal use by amitava.basu@gmail.com only.

Activation Functions for Output Layer





$$f(z) = \frac{1}{1 + e^{-z}}$$
 $f(z_i) = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$ for $i = 1, 2, ..., K$ $f(z) = z$



Which of the following statements best describes the role of a loss function in training a neural network?

- A The loss function adjusts the learning rate during training
- The loss function measures the accuracy of the model's predictions compared to the true labels
- C The loss function initializes the weights and biases of the neural network

The loss function measures the accuracy of the model

This file is meant for personal use by amitava.basu@gmail.com only.



Which of the following statements best describes the role of a loss function in training a neural network?

- A The loss function adjusts the learning rate during training
- The loss function measures the accuracy of the model's predictions compared to the true labels
- The loss function initializes the weights and biases of the neural network

The loss function measures the accuracy of the model

This file is meant for personal use by amitava.basu@gmail.com only.

Loss Functions



In training a neural network, the loss function plays a critical role in evaluating how well the model is performing by measuring the difference between the predicted output of the model and the actual target output (true labels).

Regression

Mean Squared Error

 $\sum_{i=1}^{\infty} (x_i - y_i)^2$

This file is meant for personal use by amitava.basu@gnail.com only.

Classification

Cross-Entropy Loss

$$-\sum_{i=1}^{M} y_{o,c} \log(p_{o,c})$$



Which of the following describes the learning rate in gradient descent?

- A The speed at which the model learns
- The magnitude of the gradient
- C The step size for each iteration

The number of iterations required for convergence

This file is meant for personal use by amitava.basu@gmail.com only.



Which of the following describes the learning rate in gradient descent?

- A The speed at which the model learns
- The magnitude of the gradient
- The step size for each iteration

The number of iterations required for convergence


This file is meant for personal use by amitava.basu@gmail.com only.

Gradient Descent



An **optimization algorithm** used to minimize the loss function

Adjusts model parameters iteratively in the direction of steepest descent of the gradient




This file is meant for personal use by amitava.basu@gmail.com only.

Learning Rate



How big a step to take? => Decided by the **learning rate**

Smaller the learning rate, smaller the step



This file is meant for personal use by amitava.basu@gmail.com only.



During backpropagation, which of the following parameters of the model gets updated?

- A Input layer parameters
- B Output layer parameters
- C Hidden layer parameters
- All the model parameters

This file is meant for personal use by amitava.basu@gmail.com only.



During backpropagation, which of the following parameters of the model gets updated?


- A Input layer parameters
- B Output layer parameters
- C Hidden layer parameters
- All the model parameters


This file is meant for personal use by amitava.basu@gmail.com only.

Backpropagation



An **algorithm** used to efficiently compute gradients of the loss function with respect to model parameters





Forward Propagatistie is meant for personal use by amitava.basu@gmalackpropagation



Happy Learning!

