```
#include <stdio.h>
#include <stdlib.h>
#include <time.h>
#include <unistd.h>
int main()
{
srand(time(0));
system("clear");
int i;
char c;
for(i=1;i<=20;i++)</pre>
    printf("\n");
printf("\t\t\t\t
                                                                                               \n");
printf("\t\t\t\t
                                                                                                \n");
printf("\t\t\t\t
                                                                                               |\n");
printf("\t\t\t\t
                                                                                               \\n");
                                                                                               \n");
printf("\t\t\t\t
printf("\t\t\t\t
                                                                                               |\n");
                                                                                               |\n");
printf("\t\t\t\t
                                                                                               |\n");
printf("\t\t\t\t
printf("\t\t\t\t
                                                                                               |\n");
printf("\n\n");
printf("\n\n");
sleep(5);
system("clear");
sleep(1);
printf("\n\n");
printf("\t\t\t\t
                                        \n");
printf("\t\t\t\t
                                                    /\\
printf("\t\t\t\t
                                                      11
                   \n");
printf("\t\t\t\t
                                                       11
                          \n");
printf("\t\t\t\t
                                                       _\\
                                    \n");
                    \\/
printf("\t\t\t\t
                                                         11
                                   \n<sup>"</sup>);
printf("\t\t\t\t
                                                          11
                                   \n");
printf("\t\t\t
                                                           11
printf("\t\t\t\t
                                                             11
                   \n");
printf("\n");
printf("\n");
usleep(250000);
printf("\t\t\t\t
                                             \n ");
printf("\t\t\t\t
                                             1//
printf("\t\t\t\t
                                             | \\
printf("\t\t\t\t
                                                11
                 \n");
printf("\t\t\t\t
                                                 11
printf("\t\t\t
                                                   11
                                                                                   /\\
printf("\t\t\t\t
                                                    11
                                                                                  / \\
                 \n");
```

```
printf("\t\t\t\t
                                                 // |
                                                                        | /
                                                                               11
printf("\t\t\t\t
                                                  1//
                                                                        1/
                  \n");
1//
printf("\n");
printf("\n");
usleep(250000);
printf("\t\t\t\t
                            \n");
\\
printf("\t\t\t\t
                                                                     /\\
              \n");
printf("\t\t\t\t
                                 11
                                       /
                                                                    / \\
              \n");
printf("\t\t\t\t
                                  11
                                                                        11
              \n");
printf("\t\t\t\t
                                    \\/
                                                                  /____\\
                        \n");
printf("\t\t\t\t
                                                                         11
                        \n");
1//
printf("\t\t\t\t
                                                                          11
                      \n");
printf("\t\t\t\t
                                                                           11
                     \n");
printf("\t\t\t\t
                                                                            11
                         \n");
printf("\n");
printf("\n");
usleep(250000);
printf("\t\t\t\t
printf("\t\t\t\t
                                                                                         \n");
| \n");
printf("\t\t\t\t
                                                                                         |\n");
                                                                                         [\n");
printf("\t\t\t\t
printf("\t\t\t\t
                                                                                         \n");
                                                                                         |\n");
|\n");
|\n");
printf("\t\t\t\t
printf("\t\t\t\t
printf("\t\t\t\t
printf("\t\t\t\t
                                                                                         |\n");
printf("\n");
printf("\n");
sleep(10);
c=getchar();
system("clear");
exit(0);
    return 0;
}
```