

About District Nutrition Profiles:

District Nutrition Profiles (DNPs) are available for 707 districts in India. They present trends for key nutrition and health outcomes and their cross-sectoral determinants in a district. The DNPs are based on data from the National Family Health Survey (NFHS)-4 (2015-2016) and NFHS-5 (2019-2020). They are aimed primarily at district administrators, state functionaries, local leaders, and development actors working at the district-level.




Figure 1: Map highlights district East Garo Hills in the state/UT of Meghalaya



Source: Adapted from Black et al. (2008)

What factors lead to child undernutrition?

Given the focus of India's national nutrition mission on child undernutrition, the DNPs focus in on the determinants of child undernutrition (Figure on the left). Multiple determinants of suboptimal child nutrition and development contribute to the outcomes seen at the district-level. Different types of interventions can influence these determinants. Immediate determinants include inadequacies in food, health, and care for infants and young children, especially in the first two years of life. Nutrition-specific interventions such as health service delivery at the right time during pregnancy and early childhood can affect immediate determinants. Underlying and basic determinants include women's status, household food security, hygiene, and socio-economic conditions. Nutrition-sensitive interventions such as social safety nets, sanitation programs, women's empowerment, and agriculture programs can affect underlying and basic determinants.

District demographic profile, 2019-20

East Garo Hills



920/1,000

Sex ratio (females per 1,000 males) of the total population



101,924

Number of women of reproductive age (15-49 yrs)



5,762

Number of pregnant women



4,505

Number of live births



23,516

Total number of children under 5 yrs



1,805

Number of pregnant women

Source:

1. IFPRI estimates - The headcount was calculated as the product of the undernutrition prevalence and the total eligible projected population for each district in 2019. Projected population for 2019 was estimated using Census 2011.
2. NFHS-4 (2015-16) & NFHS-5 district & state factsheets (2019-20).

Citation: Singh, N., P.H. Nguyen, M. Jangid, S.K. Singh, R. Sarwal, N. Bhatia, R. Johnston, W. Joe, and P. Menon. 2022. District Nutrition Profile: East Garo Hills, Meghalaya. New Delhi, India: International Food Policy Research Institute.


Acknowledgement: Financial support was provided by the Bill & Melinda Gates Foundation through POSHAN, led by the International Food Policy Research Institute. We thank Amit Jena (Independent Researcher) for design and programming support.

The state of nutrition outcomes among children (<5 years)

East Garo Hills

Meghalaya

2019



Burden on nutrition outcomes (2020)

Indicators	No. of children (<5 yrs)
Low-birth weight	NA
Stunted	9,343
Wasted	4,722
Severely wasted	1,467
Underweight	6,241
Overweight/obesity	974
Anemia	5,915
Total children	23,516

Note: NA refers to data is unavailable for a given round of NFHS data.

Points of discussion:


- What are the trends in undernutrition among children under five years of age (stunting, wasting, underweight, and anemia)?
- What are the trends in overweight/obesity among children under five years of age in the district?

The state of nutrition outcomes among women (15-49 years)

East Garo Hills

Meghalaya

2019




Burden on nutrition outcomes (2020)

Indicators	No. of women (15-49 yrs)
Underweight	8,674
Overweight/obesity	7,145
Hypertension	15,594
Diabetes	9,509
Anemia (non-preg)	53,143
Anemia (preg)	1,674
Total women (preg)	5,762
Total women	101,924

Note: NA refers to data is unavailable for a given round of NFHS data.

Points of discussion:

- What are the trends in underweight and anemia among women (15-49 yrs) in the district?
- What are the trends in overweight/obesity and other nutrition-related non-communicable diseases in the district?



Meghalaya

2019


Note: NA refers to data is unavailable for a given round of NFHS data.

Points of discussion:

- What are the trends in infant and young child feeding (timely initiation of breastfeeding, exclusive breastfeeding, timely initiation of complementary feeding, and adequate diet)? What can be done to improve infant and young child feeding?
- What are the trends in IFA consumption among pregnant women in the district? How can the consumption be improved?
- What additional data are needed to understand diets and/or other determinants?

Underlying determinants

East Garo Hills



Meghalaya

2019


Note: NA refers to data is unavailable for a given round of NFHS data.

Points of discussion:


- How can the district increase women's literacy, and reduce early marriage, if needed?
- How does the district perform on providing drinking water and sanitation to its residents? Since sanitation and hygiene play an important role in improving nutrition outcomes, how can all aspects of sanitation be improved?
- How can programs that address underlying and basic determinants (education, poverty, gender) be strengthened?
- What additional data are needed on food systems, poverty or other underlying determinants?

2019


Pre and during pregnancy



Delivery and postnatal



Early childhood



Note: NA refers to data is unavailable for a given round of NFHS data.

Points of discussion:

- How does the district perform on health and nutrition interventions along the continuum of care? Does it adequately provide both prenatal and postnatal services to women of reproductive age, pregnant women, new mothers and newborns?
- How has access to health and ICDS services changed over time (food supplementation, health and nutrition education and health checkups)?