

# **DISTRICT NUTRITION PROFILE**

Led by IFPRI 🖔

# **PULWAMA | JAMMU AND KASHMIR**

**MARCH 2022** 

# **About District Nutrition Profiles:**

District Nutrition Profiles (DNPs) are available for 707 districts in India. They present trends for key nutrition and health outcomes and their cross-sectoral determinants in a district. The DNPs are based on data from the National Family Health Survey (NFHS)-4 (2015-2016) and NFHS-5 (2019-2020). They are aimed primarily at district administrators, state functionaries, local leaders, and development actors working at



Figure 1: Map highlights district Pulwama in the state/UT of Jammu and Kashmir

Optimum fetal and child nutrition and development

### **IMMEDIATE DETERMINANTS**

Breastfeeding, nutrient-rich foods, caregiving practices, low burden of infectious diseases

### **UNDERLYING AND BASIC DETERMINANTS**

Women's status, sanitation and hygiene, food security, socioeconomic conditions

Source: Adapted from Black et al. (2008)

### **NUTRITION-SPECIFIC INTERVENTIONS**

Service delivery to mothers and infants along the continuum of care, access to health facilities

### INTERVENTIONS THAT AFFECT UNDERLYING AND BASIC **DETERMINANTS**

Women's empowerment, sanitation, agriculture, and social safety net programs

What factors lead to child undernutrition?

Given the focus of India's national nutrition mission on child undernutrition, the DNPs focus on the determinants of child undernutrition (Figure on the left). Multiple determinants of suboptimal child nutrition and development contribute to the outcomes seen at the district-level. Different types of interventions can influence these determinants. Immediate determinants include inadequacies in food, health, and care for infants and young children, especially in the first two years of life. Nutrition-specific interventions such as health service delivery at the right time during pregnancy and early childhood can affect immediate determinants. Underlying and basic determinants include women's status, household food security, hygiene, and socio-economic conditions. Nutrition-sensitive interventions such as social safety nets, sanitation programs, women's empowerment, and agriculture programs can affect underlying and basic determinants.

# District demographic profile, 2019-20

**Pulwama** 



Sex ratio (females per 1.000 males) of the total population



77,043

Number of women in reproductive age (15-49 vrs)



pregnant women



Number of live births



47,842

Total number of children under 5 vrs



Children under 5 yrs whose births were registered

- 1. IFPRI estimates The headcount was calculated as the product of the undernutrition prevalence and the total eligible projected population for each district in 2019. Projected population for 2019 was estimated using Census 2011
- 2. NFHS-4 (2015-16) & NFHS-5 district & state factsheets (2019-20).

Citation: Singh. N., P.H. Nguyen, M. Jangid, S.K. Singh, R. Sarwal, N. Bhatia, R. Johnston, W. Joe, and P. Menon. 2022. District Nutrition Profile: Pulwama, Jammu and Kashmir. New Delhi, India: International Food Policy Research Institute.

Acknowledgement: Financial support was provided by the Bill & Melinda Gates Foundation through POSHAN, led by the International Food Policy Research Institute. We thank Amit Jena (Independent Researcher) for design and programming support.














Jammu and Kashmir





# Burden on nutrition outcomes (2020)

Indicators	No. of children (<5 yrs)
Low-birth weight	NA
Stunted	10,707
Wasted	7,339
Severely wasted	3,052
Underweight	9,674
Overweight/obesity	5,789
Anemia	28,970
Total children	47,842


Note: NA refers to data are unavailable for a given round of NFHS data.

## Points of discussion:

- · What are the trends in undernutrition among children under five years of age (stunting, wasting, underweight, and anemia)?
- What are the trends in overweight/obesity among children under five years of age in the district?

# The state of nutrition outcomes among women (15-49 years)

Pulwama



Jammu and Kashmir





## Burden on nutrition outcomes (2020)

Indicators	No. of women (15-49 yrs)
Underweight	5,046
Overweight/obesity	67,117
Hypertension	40,012
Diabetes	12,676
Anemia (non-preg)	132,233
Anemia (preg)	3,572
Total women (preg)	9,478
Total women	177,043

Note: NA refers to data are unavailable for a given round of NFHS data.

## Points of discussion:

- What are the trends in underweight and anemia among women (15-49 yrs) in the district?
- What are the trends in overweight/obesity and other nutrition-related non-communicable diseases in the district?



### Points of discussion:

• What are the trends in infant and young child feeding (timely initiation of breastfeeding, exclusive breastfeeding, timely initiation of complementary feeding, and adequate diet)? What can be done to improve infant and young child feeding?

40%

60%

80%

100%

Note: NA refers to data are unavailable for a given round of NFHS data.


· What are the trends in IFA consumption among pregnant women in the district? How can the consumption be improved?

20%

NA

0%

· What additional data are needed to understand diets and/or other determinants?



# Points of discussion:


- · How can the district increase women's literacy, and reduce early marriage, if needed?
- How does the district perform on providing drinking water and sanitation to its residents? Since sanitation and hygiene play an important role in improving nutrition outcomes, how can all aspects of sanitation be improved?
- How can programs that address underlying and basic determinants (education, poverty, gender) be strengthened?
- What additional data are needed on food systems, poverty or other underlying determinants?

Demand for FP satisfied lodized salt Pregnancy registered (MPC card) ANC first trimester > 4 ANC visits Weighing Birth preparedness counselling Breastfeeding counselling Tetanus injection Received IFA tab/syrup Deworming Food supplementation Institutional birth Financial assistance (JSY) Skilled birth attendant Postnatal care for mothers Postnatal care for babies Food supplementation Health & nutrition education Health checkup (ICDS) Full immunization Vitamin A Pediatric IFA Deworming Food supplementation (6-35 months) Weighing Counselling on child growth ORS during diarrhea Zinc during diarrhea

Careseeking for ARI

Preschool at AWC

Health checkup from AWC



 $\textbf{Note:} \ \mathsf{NA} \ \mathsf{refers} \ \mathsf{to} \ \mathsf{data} \ \mathsf{are} \ \mathsf{unavailable} \ \mathsf{for} \ \mathsf{a} \ \mathsf{given} \ \mathsf{round} \ \mathsf{of} \ \mathsf{NFHS} \ \mathsf{data}.$ 

### Points of discussion:

- How does the district perform on health and nutrition interventions along the continuum of care? Does it adequately provide both prenatal and postnatal services to women of reproductive age, pregnant women, new mothers and newborns?
- How has access to health and ICDS services changed over time (food supplementation, health and nutrition education and health checkups)?