


## About District Nutrition Profiles:

District Nutrition Profiles (DNPs) are available for 707 districts in India. They present trends for key nutrition and health outcomes and their cross-sectoral determinants in a district. The DNPs are based on data from the National Family Health Survey (NFHS)-4 (2015-2016) and NFHS-5 (2019-2020). They are aimed primarily at district administrators, state functionaries, local leaders, and development actors working at the district-level.



Figure 1: Map highlights district Kurung Kumey in the state/UT of Arunachal Pradesh.



Source: Adapted from Black et al. (2008)

## What factors lead to child undernutrition?

Given the focus of India's national nutrition mission on child undernutrition, the DNPs focus in on the determinants of child undernutrition (Figure on the left). Multiple determinants of suboptimal child nutrition and development contribute to the outcomes seen at the district-level. Different types of interventions can influence these determinants. Immediate determinants include inadequacies in food, health, and care for infants and young children, especially in the first two years of life. Nutrition-specific interventions such as health service delivery at the right time during pregnancy and early childhood can affect immediate determinants. Underlying and basic determinants include women's status, household food security, hygiene, and socio-economic conditions. Nutrition-sensitive interventions such as social safety nets, sanitation programs, women's empowerment, and agriculture programs can affect underlying and basic determinants.

## District demographic profile, 2019-20

Kurung Kumey

<b>688/1,000</b> Sex ratio (females per 1,000 males) of the total population	<b>29,529</b> Number of women in reproductive age (15 – 49 yrs)	<b>681</b> Number of pregnant women
<b>243</b> Number of live births	<b>8,671</b> Number of children under 5 yrs	<b>197</b> Children under age 5 yrs whose birth was registered


Source:

1. IFPRI estimates - The headcount was calculated as the product of the undernutrition prevalence and the total eligible projected population for each district in 2019. Projected population for 2019 was estimated using Census 2011
2. NFHS-4 (2015-16) & NFHS-5 district & state factsheets (2019-20)

This District Nutrition Profile was prepared by IFPRI in collaboration with NITI Aayog, International Institute for Population Sciences, UNICEF, Institute of Economic Growth, and DataDENT with technical support from Amit Jena (Consultant). Funded by Bill & Melinda Gates Foundation through POSHAN, led by IFPRI.

## The state of nutrition outcomes among children (<5 years)

Kurung Kumey



Burden on nutrition outcomes (2020)

Indicators	No. of children (<5 yr)
Low-birth weight	NA
Stunted	2,532
Wasted	1,306
Severely wasted	459
Underweight	1,201
Overweight/obesity	500
Anemia	4,860
<b>Total children</b>	<b>8671</b>


Note: NA refers to data is unavailable for a given round of NFHS data.

### Points for discussion:

- What are the trends in undernutrition among children under five years of age (stunting, wasting, underweight and anemia)?
- What are the trends of overweight/obesity among children in the district?

## The state of nutrition outcomes among women (15-49 years)

Kurung Kumey



Burden on nutrition outcomes (2020)

Indicators	No. of women (15-49 yr)
Underweight	791
Overweight/obesity	6,871
Hypertension	5,675
Diabetes	2,032
Anemia (non-preg)	10,483
Anemia (preg)	NA
<b>Total women (preg)</b>	<b>681</b>
<b>Total women</b>	<b>29589</b>


Note: NA refers to data is unavailable for a given round of NFHS data.

### Points for discussion:

- What are the trends in underweight and anemia women (15-49 yr) in the district?
- What are the trends of overweight/obesity and other nutrition-related non-communicable diseases in the district?

## Immediate determinants

Kurung Kumey




Note: NA refers to data is unavailable for a given round of NFHS data.

### Points for discussion:

- What are the trends in infant and young child feeding (timely initiation of breastfeeding, exclusive breastfeeding, timely initiation of complementary feeding and adequate diet)? What can be done to improve infant and young child feeding?
- What are the trends in IFA consumption among pregnant women in the district? How can the consumption be improved?
- What additional data is needed to understand diets and/or other determinants?

## Underlying determinants

Kurung Kumey



Note: NA refers to data is unavailable for a given round of NFHS data.

### Points for discussion:

- How can the district increase women's literacy, and reduce early marriage, if needed?
- How does the district perform on providing drinking water and sanitation to its residents? Since sanitation and hygiene play an important role in improving nutrition outcomes, how can all aspects of sanitation be improved?
- How can programs that address underlying and basic determinants (education, poverty, gender) be strengthened?
- What additional data is needed on food systems, poverty or other underlying determinants?


# Trends in coverage of interventions across the first 1,000 days (%)

Kurung Kumey

Pre and during pregnancy

Delivery and postnatal

Early childhood



Note: NA refers to data is unavailable for a given round of NFHS data.

## Points for discussion:

- How does the district perform on health and nutrition interventions along the continuum of care? Does it adequately provide both prenatal and postnatal services to its women of reproductive age, pregnant women, new mothers and new borns?
- How have access to health and ICDS services changed over time (food supplementation, health and nutrition education and health check-ups)?