

Name: Shubham Saklani
Course: MCA
Section: B

DBUtil.java

Ans-1]

```
package com.mca.shubham.saklani.20711101;  
import java.sql.*;
```

```
public class DBUtil {
```

```
    static Connection con = null;
```

```
    static PreparedStatement pst = null;
```

```
    static ResultSet rs = null;
```

```
    public static Connection getConn()  
    {
```

```
        try {
```

```
            Class.forName("com.mysql.jdbc.Driver");
```

```
            con = DriverManager.getConnection("jdbc:  
mysql://localhost/test", "root", "12345");
```

```
        }  
        catch (Exception e)
```

```
        {  
            System.out.println(e);
```

```
        }
```

```
        return con;
```

```
    }
```

```
    public static ResultSet getData() throws Exception
```

```
    {
```

```
        con = getConn();
```

```
        pst = con.prepareStatement("Select * from users");
```

```
        rs = pst.executeQuery();
```

```
        return rs;
```

```
    }
```

Shubham

```
public static int addData (UserBean b) throws Exception  
{
```

```
    int i=0;
```

```
    Con = getConnection();
```

```
    pst = Con.prepareStatement("insert into user values  
    (?, ?, ?, ?)");
```

```
    pst.setString(1, b.getName());
```

```
    pst.setString(2, b.getPassword());
```

```
    pst.setInt(3, b.getAge());
```

```
    pst.setInt(4, b.getPhone());
```

```
    i = pst.executeUpdate();
```

```
    return i;
```

```
}
```

```
}
```

Author

index.html

<!doctype html>

<html>

<head>

<meta charset = "ISO - 8859 - 1">

<title> Insert title here </title>

</head>

<body>

<form action = "/login.jsp">

Enter user name : <input type = "text" name = "f1">

Enter password : <input type = "password" name = "f2">

<input type = "submit" value = "login">

 new-user

</form>

</body>

</html>

Subham

success.jsp.

```
<%@ page language="java" contentType="text/html;
      charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="ISO-8859-1">
```

```
<title> Insert title here </title>
```

```
</head>
```

```
<body>
```

```
<% String user = request.getParameter("f1");
    out.println("Welcome dear: " + user);
```

```
%>
```

```
</body>
```

```
</html>
```

Spudhan

UserBean.java

```
package com.mca.shubham.saklani20711101;
```

```
public class UserBean {
```

```
    private String name;
```

```
    private String password;
```

```
    private int age, phone;
```

```
    public String getName() {
```

```
        return name;
```

```
    }
```

```
    public void setName(String name) {
```

```
        this.name = name;
```

```
    }
```

```
    public void String getPassword() {
```

```
        return password;
```

```
    }
```

```
    public void setPassword(String password)
```

```
    {
```

```
        this.password = password;
```

```
    }
```

```
    public int getAge()
```

```
    {
```

```
        return age;
```

```
    }
```

```
    public void setAge(int age)
```

```
    {
```

```
        this.age = age;
```

```
    }
```

3

Shubham