

Screen Reader App

Backend API & Endpoints Documentation

This document provides a comprehensive list of all backend API endpoints developed for the Screen Reader application. It is divided into Admin Panel APIs (prefixed with /admin) and User App APIs (prefixed with /user).

Project Specifications:

Base URL:	http://127.0.0.1:8000
Authentication:	JWT Bearer Token (Authorization: Bearer <token>)
Formats:	JSON (application/json) / Multipart Form Data

1. Admin Panel APIs (/admin)

Authentication Module

POST**/admin/auth/login**

Description: Authenticates administrator.

Auth: None | Request: JSON {email, password} | Response: JSON {success, token, data}

POST**/admin/auth/forgot-credentials**

Description: Retrieves admin credentials.

Auth: None | Request: JSON {email} | Response: JSON {success, data}

Users Management Module

GET**/admin/users**

Description: Retrieve all registered users on the platform.

Auth: None | Response: JSON {success, data: [...]}

PUT**/admin/users/block-unblock/{user_id}**

Description: Toggle the block / active status of a user.

Auth: None | Response: JSON {success, message}

DELETE**/admin/users/{user_id}**

Description: Delete a user account.

Auth: None | Response: JSON {success, message}

Books Module

POST**/admin/books**

Description: Create a new book with PDF and image cover upload.

Auth: None | Request: Multipart {title, author, description, category, language, book_pdf, image} | Response: JSON {id, title, pdf_url, image_url, ...}

GET**/admin/books**

Description: Get all books in the database.

Auth: None | Response: JSON {success, data: [...]}

PUT**/admin/books/{book_id}**

Description: Update fields of a book.

Auth: None | Request: JSON {title, author, description, category, language, is_active, isWeek} | Response: JSON {id, title, ...}

DELETE**/admin/books/{book_id}**

Description: Delete a book.

Auth: None | Response: JSON {success, message}

Onboarding Module

POST**/admin/onboarding**

Description: Create an onboarding slide with image upload.

Auth: None | Request: Multipart {title, description, sort_order, is_active, image} | Response: JSON {id, title, image_url, ...}

GET**/admin/onboarding**

Description: Get all onboarding slides (both active and inactive).

Auth: None | Response: JSON {success, data: [...]}

PUT**/admin/onboarding/{item_id}**

Description: Update fields or image of an onboarding slide.

Auth: None | Request: Multipart {title, description, sort_order, is_active, image} | Response: JSON {id, title, image_url, ...}

DELETE**/admin/onboarding/{item_id}**

Description: Delete an onboarding slide.

Auth: None | Response: JSON {success, message}

Policy Module

POST**/admin/policy**

Description: Create a new Policy (Privacy Policy / Terms).

Auth: None | Request: JSON {title, description, policy_type} | Response: JSON {id, title, policy_type, is_active, ...}

GET**/admin/policy**

Description: Get all policies.

Auth: None | Response: JSON {success, data: [...]}

PUT**/admin/policy/{policy_id}**

Description: Update a policy content or type.

Auth: None | Request: JSON {title, description, is_active, policy_type} | Response: JSON {id, title, policy_type, ...}

DELETE**/admin/policy/{policy_id}**

Description: Delete a policy.

Auth: None | Response: JSON {success, message}

2. User App APIs (/user)

Authentication and Sign In Module

GET**/user/onboarding**

Description: Get active onboarding slides for user setup.

Auth: None | Response: JSON {success, data: [...]}

POST**/user/register**

Description: Register a new user account.

Auth: None | Request: JSON {name, email, password} | Response: JSON {success, token, data: {id, name, email}}

POST**/user/login**

Description: User login endpoint.

Auth: None | Request: JSON {email, password} | Response: JSON {success, token, data: {id, name, email}}

POST**/user/forgot-password**

Description: Request code for password reset.

Auth: None | Request: JSON {email} | Response: JSON {success, message}

POST**/user/confirm-password**

Description: Submit new password and reset code.

Auth: None | Request: JSON {email, code, new_password} | Response: JSON {success, message}

User Profile Module

GET**/user/profile**

Description: Retrieve current logged-in user profile.

Auth: Required (Bearer) | Response: JSON {success, message, data: {id, name, email}}

Books Module

GET**/user/books**

Description: Get all active books available in the app.

Auth: None | Response: JSON {success, data: [...]}

GET**/user/books/week**

Description: Get featured Book of the Week.

Auth: None | Response: JSON {success, data: [...]}

Personal Library and Book Progress Module

GET**/user/library**

Description: Get books in user's library with progress. Optional query: ?status=in_progress|finished|saved.

Auth: Required (Bearer) | Response: JSON {success, data: [...]}

POST**/user/library**

Description: Add a book to user's library.

Auth: Required (Bearer) | Request: JSON {book_id} | Response: JSON {success, data: {...}}

PUT**/user/library/{book_id}**

Description: Update playback minutes, chapter, and completion percentage.

Auth: Required (Bearer) | Request: JSON {progress_percent, minutes_listened, last_chapter, status} | Response: JSON {success, data: {...}}

DELETE**/user/library/{book_id}**

Description: Remove a book from user's library.

Auth: Required (Bearer) | Response: JSON {success, message}

Statistics Module

GET**/user/stats**

Description: Retrieve user listening stats: books read, time listened, day streak.

Auth: Required (Bearer) | Response: JSON {success, books_read, books_in_progress, hours_listened, day_streak}

App Preferences Module (Voice and Accessibility)

GET**/user/preferences**

Description: Get voice speed, playback speed, font size and screen reader settings.

Auth: Required (Bearer) | Response: JSON {success, data: {voice_speed, playback_speed, sleep_timer_minutes, font_size, screen_reader_enabled}}

PUT**/user/preferences**

Description: Update voice speed, playback speed, font size and screen reader settings.

Auth: Required (Bearer) | Request: JSON {voice_speed, playback_speed, sleep_timer_minutes, font_size, screen_reader_enabled} | Response: JSON {success, data: {...}}

Policies Module

GET**/user/policy**

Description: Get all active policies.

Auth: None | Response: JSON {success, data: [...]}

GET**/user/policy/privacy**

Description: Get the active Privacy Policy.

Auth: None | Response: JSON {success, data: {...}}

GET**/user/policy/terms**

Description: Get the active Terms and Conditions.

Auth: None | Response: JSON {success, data: {...}}