

1. Check if a number is positive or negative

```
#include<stdio.h>

int main()
{
    int num;
    printf("Enter a number ");
    scanf("%d", &num);

    if(num>0)
    {
        printf("%d is positive\n", num);
    }
    else if(num==0)
    {
        printf("%d is zero\n", num);
    }
    else{
        printf("%d is negative\n", num);
    }

    return 0;
}
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS C:\Users\STUDENT\Desktop\Amit\C> gcc num.c -o num

PS C:\Users\STUDENT\Desktop\Amit\C> ./num

Enter a number 4

4 is positive

PS C:\Users\STUDENT\Desktop\Amit\C> █

2. Check if a number is even or odd.

```
#include <stdio.h>
```

```
int main()
```

```
{
```

```
    int num;
```

```

printf("Enter a number: ");
scanf("%d", &num);

if(num % 2 == 0)
{
    printf("%d is Even\n", num);
}
else
{
    printf("%d is Odd\n", num);
}

return 0;
}

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```

PS C:\Users\STUDENT\Desktop\Amit\C> gcc even.c -o even
PS C:\Users\STUDENT\Desktop\Amit\C> ./even
Enter a number: 9
9 is Odd
PS C:\Users\STUDENT\Desktop\Amit\C> ./even
Enter a number: 4
4 is Even
PS C:\Users\STUDENT\Desktop\Amit\C> █

```

3. Check if a person is adult or minor.

```

#include <stdio.h>

int main()
{
    int num;

    printf("Enter a number: ");
    scanf("%d", &num);

    if(num>18)

```

```

    {
        printf("%d is Adult\n", num);
    }
    else
    {
        printf("%d is Minor\n", num);
    }

    return 0;
}

```

```

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\STUDENT\Desktop\Amit\C> gcc vote.c -o vote
PS C:\Users\STUDENT\Desktop\Amit\C> ./vote
Enter a number: 19
19 is Adult
PS C:\Users\STUDENT\Desktop\Amit\C> ./vote
Enter a number: 17
17 is Minor
PS C:\Users\STUDENT\Desktop\Amit\C> 

```

4. Check if temperature is hot or cold.

```

#include <stdio.h>

int main()
{
    int num;

    printf("Enter a number: ");
    scanf("%d", &num);

    if(num>30)
    {
        printf("%d is hot\n", num);
    }
    else
    {

```

```
    printf("%d is cold\n", num);  
}  
  
return 0;  
}
```

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  
  
PS C:\Users\STUDENT\Desktop\Amit\C> gcc hot.c -o hot  
PS C:\Users\STUDENT\Desktop\Amit\C> ./hot  
Enter a number: 32  
32 is hot  
PS C:\Users\STUDENT\Desktop\Amit\C> ./hot  
Enter a number: 25  
25 is cold  
PS C:\Users\STUDENT\Desktop\Amit\C> █
```

5. Check if a number is divisible by 5.

```
#include <stdio.h>  
  
int main()  
{  
    int num;  
  
    printf("Enter a number: ");  
    scanf("%d", &num);  
  
    if(num % 5 == 0)  
    {  
        printf("%d is divisible\n",num);  
    }  
    else  
    {  
        printf("%d is not divisible by 5\n",num);  
    }  
  
    return 0;  
}
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\STUDENT\Desktop\Amit\C> gcc div.c -o div
```

```
PS C:\Users\STUDENT\Desktop\Amit\C> ./div
```

```
Enter a number: 36
```

```
36 is not divisible by 5
```

```
PS C:\Users\STUDENT\Desktop\Amit\C> ./div
```

```
Enter a number: 45
```

```
45 is divisible
```

```
PS C:\Users\STUDENT\Desktop\Amit\C> 
```