

ONE WALL. NO SEAM.

A single nozzle-wide path, spiralled,
rising 232 layers without lifting.
The body is the record of the path.

FIG. 01 · VASE MODE

LAYER



Ø PROFILE



OBSERVED · ONE CONTINUOUS EXTRUSION
22 flutes · lip flare 8.8% · wall 0.42 mm



AMIT KUZU
@Amitkuzi
ISRAEL


Software architect and engineering leader.
Backend systems by day,
parametric prints by night.

linkedin.com/in/amitkuzi
github.com/amitkuzi
github.com/amitkuzi/OneWall

ONE PITCH. 42 mm.

Every bin is a whole number of the same distance. Choose it once; obey it after. The fit is the only place to be excellent.


FIG. 02 · BIN, 3 × 2 × 6



OBSERVED · 210 CONTOURS AT 0.20 mm
126 × 84 × 42 mm · leg pitch 42 mm · stacking lip 4.4 mm

LEGAL FOOTPRINTS · 0.5 UNIT STEPS

1 UNIT = 42 mm



HEIGHT IS COUNTED IN 7 mm UNITS · 1 - 12

LEG SIZE 0.5 / 1 / 2 × 42 mm


CUT ON THE CELL LINE.

A drawer is not a multiple of a build plate.
The grid is split where a bin would never sit —
on the boundary, never through a socket.

FIG. 03 · BASEPLATE 7 × 5, TILED

ASSEMBLED · 294 × 210 mm


4 TILES · CUT 4 / 3



OBSERVED · 35 SOCKETS ON ONE PITCH
cuts land on cell boundaries — a split socket holds nothing


BUILD PLATE 1

C 168×126 + A 168×84



BUILD PLATE 2

D 126×126 + B 126×84



PROVED · THE DRAWER FITS THE MACHINE
250 × 250 bed · 6 mm edge margin · 4 mm part spacing · 3MF, one object per tile