



Asset Performance Management

Software Change Notice

Release 540.1

August 2023

DISCLAIMER

This document contains Honeywell proprietary information. Information contained herein is to be used solely for the purpose submitted, and no part of this document or its contents shall be reproduced, published, or disclosed to a third party without the express permission of Honeywell International Sàrl.

While this information is presented in good faith and believed to be accurate, Honeywell disclaims the implied warranties of merchantability and fitness for a purpose and makes no express warranties except as may be stated in its written agreement with and for its customer.

In no event is Honeywell liable to anyone for any direct, special, or consequential damages. The information and specifications in this document are subject to change without notice.

Copyright 2023 - Honeywell International Sàrl

CONTENTS

- Chapter 1 - Introduction 5
 - 1.1 Software Rebranding Announcement 5
 - 1.2 About Asset Performance Management 5
 - 1.3 About this document 5
 - 1.4 Revision history 5
- Chapter 2 - Technical Assistance 6
 - 2.1 World Wide Web 6
 - 2.2 Support and other contacts 6
- Chapter 3 - Contents of Release 7
 - 3.1 R540.1 Software Components and Documentation 7
 - 3.2 Additional Utilities and Software Installation Files 7
 - 3.3 Plugin Installation Files 8
- Chapter 4 - Release Overview 9
 - 4.1 Key Features 9
 - 4.1.1 Overall Enhancements 9
 - 4.1.2 Attribute Overview 9
 - 4.1.3 Event Management 9
 - 4.1.4 Trends 10
 - 4.1.5 Performance Widget 10
 - 4.1.6 New Features in Asset Model 11
 - 4.1.7 New Features / Enhancements in Assets View 11
 - 4.1.8 Configuration Studio 11
 - 4.1.9 Model Configuration 12
 - 4.1.10 Predictive Model Page 12
 - 4.1.11 Deprecated Features 12

4.2 Feature Limitations13

Chapter 5 - Software/ Hardware Compatibility14

5.1 Third-Party Software Components14

5.2 Embedded Software Components14

5.3 Additional Software Compatibility15

Chapter 6 - Open Source Software Included16

Chapter 7 - Documentation Updates/Additional Information17

Chapter 8 - Problems Resolved18

Chapter 9 - Asset Performance Management R540.1 Installation and Upgrade23

9.1 Installation23

9.2 Migration23

9.3 Installing with other Honeywell Products23

Chapter 10 - Known Issues24

INTRODUCTION

1.1 Software Rebranding Announcement

Uniformance Asset Sentinel (UAS) is now Asset Performance Management (APM)

1.2 About Asset Performance Management

Asset Performance Management provides a single point of access on reliability information to users such as Operators, Maintenance Technicians, Reliability Engineers, Maintenance Engineers, and Plant Managers. Asset Performance Management addresses problems such as infrequent data collection, equipment health, inconsistent fault detection techniques, and lack of early warning indicators of turbines, heat exchangers, compressors, pumps and other equipment. With Asset Performance Management, users have the necessary information to take early and appropriate corrective actions.

1.3 About this document

The Software Change Notice (SCN) describes the new features/enhancements introduced as part of this release, instructions on how to install or upgrade to this release, list of resolved and known issues.

1.4 Revision history

Supported Release	Date	Description
R540.1	August 2023	Asset Performance Management R540.1 General Availability (GA) release

TECHNICAL ASSISTANCE

2.1 World Wide Web

The following Honeywell web sites may be of interested to Honeywell Process Solution customers.

Honeywell Organization	WWW Address (URL)
Corporate	https://www.honeywell.com
Process Solutions	https://process.honeywell.com

2.2 Support and other contacts

For a complete list of contact information for Honeywell Customer Support offices, please see the following website:
<https://www.honeywellprocess.com/en-US/contact-us/>

CONTENTS OF RELEASE

This release contains the following items:

3.1 R540.1 Software Components and Documentation

Product	Folder Location
Asset Performance Management R540.1 Software	[Asset Performance Management Installation Media]
Asset Performance Management R540.1 Software Change Notice (SCN)	[Asset Performance Management Installation Media]
Asset Performance Management R540.1 Installation Guide	[Asset Performance Management Installation Media]
Asset Performance Management R540.1 Upgrade Guide	[Asset Performance Management Installation Media]
Asset Performance Management R540.1 User's Guide	[Asset Performance Management Installation Media]\ Installer\Components\US\Documents\
Asset Performance Management R540.1 Configuration Guide	[Asset Performance Management Installation Media]\ Installer\Components\US\Documents\
Asset Performance Management R540.1 Troubleshooting Guide	[Asset Performance Management Installation Media]\ Installer\Components\US\Documents\
Asset Performance Management R540.1 Model Library Guide	[Asset Performance Management Installation Media]\ Installer\Components\US\Documents\
Asset Performance Management R540.1 DAS Plug-in User's Guide	[Asset Performance Management Installation Media]\ Installer\Components\US\Documents\

3.2 Additional Utilities and Software Installation Files

Product	Folder Location
Data Concentrator Installation Package and Documentation	[Asset Performance Management Installation Media]\ Utilities\DataConcentrator\DataConcentrator
Forwarding Agent	[Asset Performance Management Installation Media]\ Utilities\DataConcentrator\DataConcentrator
Archive Maintainer	[Asset Performance Management Installation Media]\ Utilities\DataConcentrator\DataConcentrator
Honeywell Localization Tool	[Asset Performance Management Installation Media]\ Utilities\Localizations Tool R310

Product	Folder Location
Intuition ExcelAdd-In	[Asset Performance Management Installation Media]\Utilities\IntuitionExcelAdd-in
Intuition Reporting	[Asset Performance Management Installation Media]\Utilities\IntuitionReporting R224.1
Asset Performance Management Upgrade Utility	[Asset Performance Management Installation Media]\ Utilities\Sentinel_Upgrade_Utility
UniSim Thermo	[Asset Performance Management Installation Media]\ Utilities\Unisim Thermo
REST Connector (SQL, Oracle & oData)	[Asset Performance Management Installation Media] \Installer\Components\RESTDataConnector

3.3 Plugin Installation Files

Product	Folder Location
Asset Performance Management DAS Plug-in	[Asset Performance Management Installation Media]\Installer\Components\SentinelDASPlugin
DAS OPCHDA Plugin	[Asset Performance Management Installation Media]\ Installer\Components\DAS OPCHDA Plugin
PHD Data Source Plugin	[Asset Performance Management Installation Media]\Installer\Components\PHDDDataSourcePlug in
SQL Plugin	[Asset Performance Management Installation Media]\Installer\Components\SQLPlugin
PIAFSDK Plugin	[Asset Performance Management Installation Media]\Installer\Components\PIAFSDKPlugin

RELEASE OVERVIEW

This Asset Performance Management R540.1 General Availability (GA) release is for all APM customers.

4.1 Key Features

4.1.1 Overall Enhancements

- Added Instance or Type Level UOMs selection in calculation Status Page
- Exclusion of Assets in Scope
- H freeze Logic Updated (Minimum two points needed now)
- Fault tree Clean ups on Names
- Segregation of Bad quality (Bad Quality, Bad Range, Freeze) events in Variable Monitoring
- DC performance Improvements on Tag syncing

4.1.2 Attribute Overview

Attribute Overview is the new feature available in this release and it is a replacement for Performance Overview page.

4.1.3 Event Management

New Features

- Introduced timer functionality to automatically lock and unlock an event
- Event closeout to retain shift selection, ensuring the last shift selection is retained irrespective of the session
- Ability to view the units in type or instance level in an Event Monitor
- Manual CMMS Generation from Event Pages
- New Alarm Acknowledgment button on Event Pages
- New snippet functionality to capture the image of displayed trends
- Enabled placeholder in Event viewer to see event TRL value
- Enabled placeholder for RUL in Asset health dashboard
- Enabled placeholder for TRL in fault notification panel in asset health dashboard

Enhancements

- Separate comment sections for the Basic and Impact sections of the event closeout
- Ability to accept a rejected event from the Event History page. The accepted event is moved to the Event Investigate page as an inactive event.
- System configuration key introduced to enable or disable Reject Event functionality
- Enhanced Event viewer UI as part of maintaining consistent UI controls and UI theme
- Modified default view of event viewer to enhance the usability

4.1.4 Trends

New Features

- Ability to plot X-Y and X-Y-Z trends on the Trends page
- Ability to plot properties associated with an attribute
- Ability to create custom asset trend templates
- Ability to add data markers to visually indicate data points used to plot trends

Enhancements

- The maximum number of Trends increased to fifteen and the number of trends displayed is configurable via system configuration settings
- Trend opens inside APM container to ease out navigation
- Reorganized Trends UI controls to enhance usability and maintain consistency
- Enhanced the Legends for reporting boundary limits, intermediate limits, and baseline properties
- Enhanced trends attribute data table as part of usability enhancement
- Trends trendline color combination updated as per UX recommendation

4.1.5 Performance Widget

New Features

- Ability to plot custom performance curve for any asset type
- User-defined regression type to estimate the current operating curve
- Enabled KPI selection as part of the widget configuration
- Enabled data export to CSV for offline analysis.

Enhancements

- Time consistency in the performance widget
- Read-only/Run time view of Performance widget opens inside APM container to ease out navigation
- Enhanced UI as part of maintaining consistent UI controls and UI theme.
- Reorganized template storage inside dropdown for better usability and to make it consistent
- Enabled default view for Centrifugal Compressor IGV and Reciprocating Compressor
- Enabled Overlay of operating regions and operating limit lines in the Performance curve for Centrifugal Pump
- Enabled KPI selection as part of Performance curve configuration
- Enabled viscosity correction factor as part of Centrifugal Pump Performance Curve
- Enabled options to view historical operating points by disabling the operating curve (Icon provided in design curve)
- Modified Performance curve color combination as per new UX recommendation
- Enhanced legend handling in the Performance curve

4.1.6 New Features in Asset Model

- Introduced Composite Asset Builder feature to configure composite assets using existing standard asset models
- Developed fault model for Fired Heater, Rotary Vacuum Filter, Rotary Pressure Filter
- Enabled viscosity correction factor for predicting KPI of Centrifugal Pump
- E - Motor
 - Digitization of characteristics curves of the motor such as Load Vs Efficiency, Load Vs Power Factor (Custom Curve). The Operating point is displayed once curves are provided
 - Voltage and Current Imbalance calculations
- Shell and Tube Heat Exchanger
 - Introduced fatigue cycle calculations for the performance model
 - Introduced Expected delta pressure and modified expected heat transfer coefficient for the performance model
 - Enhanced FMEA based on performance model improvement

4.1.7 New Features / Enhancements in Assets View

- Create Assets in Asset View (in the same environment / different environment)
- Create Assets in the exported Excel
- Export a blank template of the view

4.1.8 Configuration Studio

New Features

- New views added to Configuration Studio
 - CMMS Asset Mapping
 - CMMS Configurations
 - Variable Monitoring
- Content Catalogue page added to Configuration Studio

Enhancements

- Rearranged links on Configuration Studio landing page
- Create does not depend on clicking on Search for all views in Configuration Studio

4.1.9 Model Configuration

New Features

- New search bar to search a specific variable and checkbox selection to add the variable
- Introduced Advanced settings, for more control on the model training parameters
- New tabs introduced on the model configuration page:
 - Model Parameters
 - Mode
 - Lag
 - Correlation
 - Training data summary report.
- Introduced Excel export functionality, enabling you to export raw tag data for a selected time window
- Introduced incremental training for BYOML
- Scaled Anomaly Index introduced with a toggle, to view the actual and scaled Anomaly Index

Enhancements

- Trends are to be displayed based on the number of data points selected, rather than interpolation
- Threshold provided in the scaled health index, to provide you a reference
- Improved warning, error, and information messages based on your actions

4.1.10 Predictive Model Page

New Features

- Introduced Cancel button introduced to cancel an ongoing model training or testing and Revert button to revert the model to the previous successful model training
- Introduced progress indicator to display the percentage completion of training or testing

Enhancements

- Page redesigned to display only show training and testing information
- Option of incremental training or fresh model training on click of 'Train Model'
- Revamp of incremental training approach for MMPCA models
- Enhancements to the MMPCA Expected value calculations and root cause variable calculations
- Enhancement to the model write back to the historian, such that all calculated time series data is written back to the historian

4.1.11 Deprecated Features

- Asset KPI
- Performance Curve
- Asset Attributes (replaced with Attribute Overview)
- Asset Trend (replaced with Trends)

4.2 Feature Limitations

Below are the list of limitations in R540.1 release:

- The TRL and RUL configuration reports the values only at type level.
- Localization of Asset Performance Management application is not supported for the new dashboards.

SOFTWARE/ HARDWARE COMPATIBILITY

Refer to the Asset Performance Management Installation Guide for complete details on the hardware and software requirements, including service packs, editions and exceptions.

5.1 Third-Party Software Components

Product	Version
Microsoft IIS	10.0
Microsoft Windows Server	2019
Microsoft SQL Server	2019, 64 bit 2017, 64 bit
Microsoft SQL Server Reporting Services	10.0.2531.0
Supported Browsers	Microsoft Edge Google Chrome
Windows 10 (Client)	Professional
Microsoft .NET Core	3.5 Service pack 1
Microsoft .NET Framework	4.8
Infragistics	10.3.20103.1006
Telerik	2010.3.1110.1040
Sandock	1.3.0.23290
Microsoft Practices Enterprise Library	5.0.414.0
Microsoft Office	Microsoft Office 2013 or Microsoft Office 2016 (64- bit) or Microsoft Office 365

5.2 Embedded Software Components

Product	Version	Verification Mechanism (One option presented here)
Infragistics	10.3.20103.1006	Data grid in fault management in Dashboard displays data if any in database

Product	Version	Verification Mechanism (One option presented here)
Telerik Rad Controls	2010.3.1110.1040	UI Dashboard appears without any error
Sandock	1.3.0.23290	UI Dashboard appears without any error
Microsoft Practices Enterprise Library	5.0.414.0	Application service started successfully
EPHD (Native Historian)	R410.1	EPHD available as part of the Asset Performance Management installation.

5.3 Additional Software Compatibility

Asset Performance Management is compatible with the listed versions of the following software:

Product	Version
Uniformance Insight	R240
Field Device Manager (FDM)	R520.1 and R521.1
Sure Sense	6.1.11.40 and 6.2
Enterprise PHD	410
UniSim Design (USD)	R460, R470, R480

OPEN SOURCE SOFTWARE INCLUDED

This product uses open source software. The licenses, notices, restrictions, and obligations, for the open source software are available on the media in a file named Third_Party_Licenses.rtf.

DOCUMENTATION UPDATES/ADDITIONAL INFORMATION

The documents updated for Asset Performance Management R540.1 are:

- Asset Performance Management Installation Guide
- Asset Performance Management Model Library Guide
- Asset Performance Management Configuration Guide
- Asset Performance Management User's Guide
- Asset Performance Management Upgrade Guide
- Asset Performance Management Troubleshooting Guide
- Asset Performance Management Calculation Logger Service User Guide
- Asset Performance Management Cleanup Service User Guide
- Asset Performance Management DAS Plugin User Guide
- Asset Performance Management Data Concentrators User Guide
- Asset Performance Management Developer's User Guide
- Asset Performance Management PI Data Cache Service User Guide
- Asset Performance Management PI Data Logger User Guide
- Asset Performance Management System Specifications Guide
- Asset Performance Management Software Change Notice

For the most up-to-date version of the documentation, including this Software Change Notice, see <https://process.honeywell.com/> (click the Support tab). User registration and login are required to access the Honeywell Process site.

NOTE

Download the latest documents from HPS website and replace the documents in below locations in all APM servers:

- <Install Location>\Program Files (x86)\Honeywell\MES\AssetManager\Documents
- <Install Location>\Program Files (x86)\Honeywell\Help\en-US\Sentinel\Content\PDF

PROBLEMS RESOLVED

This section provides an overview of the problems resolved in this release.

Sl.No	Description	ID(s)
1	During concurrent users mix load test, the page load time for the event trend is above the defined limit.	APMHCE- 13660
2	The Asset Health Dashboard view load time for PSR, medium specification, and mix load is above defined limit.	APMHCE- 11390
3	The delete action response time in model configuration is higher than defined limit during mix load test.	APMHCE- 12273
4	The load time of assets with 1 month, 5 minute and 60 variables interpolation data in model configuration view is above defined limit.	APMHCE- 11403
5	The residual model creation time is above defined limit.	APMHCE- 11402
6	If you choose 3 month and 1 year data with interpolation in minutes the browser crashes.	APMHCE- 13504
7	Expected error message dialog box in Performance Overview page is not displayed when read and write option of reliability engineer is disabled.	APMHCE- 13451
8	While exporting performance curve data to excel, the operating curve sheet is having a common column for flow rate resulting in the wrong representation of data plots and reports in excel.	APMHCE- 12994
9	You need to manually associate asset instance to each widget for publishing the dashboard at asset instance level. This can be addressed by assigning asset to all widgets if you assign assets to anyone widget.	APMHCE- 12962
10	Snapshots folders are not getting created for both UniSim R470 and R480.	APMHCE- 13436
11	During Bulk Creation of Assets if any updates are made in Calculation Enabling page, the updates will be completed in the background but the created assets cannot be displayed from Configuration Status page.	APMHCE-13589
12	Import of data fails if Symptom is selected as Event Type in Event Details view.	APMHCE- 13565
13	Editing and updating of Equipment Classes blank row individually in Event Cause view is taking value instead of "ALL"	APMHCE- 13480
14	Existing Model retrain required, due to new threshold parameter update.	APMHCE- 13654
15	The Evaluate Fault signature occasionally fails.	APMHCE- 13446
16	The Expected Value is not same as Actual Value, if Health Index is Zero.	APMHCE- 13447
17	- Axis settings configuration is not functional in non-tab view of performance curve. - Axis setting minimum bound configuration not accepting value lower .001 in both views of performance curve.	APMHCE- 12995

Sl.No	Description	ID(s)
	- Due to an issue with axis settings configuration, you will not be able to view type level data in non-tab view of performance curve. - Currently only actual values can be plotted even though you have selected other properties as part of configuration in Asset Trend. - The performance curve axis scale does not auto-reset to account for data range changes due to UoM conversion. However, the application reports values in type level once Asset Type Level UOM check box is selected - Global search is not working for the newly added monitoring table widget.	
18	The molecular weight attribute of some assets is not displayed in the Monitoring table.	APMHCE-12060
19	Email notification is not working as upgrading R532.3 Core 1.40.200 removed all Event Subscription data from the database.	APMHCE-11204
20	The text surrounding the Attribute name is getting selected while dragging attributes into Event Trend.	APMHCE-10401
21	An asset with Display Name as an integer value crossing the int32 high limit is creating problems while loading the hierarchy	APMHCE-8406
22	Manual event entry must have a display name to get it localized.	APMHCE-6104
23	Python calculation execution is failing due to the row mismatch between high limit and residual limit rows.	APMHCE-13354
24	The autoencoder model is unable to train a model.	APMHCE-12541
25	For a given temperature, pressure, and composition fractions, the phase fractions value calculated in R531.4 and R532.4 is different.	APMHCE-12633
26	For real-time monitoring, analytics is unable to display the expected value on the APM performance overview page.	APMHCE-9906
27	After the migration of database, the attribute mapping value is updated from the OPC server to the DAS server name.	APMHCE-9152
28	Manual synchronization of the model is required after importing the model since all the units are not getting synchronized at the type level as expected	APMHCE-9154
29	The root cause variable graph is not displaying the legends via tag name even after selecting the tag name filter option from the settings icon. The legends continue to be displayed only with the attribute name.	APMHCE-13773
30	The data points are not refreshing while using the zoom functionality in trend. Instead of displaying the higher resolution for the zoomed time period, the original 2000 points are displayed.	APMHCE-10400
31	Unable to use Bulk Loader to edit the enrichment data since bulk loader is not able to retrieve all the configured Event Details, this results in the use of SQL Update statements as an alternative method.	APMHCE-10273
32	The Event Trend configuration is as per the events in the Asset Instance level instead the configuration must be as per the events in the Asset Type level.	APMHCE-10399
33	The APM Datasource page is not leading if the datasource instances are more and the associated connection information has more details. An error message 'Request failed with status code 500' is displayed.	APMHCE-10996
34	The check syntax functionality is failing if you create a custom function from the APM	APMHCE-10170

Sl.No	Description	ID(s)
	configuration tool and associate the same custom function by creating a base function.	
35	The UoM conversion is not working at the Asset Type level.	APMHCE-10189
36	Asset priority value in the cache is not updating as per the fault event on and off state.	APMHCE-12216
37	Publishing calculations via bulk is timing out if there are more than 500 calculations in an asset type.	APMHCE-5833
38	Adding Associated Link via the GUI for a fault results in a 'Should be a link' error.	APMHCE-10276
39	Duplicate Fault Names are displayed in the Event Enrichment table for Heart Beat fault in the product server.	APMHCE-5406
40	The attribute name is appearing in place of the display name of Associated Data in the Event Monitor table.	APMHCE-3445
41	Duplicate entries should not be created in the Equipment Operations and Equipment Type Operations table	APMHCE-2238
42	The operating points are not displayed in the performance and reduced curve.	APMHCE-12188
43	Manual insertion of the inactive event in an event monitor is not working and the option to add a start time to the inactive event is unavailable.	APMHCE-7125
44	Scope permissions created using the internal asset name sometimes give wrong results, if the characters in the internal name are part of multiple assets.	APMHCE-7019
45	The Display Name must be displayed under the 'Mapped To..' column of the Event Monitor page.	APMHCE-7627
46	The Asset Analytics model is not working with data less than one-minute frequency.	APMHCE-3663
47	The Ultimate Analyzer and Combustor models are not executing because of UoM mismatch.	APMHCE-272
48	APM writing 0 value after AM service restarts from Combustor model (Ultimate Analyzer).	APMHCE-9992
49	For the constant speed compressor asset type - the performance curve must be highlighted with a stonewall point, surge point, and recycle trip points. Currently, when you hover the points are displayed, but not by default.	APMHCE-14264
50	AMService is stopping intermittently in the calculation server.	APMHCE-12540
51	The effectiveness calculation for Shell and Tube Heat Exchanger must be reworked to account for the maximum and minimum fluid.	APMHCE-10831
52	The asset links are not displayed if you right-click on an asset with 8 asset links. The links are displayed if the number of asset links is less than or greater than 8. For assets with 8 asset links the asset hierarchy page is opened upon right clicking the trend link.	APMHCE-10834
53	Installation of APM in Database Server by selecting Database component is not proceeding because of Domain User validation issues.	APMHCE-7817
54	Monitor resolution effects the display of trends and selection in the Asset Performance Management UI.	APMHCE-8374
55	Do not draw the exception range with pink color if the exception range cannot be determined in the Reduced Curve.	APMHCE-5531

Sl.No	Description	ID(s)
56	Variables that do not exist in the expression can get pushed successfully through the Bulk Loader.	APMHCE-3443
57	Task Security for APM should be cleaned up since all the silver pages and menus are shown in Intuition Security Tasks.	APMHCE-3520
58	Same variable should not be used in multiple analytics models of the same asset.	APMHCE-4024
59	Publishing the Excel Bulk Loader changes the mapping type from historical values to attribute values.	APMHCE-2470
60	If you have a pre-existing attribute type with properties on some asset type, and you try to add that attribute to a new asset type (via the Excel bulk tool), then the properties do not get fully copied over to the new asset type and the properties will not be displayed under the attribute section of CAM Asset Type Configuration screen. The properties are visible at the Equipment level, and the Attribute Type level, but not at the Equipment Type level.	APMHCE-2508
61	HMIWeb Graphic is not displaying Time Bar in Asset Performance Management.	APMHCE-61
62	The properties with Mapped Data Source are not available in the Event Trend.	APMHCE-8455
63	Creating the Attributes with the Status column as blank is resulting in an error in Bulk Loader.	APMHCE-6369
64	Assign the Group IDs through Excel Bulk Loader or CAM to avoid AM service restart.	APMHCE-8546
65	Installation is clashing with automatic Windows updates.	APMHCE-8391
66	The message 'Unexpected Operations' is appearing frequently.	APMHCE-8390
67	Highlighting the selections in Reduced Curve must be enhanced.	APMHCE-5526
68	Clarification on which displays and functions does not work if the customer doesn't have the Predictive license.	APMHCE-13653
69	Importing calculations that do not exist for the selected asset is not resulting in an error. Instead, the import is getting completed successfully.	APMHCE-10115
70	APM is taking too long to execute the calculations since Data Concentrator is unable to keep up with the writing speed.	APMHCE-8762
71	The calculation speed is very low if the log level of AM Service is DEBUG or WARN.	APMHCE-7875
72	Having more than three digits value in the repetitive faults and active faults details of Asset Summary section on Asset Health Dashboard is causing alignment issues.	APMHCE-15767
73	Unable to create new asset from model configuration view.	APMHCE-15672
74	During creation of an asset from model configuration view, the UI is hanging becomes unresponsive	APMHCE-15671
75	Searching for an asset in model configuration view is not returning an accurate result	APMHCE-15670
76	During 5 concurrent users requesting for runtime service, the system is not able to handle the concurrency and the server is returning an internal error.	APMHCE-15656
77	API is fetching large volumes of data in MBs and this request has to be minimized as the frequency of this API will be high during concurrency.	APMHCE-15586
78	Training of MMPCA model is returning an error: (Python Error) object of type 'NoneType'	APMHCE-15579

Sl.No	Description	ID(s)
	has no len()	
79	Get Variable in Data Trending view is taking too long to loading	APMHCE-15578

ASSET PERFORMANCE MANAGEMENT R540.1 INSTALLATION AND UPGRADE

9.1 Installation

Please refer to the Asset Performance Management Installation Guide for instructions on the installation of Asset Performance Management.

Click the below link to download R540.1 installation media:

[Asset Performance Management R540.1](#)

9.2 Migration

Please refer to the Asset Performance Management Upgrade Guide for instructions on migration of Asset Performance Management.

9.3 Installing with other Honeywell Products

When installing on systems with other Honeywell products (such as Uniformance Insight) errors may appear if some features are already installed on the system. To complete the installation, acknowledge the error and continue.

Honeywell Intuition Core (IC) Components are forward upgradable, so while installing the product release with IC version follow low to high order.

For supported software and version compatibility, see the HPS Compatibility Matrix.

ATTENTION

If you are installing or upgrading a system with other Honeywell products installed, before beginning the Asset Performance Management installation or upgrade, stop all services related to the installed Honeywell products.

KNOWN ISSUES

This section summaries issues known to exist in the release, along with workarounds where known.

Sl.No	Description	Workaround	ID(s)
1	The trend load time while adding an attribute is above the defined limit.	No Workaround	APMHCE- 13661
2	UniSim Model always displays failed, even if it is working fine.	No Workaround	APMHCE- 13437
3	While you create your own Reason, Cause and Recommendation, the Cause field is displayed empty in Event History page.		APMHCE- 13562
4	Soft-sensor functionality is not working as part of R540	No Workaround	APMHCE-16344
5	Unable to publish performance widget after editing Trends in the default view	You can drag and drop the new trend widget and configure it as needed and then Publish the changes.	APMHCE-16567
6	The expand and collapse data table of trends in the performance widget is displaying unwanted spaces below the attribute table.	No Workaround	APMHCE-16568
7	The calendar and template name collapsing on each other resulting in an alignment issue.	No Workaround	APMHCE-16569
8	Attributes with no unit of measurement associated with them are not plotting data during x-y plot.	Associate UoM as unitless by selecting unitless from the dropdown list.	APMHCE-16571
9	Curve selection component in the performance curve is disabled for the default view of gas turbine.	The default is loading correctly and you can select while saving the view.	APMHCE-16572
10	Enabling viscosity correction factor in a centrifugal pump is displaying wrong value for Power, Efficiency, and NPSH tab in the y-axis title.	Save the performance widget as a non-tab view and create multiple widgets as required.	APMHCE-16574
11	Plotting of other asset attribute in the XY trend is not functional.	No Workaround	APMHCE-16461
12	Notification is not displayed for Save and Delete Template functionality in Read Only Trend.	No Workaround	APMHCE-16578
13	The Asset Name and Attribute Name columns display the Internal name instead of the display name.	No Workaround	APMHCE-16581
14	Attribute data table precision is not working in	No Workaround	APMHCE-16583

Sl.No	Description	Workaround	ID(s)
	Trends (Currently, decimal precision is used only for tooltip data, and for other placeholders, further enhancement is required.)		
15	The image alignment is not proper in snippet if the last attribute value is close to zero.	No Workaround	APMHCE-16584
16	The Trend (Asset Context) is saving at the type level even if it is not selected to save the template at the type level.	No Workaround	APMHCE-16586
17	Trends functionality for navigating to an event duration via respective event selection in the event table is not working.	No Workaround	APMHCE-16587
18	Event lock is not working for inactive events (Events will get locked however calculations are not disabled and hence new events may get triggered)	No Workaround	APMHCE-16588
19	In trends after deleting a saved template with a single attribute data table the same attributes are displayed as selected.	You can manually remove the attribute selection and create a new template	APMHCE-16589
20	The data table expand and collapse icon must be at the center for asset trends in the performance widget.	No Workaround	APMHCE-16590
21	Asset name is displayed in the non-tab view of the performance widget.	No Workaround	APMHCE-16591
22	In trends, if the attribute name is long, the text is truncated in the data table depending on the resolution	No Workaround	APMHCE-16466
23	Unable to view the date and time in full view if the timestamp column is selected in the monitoring table.	No Workaround	APMHCE-16465
24	Error notification for performance widget not being supported for asset type is not clearly visible.	You can add the required asset type in the system configuration setting.	APMHCE-16458
25	If you add four attributes to a trend and expand the chart, the chart starts blinking.	No Workaround	APMHCE-15823
26	The performance dashboard for the gas turbine is not working and displays an error because of the wrong Gas Turbine Class in XML.	You can manually change the class from Gas Turbine to Turbine after importing model to a fresh machine.	APMHCE-16560
27	The Centrifugal Compressor V3 model with separator configured is not executing and displaying an error 'one more error occurred', if you enable Update Compositions to 1.	You can disable update compositions in the parent model and enable the flash option in outlet streams. Publish the changes to view the compositions in the calculation status page but you cannot view the updated compositions on the performance overview page.	APMHCE-16561

Sl.No	Description	Workaround	ID(s)
28	The Auto Configure feature in model parameters dialogbox is not working	1. Set the WindowSize equal to No of Variables * 5, (e.g if we have 50 variables , then set the WindowSize as $50 * 5 = 250$) 2. Select the Auto Configure Checkbox and click Save	APMHCE-15657
29	When Pattern mode is selected in Mode Configuration window, the Health Index and the Modes output are not as expected.	No Workaround	APMHCE-16349
30	The model training is taking too long to complete if there are more than 50 variables and LOESS is selected as filter type.	No Workaround	APMHCE-16347

NOTICES

Terms and Conditions

Honeywell International Inc. authorizes you to copy documents published by Honeywell International Inc. on the World Wide Web for personal or non-commercial use only, provided any copy of these documents that you make shall retain all copyright and other proprietary notices contained herein. Except as expressly provided, nothing contained in this paragraph shall be construed as conferring any license or right under any Honeywell International Inc. copyright. No materials available on the Honeywell International Inc. Website may be stored, transmitted by any means (including but not limited to electronic, mechanical, scanning, photocopying or recording) without prior written permission of Honeywell International Inc. For more details, refer to <https://www.honeywell.com/us/en/terms-and-conditions>.

Other trademarks

Microsoft and SQL Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Trademarks that appear in this document are used only to the benefit of the trademark owner, with no intention of trademark infringement.

Third-party licenses

This product may contain or be derived from materials, including software, of third parties. The third party materials may be subject to licenses, notices, restrictions and obligations imposed by the licensor. The licenses, notices, restrictions and obligations, if any, may be found in the materials accompanying the product, in the documents or files accompanying such third party materials, in a file named third_party_licenses on the media containing the product.

Documentation feedback

You can find the most up-to-date documents on the Honeywell Process Solutions support website at:

<http://www.honeywellprocess.com/support>

If you have comments about Honeywell Connected Industrial documentation, send your feedback to: hpsdocs@honeywell.com

Use this email address to provide feedback, or to report errors and omissions in the documentation. For immediate help with a technical problem, contact your local Honeywell Process Solutions Customer Contact Center (CCC) or Honeywell Technical Assistance Center (TAC).

How to report a security vulnerability

For the purpose of submission, a security vulnerability is defined as a software defect or weakness that can be exploited to reduce the operational or security capabilities of the software.

Honeywell investigates all reports of security vulnerabilities affecting Honeywell products and services.

To report a potential security vulnerability against any Honeywell product, please follow the instructions at:

<https://honeywell.com/pages/vulnerabilityreporting.aspx>

Support

For support, contact your local Honeywell Process Solutions Customer Contact Center (CCC). To find your local CCC visit the website, <https://www.honeywellprocess.com/en-US/contact-us/customer-support-contacts/Pages/default.aspx>.

Training classes

Honeywell holds technical training classes that are taught by process control systems experts. For more information about these classes, contact your Honeywell representative, or see <http://www.automationcollege.com>.