



# Asset Performance Management

## Cleanup Service

### User Guide

Release 540.1

August 2023

# DISCLAIMER

This document contains Honeywell proprietary information. Information contained herein is to be used solely for the purpose submitted, and no part of this document or its contents shall be reproduced, published, or disclosed to a third party without the express permission of Honeywell International Sàrl.

While this information is presented in good faith and believed to be accurate, Honeywell disclaims the implied warranties of merchantability and fitness for a purpose and makes no express warranties except as may be stated in its written agreement with and for its customer.

In no event is Honeywell liable to anyone for any direct, special, or consequential damages. The information and specifications in this document are subject to change without notice.

Copyright 2023 - Honeywell International Sàrl

# CONTENTS

Chapter 1 - Introduction ..... 4

Chapter 2 - Topology ..... 5

Chapter 3 - Pre-requisites ..... 6

Chapter 4 - Installation ..... 7

Chapter 5 - Uninstallation ..... 8

Chapter 6 - Application Settings ..... 9

## INTRODUCTION

The Cleanup Service automatically removes the records after the specified maximum number of days from the selected folder.

Installation: Install the software on Application Server or Web Server.

## PRE-REQUISITIES

- Microsoft .Net framework v4.8

## INSTALLATION

Follow the below steps for Cleanup Service installation

1. In the Application Server or Web Server with Asset Performance Management media, navigate to the following folder.  
<ISO>\Utilities\Honeywell.UAS.CleanupService
2. Create Cleanup Service folder in one of the system drives.
3. Copy the binary files from media to the created folder.
4. Open command prompt in administrator mode.
5. Run the below command:  
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\installutil.exe "[path to Honeywell.UAS.CleanupService.exe]"
6. Enter domain username and password in the dialog box.  
Click **Continue**.
7. The APM Cleanup Service is created in **Services.msc**.

## UNINSTALLATION

Perform the following steps to uninstall the Cleanup Service:

1. Choose **Start > Run**, type **Services.msc** and click **OK**.  
The **Services** window appears.
2. In the Services panel, find **Honeywell Cleanup Service**, right-click and select **Stop**.
3. In the Application Server or Web Server, go to the installed location of Cleanup Service.
4. Open command prompt in administrator mode.
5. Run the below command:  
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\installutil.exe /u "[path to Honeywell.UAS.CleanupService.exe]"
6. The APM Cleanup Service is removed from **Services.msc**.



## APPLICATION SETTINGS

Follow below steps to change the application settings parameter values:

1. Open the created Cleanup Service folder where binary files are copied.
2. Open **.exe.config** file.
3. Locate **<appSettings>** section in **exe.config** file.
4. Update the **Frequency Minute**, **Folder Location** and **Max Days**.

```
<FileCleanupConfig FrequencyMinutes="5">
```

```
<Folders>
```

```
<Folder Location=""MaxDays=""/>
```

```
</Folders>
```

```
</FileCleanupConfig>
```

| Parameter        | Description                                                                                                                     |
|------------------|---------------------------------------------------------------------------------------------------------------------------------|
| FrequencyMinutes | The time interval for which the service checks files for cleanup. By default the frequency minute is set as 5 minute.           |
| Folder Location  | The folder to be cleaned for the specified frequency minute.                                                                    |
| MaxDays          | Maximum number of days the records in selected folder should be retained. By default the records older than 7 days are cleaned. |

**NOTE**

Multiple folders can be selected in a single service.

Example:

```
<FileCleanupConfig FrequencyMinutes="10">
```

```
<Folders>
```

```
<!--Folder Location="C:\ProgramData\Honeywell\UAS\LogFiles" MaxDays="10"/>
```

```
<!--Folder Location="C:\ProgramData\Honeywell\UAS\reports" MaxDays="7"/>
```

```
</Folders>
```

```
</FileCleanupConfig>
```

# NOTICES

## Terms and Conditions

Honeywell International Inc. authorizes you to copy documents published by Honeywell International Inc. on the World Wide Web for personal or non-commercial use only, provided any copy of these documents that you make shall retain all copyright and other proprietary notices contained herein. Except as expressly provided, nothing contained in this paragraph shall be construed as conferring any license or right under any Honeywell International Inc. copyright. No materials available on the Honeywell International Inc. Website may be stored, transmitted by any means (including but not limited to electronic, mechanical, scanning, photocopying or recording) without prior written permission of Honeywell International Inc. For more details, refer to <https://www.honeywell.com/us/en/terms-and-conditions>.

## Other trademarks

Microsoft and SQL Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Trademarks that appear in this document are used only to the benefit of the trademark owner, with no intention of trademark infringement.

## Third-party licenses

This product may contain or be derived from materials, including software, of third parties. The third party materials may be subject to licenses, notices, restrictions and obligations imposed by the licensor. The licenses, notices, restrictions and obligations, if any, may be found in the materials accompanying the product, in the documents or files accompanying such third party materials, in a file named third\_party\_licenses on the media containing the product.

## Documentation feedback

You can find the most up-to-date documents on the Honeywell Process Solutions support website at:

<http://www.honeywellprocess.com/support>

If you have comments about Honeywell Connected Industrial documentation, send your feedback to: [hpsdocs@honeywell.com](mailto:hpsdocs@honeywell.com)

Use this email address to provide feedback, or to report errors and omissions in the documentation. For immediate help with a technical problem, contact your local Honeywell Process Solutions Customer Contact Center (CCC) or Honeywell Technical Assistance Center (TAC).

## How to report a security vulnerability

For the purpose of submission, a security vulnerability is defined as a software defect or weakness that can be exploited to reduce the operational or security capabilities of the software.

Honeywell investigates all reports of security vulnerabilities affecting Honeywell products and services.

To report a potential security vulnerability against any Honeywell product, please follow the instructions at:

<https://honeywell.com/pages/vulnerabilityreporting.aspx>

## Support

For support, contact your local Honeywell Process Solutions Customer Contact Center (CCC). To find your local CCC visit the website, <https://www.honeywellprocess.com/en-US/contact-us/customer-support-contacts/Pages/default.aspx>.

## Training classes

Honeywell holds technical training classes that are taught by process control systems experts. For more information about these classes, contact your Honeywell representative, or see <http://www.automationcollege.com>.