

32"

DIGITAL SIGNAGES STANDEE

MARKETING YOUR BUSINESS TO NEXT LEVEL



FULL HD



WIFI



AUTO START



TRIPLE
PROTECTION
WARRANTY




MULTI INDIAN
LANG SUPPORT
IN TICKER



2 USB




TAMPERED
GLASS



HIGH
BRIGHTNESS



MULTI SCREEN
ZONE



ANDROID OS

SPECIFICATION

HARDWARE SPECIFICATION

➤ RAM	1 GB
➤ ROM	8 GB
➤ RESOLUTION	1920X1080 (FULL HD)
➤ PANEL	A+ PANEL
➤ BRIGHTNESS (NITS)	UP TO 250 NITS
➤ OPERATING SYSTEM	CUSTOM ANDROID
➤ WI-FI	2.4 GHZ WI-FI SUPPORT
➤ USB PORTS	2 USB SLOTS
➤ COLOR MODES	VIVID, STANDARD, USER
➤ AUDIO OUTPUT	2 X 10 WATT (OPTIONAL)
➤ DUAL DISPLAY	OPTIONAL (SOFTWARE FEATURES)
➤ REFRESH RATE	60 HZ
➤ ETHERNET	OPTIONAL (WIRED CONNECTION)

RESOLUTION SUPPORTED

THE SYSTEM SUPPORTS THE FOLLOWING RESOLUTIONS,
DEPENDING ON THE SCREEN'S ROTATION:

FOR 0 DEGREES (LANDSCAPE MODE):

RESOLUTION	DESCRIPTION
• 960X540	HD
• 1280X720	HD
• 1920X1080	FULL HD

FOR 90 DEGREES (PORTRAIT MODE):

RESOLUTION	DESCRIPTION
• 540X960	HD
• 720X1280	HD

DISPLAY SETTINGS (ROTATION)

THE DISPLAY CAN BE ROTATED IN INCREMENTS OF **90 DEGREES**:

ROTATION ANGLE	ORIENTATION
• 0 DEGREES	NORMAL ORIENTATION / LANDSCAPE
• 90 DEGREES	PORTRAIT MODE
• 180 DEGREES	UPSIDE DOWN / LANDSCAPE
• 270 DEGREES	PORTRAIT MODE, UPSIDE DOWN

CONTENT ADJUSTS BASED ON THE ROTATION ANGLE TO FIT THE DISPLAY PROPERLY.

SOFTWARE FEATURES

MEDIA MANAGEMENT

- UPLOAD AND MANAGE MEDIA FILES (IMAGES AND VIDEOS)
- SCHEDULE MEDIA BASED ON SPECIFIC CRITERIA (E.G., DISPLAY ON CERTAIN DAYS OR AT SPECIFIC TIMES).
- SET MEDIA DURATION IN SECONDS.

TICKER SETTINGS

FEATURE	DESCRIPTION
<ul style="list-style-type: none"> • TEXT • BACKGROUND COLOR • TEXT COLOR • SCROLL SPEED • ENABLE/DISABLE TICKER 	<p>CUSTOMIZE TICKER TEXT (E.G., "WELCOME TO DIGITAL")</p> <p>CHOOSE BACKGROUND COLOR FOR THE TICKER</p> <p>CHOOSE TEXT COLOR FOR THE TICKER.</p> <p>ADJUST THE SPEED OF THE TICKER SCROLL.</p> <p>OPTION TO ENABLE OR DISABLE THE TICKER.</p>

MEDIA REFRESH

DYNAMIC UPDATES : ALLOW FOR AUTOMATIC OR MANUAL REFRESH OF MEDIA CONTENT WHEN NEW MEDIA IS ADDED.

USER INTERFACE

ADMIN PANEL* (OPTIONAL)

FEATURE	DESCRIPTION
• WEB INTERFACE	MANAGE MEDIA, DISPLAY SETTINGS, AND TICKER SETTINGS FROM A SINGLE WEB INTERFACE.
• REAL-TIME UPDATES	REAL-TIME UPDATES FOR DISPLAY SETTINGS (ROTATION) AND TICKER CONFIGURATIONS.
• MEDIA MANAGEMENT	UPLOAD AND MANAGE MEDIA.
• SCHEDULE CONTENT	SET CRITERIA FOR DISPLAY CONTENT BASED ON TIME OR DAYS.

APP CONTROL VIA WI-FI IN LOCAL NETWORK* (OPTIONAL)

FEATURE	DESCRIPTION
• REMOTE CONTROL	MANAGE DIGITAL SIGNAGE VIA AN APP OVER WI-FI WITHIN THE LOCAL NETWORK.
• CONTROL MULTIPLE DEVICES	INTERACT WITH MULTIPLE DEVICES IN THE SAME NETWORK TO UPDATE MEDIA AND SETTINGS.
• INSTANT MEDIA UPDATES	CHANGES TO MEDIA OR SETTINGS ARE REFLECTED IN REAL-TIME ACROSS ALL CONNECTED DEVICES.

*SPLIT SCREEN NOT SUPPORTED



32" DIGITAL STANDEE
NVSG32PRGWM

MULTI-DEVICE MANAGEMENT

MANAGE MULTIPLE DISPLAYS* (OPTIONAL)

FEATURE	DESCRIPTION
<ul style="list-style-type: none">• CONTROL EACH DISPLAY INDIVIDUALLY	CONTROL EACH DEVICE SEPARATELY OR GROUP THEM FOR MASS UPDATES.
<ul style="list-style-type: none">• CENTRALIZED CONTROL PANEL	MANAGE ALL CONNECTED DEVICES FROM A SINGLE DASHBOARD.
<ul style="list-style-type: none">• MONITOR DEVICE STATUS	TRACK DEVICE STATUS AND UPDATE SETTINGS SUCH AS DISPLAY ROTATION AND TICKER SETTINGS.

SYNC ACROSS DEVICES* (OPTIONAL)

FEATURE	DESCRIPTION
<ul style="list-style-type: none">• UNIFORM UPDATES	SYNC MEDIA SCHEDULES AND DISPLAY SETTINGS ACROSS ALL DEVICES FOR CONSISTENCY.

ACCESSORIES INCLUDED

ACCESSORY	DETAILS
<ul style="list-style-type: none">• 2 AAA CELLS• REMOTE CONTROL	FOR REMOTE CONTROL (INCLUDED) REMOTE CONTROL UNIT (INCLUDED)

*SPLIT SCREEN NOT SUPPORTED

WARRANTY

⦿ 2 YEARS WARRANTY


INCLUDES COVERAGE FOR ANY MANUFACTURING DEFECTS.

SOFTWARE CUSTOMIZATION(OPTIONAL)

⦿ CUSTOMIZATION CHARGES


EXTRA CHARGES APPLY FOR CUSTOM SOFTWARE DEVELOPMENT. THIS FEATURE IS OPTIONAL AND TAILORED TO SPECIFIC CUSTOMER NEEDS.

SCREEN DIMENSION




27"

BODY DIMENSION



38"



WEIGHT

14 KGs

POWER REQUIREMENTS

SPECIFICATION

- POWER REQUIREMENT
- POWER CONSUMPTION (STANDBY)
- MAXIMUM RATED POWER
- CURRENT

DETAILS

- 110-240VAC 50/60HZ
- 0.5W AT 240VAC INPUT & NO LOAD CONDITION
- 60 WATT
- ≤ 1.8 AMP