Step 1) vi /etc/sudoers and add the following line to Add the following line to grant Jenkins user sudo privileges

jenkins ALL=(ALL) NOPASSWD:ALL

```
ALL=(ALL:ALL) ALL
ALL=(ALL) NOPASSWD:AL<mark>L</mark>
```

- Save and exit the file.
- Restart Jenkins to apply the changes.

Step 2: Run the below command

}

```
sudo chown jenkins:jenkins /var/lib/dpkg/lock-frontend
sudo chmod 644 /var/lib/dpkg/lock-frontend
step3: Create pipeline
Below code need to execute in the pipeline
pipeline {
 agent any
 stages {
  stage('Checkout') {
   steps {
    // Checkout your Git repository
    checkout scmGit(branches: [[name: '*/main']], extensions: [], userRemoteConfigs: [[url:
'https://github.com/amitopenwriteup/repojenkins.git']])
   }
```

```
stage('Install npm') {
  steps {
   // Install Newman globally
   sh 'sudo apt-get install -y npm'
  }
 }
 stage('Install Newman') {
  steps {
   // Install Newman globally
   sh 'sudo npm install -g newman'
  }
 }
 stage('Run Postman Collection') {
  steps {
   // Run your Postman collection using Newman
   sh 'sudo newman run collections.json'
  }
 }
}
```

}