



Conducting PDRA- Scenario Building: Worst- Case Scenario Analysis and Planning


Hannah Grace Ernia
Early Warning Division, Operations Service

SESSION OBJECTIVES:

- Develop worst-case scenarios step-by-step
- Apply PDRA concepts using data
- Identify triggers and decision points
- Translate scenarios into actions

PDRA SCENARIO BUILDING CONCEPT REFRESH

- Focus: hazard-specific and area-focused risk assessment
- **Simplified process** to be applicable in all DRRMC level in order for them **to assess their own unique risks and devise context-appropriate solutions**. This **promotes proactive and innovative thinking** rather than simply following pre-defined procedure/protocol.



$$Risk (R) = \frac{Hazard (H) \times Exposure (E) \times Vulnerability (V)}{Capacity (C)}$$


Figure 2. Disaster Risk Formula

PDRA SCENARIO BUILDING CONCEPT REFRESH

- Focus: hazard-specific and area-focused risk assessment
- **Simplified process** to be applicable in all DRRMC level in order for them **to assess their own unique risks and devise context-appropriate solutions**. This **promotes proactive and innovative thinking** rather than simply following pre-defined procedure/protocol.



Being done through regular development of **LIKELY SCENARIO** even **WITHOUT** conduct of an actual PDRA Scenario Building



STEP-BY-STEP SCENARIO BUILDING

DEFINE THE HAZARD

✓ What to include:

Identify:

- Type (Typhoon, Drought, Flood, etc.)
- Intensity (Signal#, rainfall volume, magnitude)
- Timeline (When will it happen?)/ Duration (hours, days, weeks)
- Geographic coverage

 Data Sources:

Identify:

- PAGASA forecasts
- PHIVOLCS (for earthquakes/volcanoes)
- DENR-MGB (landslides)
- Historical data
- Other sources

 Key Question:

 *“What exactly are we preparing for?” How strong/intense? Where will it affect?*

MONITORING (PAGASA & MGB)

24-Hour Public Weather Forecast (4AM/4PM)

24-HOUR PUBLIC WEATHER FORECAST

Issued at: 4:00 AM 29 August 2025

Valid until: 4:00 AM Tomorrow

SYNOPSIS: **Southwest Monsoon** affecting Southern Luzon, Visayas, and Mindanao.

TROPICAL CYCLONE OUTSIDE PARAS OF 3:00 AM TODAY

TROPICAL DEPRESSION (FORMERLY "JACINTO")

LOCATION: 650 KM WEST OF IBA, ZAMBALES (15.7°N, 113.9°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER

GUSTINESS: UP TO 70 KM/H

MOVEMENT: WESTWARD AT 15 KM/H

FORECAST WEATHER CONDITION

Place	Weather Condition	Caused by	Impacts/Hazards
Ilocos Region, Cordillera Administrative Region, Central Luzon, Quirino, and Nueva Vizcaya	Cloudy skies with scattered rains and thunderstorms	Trough of TD	Possible flash floods or landslides due to moderate to at times heavy rains
Visayas, Zamboanga Peninsula, Dinagat Islands, Occidental Mindoro, and Palawan	Cloudy skies with scattered rains and thunderstorms	Southwest Monsoon	Possible flash floods or landslides due to moderate to at times heavy rains
The rest of Cagayan Valley	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Trough of TD	Possible flash floods or landslides during severe thunderstorms
Metro Manila and the rest of country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Southwest Monsoon	Possible flash floods or landslides during severe thunderstorms

Weather Advisory (6hrs or 12hrs)

For: Southwest Monsoon

Issued at: 5:00 AM, 29 August 2025

Heavy rainfall outlook due to Southwest Monsoon				
Forecast Rainfall	Today	Tomorrow	Sunday (August 31)	Potential Impacts
(>200 mm)	-	-	-	Widespread incidents of severe flooding and landslides expected.
(100 – 200 mm)	-	-	-	- Numerous flooding events are likely, especially in areas that are urbanized, low lying, or near rivers. - Landslide likely in moderate to highly susceptible areas.
(50 – 100 mm)	Occidental Mindoro and Palawan	Palawan	-	- Localized flooding is possible mainly in areas that are urbanized, low lying, or near rivers. - Landslide possible in highly susceptible areas.

Forecast rainfall may be higher in mountainous and elevated areas. Moreover, impacts in some areas may be worsened by significant antecedent rainfall.

TC Advisories

TROPICAL CYCLONE

CLIMATE

AGRI-WEA

Tropical Cyclone Advisory

Tropical Cyclone Bulletin

Active

Tropical Cyclone Warning for Shipping

Active

Forecast Storm Surge

Tropical Cyclone Warning for Agriculture

Active

TC-Threat Potential Forecast

Tropical Cyclone Associated Rainfall

Tropical Cyclone Publications

About Tropical Cyclone



Identified Flood and Rain-induced Landslide-Prone

Barangays

MAP OF LANDSLIDE AND FLOOD PRONE BARANGAYS IN SOUTHERN LUZON AND VISAYAS




MAP OF LANDSLIDE AND FLOOD PRONE BARANGAYS IN NORTHERN AND CENTRAL LUZON



MONITORING – Extended Outlook (PAGASA)

TC-Threat Potential (2 Weeks)



Tropical Cyclone (TC)-Threat Potential

Initialization: 26 August 2025 (2 PM)

Date Issued: 27 August 2025

Validity: Valid within the forecast period unless superseded by a succeeding forecast.

Forecast Summary:

Week-1 (August 27 - September 02, 2025)

- No TC-like vortex is present within the PAR.
- Forecast suggest that two TCLVs will likely emerge over the PMD with a low likelihood of TC development.
- TCLV 1 will likely emerge over the TCAD region with a low likelihood of TC formation and is forecasted to enter the northeastern part of PAR.
- Moreover, TCLV 2 will likely emerge over the West Philippine Sea with a low to moderate likelihood of TC development in week-1.

Week-2 (September 03 - 09, 2025)

- Forecasts indicate that TCLV 2 with a low to moderate likelihood of TC development is forecasted to exit the PAR and move towards Hainan-Vietnam area.
- Moreover, TCLV 3 will likely emerge over the northern part of the Philippine Sea with a low likelihood of TC formation and is forecasted to move towards Taiwan in week-2.

Therefore, the **TC-THREAT POTENTIAL IS LIKELY** in week-1 of the forecast period.

However, any changes in the forecast pattern will be closely monitored, and updates will be issued as needed.

PMD: PAGASA Monitoring Domain
PAR: Philippine Area of Responsibility
TCAD: Tropical Cyclone Advisory Domain
TCID: Tropical Cyclone Information Domain

Note: The information contained here is based on the 6-hourly forecasts of the NCEP-GEFS issued in the past 24 hours. This is for guidance purposes only.

For Weather Updates, kindly refer to: www.pagasa.dost.gov.ph/weather



Philippine Atmospheric, Geophysical, and Astronomical Services Administration (PAGASA)

Contact us at telephone no: (02) 8284-0800 loc. 4920/4921 or email: climops@pagasa.dost.gov.ph

Weekly Weather Outlook (7 days)



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical
Services Administration (PAGASA)
Weather Division



WFS-05 Rev. 1/24-06-2024



WEEKLY WEATHER OUTLOOK 22-29 August 2025

Today (22 August), Tropical Cyclone "ISANG" is expected to bring stormy weather over Ilocos Region, Cordillera Administrative Region, and Cagayan Valley, particularly in Aurora, Quirino, Nueva Vizcaya, Nueva Ecija, Benguet, Pangasinan, and La Union. Additionally, the Southwest Monsoon is likely to bring cloudy skies with scattered rains and thunderstorms over the rest of Luzon, Western Visayas, Negros Island Region, Zamboanga Peninsula, and BARMM. Meanwhile, the rest of the country will experience isolated rain showers or thunderstorms.

Tomorrow (23 August), The western section of Luzon is expected to have cloudy skies with scattered rains and thunderstorms due to "ISANG" and the Southwest Monsoon. The rest of the country will have partly cloudy to cloudy skies with isolated rain showers or thunderstorms.


From Sunday to Friday (24–29 August), The Southwest Monsoon is expected to affect Southern Luzon, Visayas, and Mindanao, bringing cloudy skies with scattered rains and thunderstorms. The rest of the country will experience isolated rain showers or thunderstorms.

This weather outlook will be updated if there are significant changes in the forecast scenario through the issuance of 24-hour Public Weather Forecasts and Weather Advisories.

Sub Seasonal to Seasonal (S2S) Forecast (1-2 Weeks)

GEFS Week-1 Precip Anomaly

Valid: 2025-08-27 to 2025-09-02



PRSD Weather Outlook (5 days)

Extended Weather Outlook

Issued at: 09:00 AM, 29 August, 2025

Friday	Saturday	Sunday	Monday	Tuesday
25° 33°	25° 33°	25° 33°	25° 31°	25° 31°
Wind Speed Light to moderate	Wind Speed Light to moderate	Wind Speed Light to moderate	Wind Speed Light to moderate	Wind Speed Light to moderate
Direction southwest	Direction Southwest to	Direction Southwest	Direction Southwest	Direction Southwest
Coastal Condition Slight to moderate	Coastal Condition Slight to moderate	Coastal Condition Slight to moderate	Coastal Condition Slight to moderate	Coastal Condition Slight to moderate

TenDay Forecast (10 days)

LAT 14.6884 LONG 121.0745

Quezon City

Metro Manila

25 °C

CLOUDY WITH LIGHT RAINS

1 m/s

EAST-SOUTHEAST

92%

humid

10-DAY CLIMATE FORECAST

Forecast date

Valid until


August 27, 2025

September 5, 2025

		Wed 27	Thu 28	Fri 29	Sat 30	Sun 31	Mon 1	Tue 2	Wed 3	Thu 4	Fri 5
Rainfall	mm/day	5	35	23	22	15	8	39	37	6	17
Rainfall	desc	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS	LIGHT RAINS
Cloud cover	desc	CLOUDY	CLOUDY	CLOUDY	CLOUDY	CLOUDY	CLOUDY	CLOUDY	CLOUDY	CLOUDY	CLOUDY
Max temperature	°C	27	29	27	27	28	26	26	25	29	28
Mean temperature	°C	25	26	25	25	25	24	24	24	26	25
Min temperature	°C	22	23	23	23	23	23	23	23	22	24
Wind speed	m/s	1	2	1	1	2	1	5	2	2	2
Wind direction	arrow										
Humidity	%	89	94	92	93	92	87	96	93	88	92



Forecast data is based on GFS by NOAA

MONITORING – PANAHAON (PAGASA)




MONITORING (Other Sources)


Manila Observatory (5 days)




MyRadar (10-day precipitation)



Joint Typhoon Warning Center (JTWC)





Windy



MONITORING (Other Sources)

JMA Weather Map (Analysis Chart)




Typhoon 2000



Philippine Tropical Cyclone Advisories

MrTyp

How strong is it?	Maximum Sustained Winds (1-min avg): 85 kph near the center...Gustiness: 100 kph .
Past Movement (06 hrs)	Southwest @ 24 kph , towards Ilocos Region.
Potential Philippine Major Landfall Area(s)	• Somewhere along La Union and Ilocos Sur, between 11 PM tonight to 1 AM Friday July 25 ~ with High Strike Probability of 80-90%.
What Philippine areas will be directly affected?	Heavy to Extreme Rainfall (50 mm to >100 mm expected for 24 hrs): • Ilocos Region and Cordillera Administrative Region (CAR). • In other areas for the next 2 to 3 days, check out DOST-PAGASA Rainfall Accumulation Forecast Page for more details Damaging Winds (gusts of more than 100 km/hr expected): • Coastal Areas of Ilocos Provinces, La Union, and Pangasinan ~ Beginning Thursday afternoon or evening (Jul 24).
Potential Storm Surge/Coastal Flooding Areas+	• The coastal and beachfront areas of Cagayan Valley, Ilocos Region, & Western Coastal Areas of Central Luzon. +Waves of 1 to 2 meters in height are expected in storm surge-prone areas, particularly in coastal areas where the Tropical Cyclone is headed. Kindly visit the PAGASA Storm Surge Updates for more details.
	• THURSDAY EVENING: Intensifies rapidly into a Severe Tropical Storm as it approaches the coastal waters of Pangasinan and La Union, turns East to Northeastward...about 60 km NNW of Alaminos City, Pangasinan [RPM Jul 24: 16.6°N 119.7°E @ 110-140 kph]. Forecast Confidence: LOW



MONITORING (Other Sources)

The screenshot displays the Handa monitoring interface. The main map shows Quezon City, Philippines, with Mayon Volcano prominently featured in the center. The interface includes a sidebar with navigation icons, a top header with location and weather information, and a right panel with 'Early Warning Alerts'.

Handa
Quezon City, Philippines | 27°C · Clear sky · 6 km/h

Early Warning Alerts

- LATEST TROPICAL CYCLONES**
 - TROPICAL CYCLONE BULLETIN NR. 4 for Tropical ...**
Feb 6, 2026, 8:00 AM [View](#)
- ACTIVE VOLCANO ALERTS**
 - MAYON VOLCANO** Alert Level 3 (Intensified Unrest / Magmatic Unrest) [View](#)
 - BULUSAN VOLCANO** Alert Level 1 (Low-level unrest) [View](#)
 - KANLAON VOLCANO** Alert Level 2 (Increased Unrest) [View](#)
 - TAAL VOLCANO** Alert Level 1 (Low-level unrest) [View](#)
- Active Warnings** 2 advisories • Updated 7:34 AM [Online](#)
 - DILG** 3/23/2026 • Verified by DILG
 - [Incident Report](#)
 - [Verified](#)

Powered by: **GeoRiskPH**

STEP-BY-STEP SCENARIO BUILDING

IDENTIFY EXPOSURE

✓ What to do:

Identify what is in harm's way:

- Population (how many people?)
- Critical infrastructure (roads, hospitals, schools)
- Livelihoods (farms, fisheries)
- Critical services (water, electricity)

🧠 Key Questions:

- Who lives in affected areas?
- What assets are located there?
- What systems might be disrupted?

STEP-BY-STEP SCENARIO BUILDING

ANALYZE VULNERABILITY

✓ What to do:

Identify conditions that make exposure worse and understand why impacts will be severe:

- Flood-prone areas
- Coastal communities
- Informal settlements
- Areas with poor drainage
- Social (poverty, elderly, children)
- Environmental (deforestation, degraded land)
- Infrastructure weakness


🧠 Key Questions:

- Which areas are most fragile?
- Who cannot cope easily?
- What makes this worse?

💡 Example:

- Coastal area + high tide = higher flood risk
- Saturated soil = landslide risk

Important Considerations



Current situation in your AOR:

- Are there any incidents?
- Prolonged flooding?
- Saturated soil due to continuous rains?
- Is there an ongoing high-density gathering? Fiesta?
- Status of roads and bridges.
- Status of ECs.
- Identified areas of concern (ex. isolated areas).
- Are resources still adequate?
- Is assistance required?

Historical Data/References:

- Was there any previous mass flooding and storm surge in the area? 50 years ago? 100 years ago?
- What was the highest recorded rainfall in your area? Where?
- TC track pattern for the month or semester.
- Was there any recorded landslide in your area?
- What was the strongest TC experienced in the AOR?

Hazards present:

- Hazard maps
- Identified areas susceptible to rain-induced landslides and floodings.
- Critical infrastructures located in hazard-prone areas.
- Coastal areas prone to storm surge and tsunamis.
- Are there any other hazards present? (Fire incidents caused by unattended candles of short circuits after flooding / chemical spills and leaks from factories, warehouses, or gas stations damaged / oil spills from damaged ships / electrical hazards such as submerged electrical outlets / blocked drainage systems / landslides worsened by quarrying or deforestation / overcrowding in evacuation centers due to poor crowd control and lack of facilities / civil unrest)

Community at-risk:

- Elderly, infant and children, pregnant and lactating women
- Population that require immediate medical attention
- Indigenous people
- Persons with disability
- Single-parent/guardian households
- Low-income households
- Residents in far-flung areas
- Households that don't have immediate access to information (no internet, mobile phone or TV)
- Are there any households in conflict zones?
- Access to basic needs

STEP-BY-STEP SCENARIO BUILDING

DETERMINE IMPACTS (CORE OF SCENARIO)

✓ What to do:

Translate hazard + exposure + vulnerability into real-world effects

📊 Sectoral Impacts:

- Agriculture → crop loss
- Water → shortage or contamination
- Health → disease risk
- Infrastructure → road closures, power outages

🧠 Key Questions:

- What will people experience?
- What will stop functioning?
- How widespread is the damage?

Initial SCENARIOS

One or more scenarios will be developed based on all resources

SCENARIOS TO CONSIDER

I. TS OUTSIDE PAR TO ENTER AND INTENSIFY TO STY

TS "PODUL" may enter PAR and may further intensify as it nears the landmass. It may enhance the SW Monsoon, bringing rains over parts of the country, potentially causing flooding and landslides.

II. WIDESPREAD HEAVY RAINFALL and SECONDARY HAZARDS

Possible widespread rainfall across much of the country, with high to very high probability. As well as secondary hazards such as landslides and tornado in some areas.

III. EFFECT ON ONGOING RECOVERY ACTIVITIES

Affect the ongoing recovery efforts in Northern and Central Luzon including disruption of early recovery activities.

REGIONAL RISKS AND POSSIBLE IMPACTS

- **REGION I:** Ongoing recovery operations may be disrupted should conditions deteriorate. **Saturated soil** increases risk of flooding, landslide and other secondary hazards.
- **CAR:** Ongoing landslide-clearing operations may be hindered, and saturated soils elevates the likelihood of further flooding and landslides.
- **REGION II:** Flooding in Southern Isabela due to the floodwaters from Mt. Province and Ifugao in the CAR region; and northwestern Cagayan due to floodwaters from Apayao Mountains.
- **Region III:** Flood-affected areas may **experience renewed flooding** if heavy rains persist or recur and **affect ongoing recovery activities**

SCENARIOS TO CONSIDER

Scenario A: LPA develops into a Tropical Cyclone (TC)

If the monitored LPA develops into a TC and moves northwest toward the Bicol Region, it may significantly enhance the Southwest Monsoon (SWM), resulting in widespread, prolonged heavy rains across Southern and Central Luzon (including Metro Manila), MIMAROPA, Bicol, and Western Visayas. At the same time, the trough of the LPA may extend toward Mindanao, where soils are already saturated due to continuous rains from the ITCZ. This could lead to aggravated flooding, flash floods, and slope failures.



Scenario B: LPA remains as LPA – SWM persists without cyclone formation

Its circulation may still sustain or enhance the Southwest Monsoon, bringing intermittent to prolonged rains over Luzon and Visayas, particularly Regions I, III, IV-A, IV-B, VI, and parts of MIMAROPA. As the LPA moves northwestward toward the vicinity of Southern Luzon, monsoon activity may potentially intensify resulting in flooding in low-lying areas, rising river levels, and rain-induced landslides.

In both scenarios, areas located near or around active volcanoes may face an increased risk of lahar flow, especially starting 07 June 2025 onwards where periods of heavy or prolonged rainfall is expected

Scenario C: Another circulation may emerge over the western section of PAR

Per the TC-Threat Potential, there is another **TCLV** that is likely to emerge over the western section of PAR around the area forecasted to receive heavy rainfall.



**Samples from past Likely Scenarios*

WHY WORST-CASE SCENARIOS MATTER

- . Disasters escalate quickly
- . Preparedness gaps = delayed response
- . Worst-case planning = anticipatory action

STEP-BY-STEP SCENARIO BUILDING

IDENTIFY CASCADING EFFECTS

✓ What to do:

Go beyond first impacts and anticipate secondary and tertiary impacts

📊 Examples:

- Flood → road closure → delayed relief
- Drought → crop loss → food insecurity
→ migration
- Power outage → water system failure

🧠 Key Questions:

- What happens next?
- What systems depend on each other?

STEP-BY-STEP SCENARIO BUILDING

DEFINE TRIGGERS & THRESHOLDS (WHEN TO ACT)

✓ What to do:

Set clear indicators for action and set clear decision points

📌 Examples:

- Rainfall exceeds 200mm → evacuate
- Dam reaches critical level → release water

🧠 Key Questions:

- When do we act?
- What signals trigger action?

STEP-BY-STEP SCENARIO BUILDING

TRANSLATE INTO ACTIONS

✓ What to do:

Convert impacts into:

- Preparedness actions
- Response strategies

📌 Types of actions:

- Preparedness (monitoring, stockpiling)
- Early action (prepositioning, warnings)
- Response (evacuation, deployment)

📊 Use structure:

Impact → Action → Responsible Agency
(Aligned with **minimum** preparedness checklist)

🧠 Key Questions:


- What should we do now?
- Who will do it?
- What resources are needed?

MINIMUM PREPAREDNESS CHECKLIST

National	Regional
The following actions represent the preparedness measures that shall be undertaken by the National, Regional and Local DRRMCs based on the respective assessment relative to the event. Additional directives or measures may be introduced as deemed necessary by the DRRMC member-agencies / attendees during the PDRA Meeting.	
• Full activation of national response teams including search and rescue units, health personnel, and volunteers ready for immediate deployment / support to the affected or requesting region • Prepositioning of emergency response teams and equipment to areas expected to be affected by the disaster. • Establishing communication networks for quick information dissemination and coordination among national responders. • Coordination with national agencies and partner organizations for additional support if the situation escalates. • NDRRMOC on RED ALERT • NDRRMOC on BLUE ALERT • Heightened monitoring • Prepositioning of resources, rescue equipment, and personnel ready for deployment to support affected /requesting region. • Implementation/conduct preemptive evacuation of communities in high-risk areas if necessary, through concerned agencies and RDRRMCs • Regular updates to the public on the status of the threat and instructions for further action. • Heightened monitoring. • Constant monitoring of weather reports and hazard information from relevant agencies • Dissemination of advisories to stakeholders and the public. • Inventory check of available resources such as food, water, and emergency supplies. • Continued close coordination with key agencies (e.g., military, police, health services) for possible mobilization if needed. • Public awareness campaigns to remind people of safety protocols and preparedness tips through concerned agencies. • Identify alternate supply routes for delivery of essential supplies • Activate appropriate response cluster	• Where necessary, ensure concerned LGUs conducted preemptive evacuations, especially in flood-prone or landslide-prone areas. • Intensify provision of warnings and instructions to the public through all available channels. Emphasize safety measures and evacuation procedures. • Maintain full coordination with the national level for additional resources and support. • Ensure evacuation centers are fully operational, with necessary supplies, medical services, and personnel in place. • RDRRMOC on RED ALERT • RDRRMOC on BLUE ALERT • Heightened monitoring • Mobilize/preposition resources to strategic locations. • Regional and local EOCs are partially or fully activated to ensure readiness for potential activation. • Coordination with LGUs for possible evacuations. • Intensify sending of advisories to at-risk populations, detailing potential evacuation timelines and safety protocols. • Ensure communication systems between national, regional, and local DRRMCs are fully functional. • Ensure the logistics and transportation plans for rapid mobilization of resources are in place. • Continuous monitoring of weather advisories, earthquake bulletins, or other early warning signals. Agencies track potential hazards. • Convene initial meetings with relevant agencies to discuss potential risks and preparations. • Check the availability of resources such as relief supplies, personnel, and equipment. • Coordinate immediately the results of the PDRA to the P/C/L DRRMOs and LCEs. • Identify alternate supply routes for delivery of essential supplies • In tandem with RD DILG, directly communicate/coordinate with Governors and HUC Mayors in AORs. • Directly communicate/coordinate with AFP division commanders to identify appropriate response cluster
<i>Basis for the recommended actions / planning considerations in addition to the scenarios to consider</i> For LDRRMCs- Implement Operation LISTO: Disaster Preparedness Manual (Critical Preparedness Action)	

STEP-BY-STEP SCENARIO BUILDING

PUTTING IT ALL TOGETHER




OVERVIEW

As of 8AM, LPA 09a emerged inside PAR. SW Monsoon affecting the western sections of Luzon and Visayas.

SCENARIOS TO CONSIDER

I. SCATTERED TO WIDESPREAD RAINS DUE TO "HABAGAT"


High risk of widespread flooding and landslides due to the presence of SW Monsoon. Frequent and scattered rainfall, even severe thunderstorms in isolated areas across the country is a possibility.



Urban areas, including NCR, may experience urban flooding and traffic disruption, even from isolated, short-duration downpours.


II. PRESENCE OF LPA 09A, EMERGENCE OF OTHER TCVLs and POTENTIAL ESCALATION, ENHANCING "HABAGAT"

LPA 09A has developed inside the PAR, while another TCLV (TCLV2) is likely to emerge within 48 hours or less. Regardless of whether these systems intensify into TC, their presence and interaction with the Habagat between 05–18 Sep will enhance winds and rainfall, significantly increasing the risk of widespread flooding and landslides across the country.



IMPORTANT: Anticipate prolonged and scattered widespread rains especially in the western coast of Luzon (Regions I, III, NCR, IV-A, IV-B), parts of Region V, and Northern and Western Mindanao.

Consistently account for possible urban flooding even due to isolated, short-duration downpours. Always anticipate potential TC development and rapid intensification.



KEY PLANNING CONSIDERATIONS FOR RDRRMCs:

- Pre-emptive evacuation in barangays identified near/along **WATERSHEDS**. Communities along waterways that traverse city centers.
- Possible recurrence of rain-induced landslides and flooding due to scattered to widespread rainshowers and thunderstorms
- High tides will worsen flood risks in coastal areas, especially when combined with heavy rainfall.
- Even moderate rainfall can trigger secondary landslides or new flash floods due to the already saturated land/unstable conditions. Unstable slopes increase the risk of secondary landslides.
- Anticipated needs in high-risk areas, prioritize communities most exposed to hazards.
- Community-based early warning dissemination and redundancy especially at the most vulnerable/at risk communities.
- Contingency protocols for critical infrastructure within AOR are in place and updated
- Include possible scenarios (at least for the next 3 days) within AOR for preparedness for response planning

NDRRMC RECOMMENDED ACTIONS:

- Maintain the **BLUE Alert status** at the **NDRRMOC**
- Heighten public awareness campaigns through **PCO/PIA**. Sustained and targeted information drive using all available media platforms. Robust warnings in tourist spots and coastal areas vulnerable to tidal hazards and storm surge.
- Preposition road-clearing equipment along the major arteries, anticipating widespread flooding and landslides that would cut off aid routes. Alternate supply routes for delivery of essential supplies.
- Continuous supply of power for essential services and critical infrastructures and prevent widespread blackouts
- Special warnings to fisherfolk, sea vessels and port areas to take precautionary measures.
- Emergency response teams, personnel, resources, equipment and backup communication on standby.
- National Response Cluster to remain on standby.

*TCLV 2 visualization is based on the TC-THREAT POTENTIAL FORECAST issued on 05 Sept 2025

- General overview (macro) on all possible scenarios for the next 7 or 14 days
- With info on the what to expect, possible impacts and estimated number of population at-risk (based on PSA)
- Issued at least once a week



23 August 2025

PLANNING CONSIDERATIONS and RECOMMENDED ACTIONS

As of 25 AUGUST 2025, 12:00 NN

KEY PLANNING CONSIDERATIONS FOR RDRRMCs:

- Include possible scenarios (at least for the next 3 days) within AOR in preparedness for response planning
- **Anticipated needs in high-risk areas** in relation to the projected impacts, prioritizing communities most exposed to hazards.
- **Prolonged and frequent widespread rainshowers** and thunderstorms
- **Community-based early warning dissemination and redundancy** especially at the most vulnerable/at risk communities. Clear understanding of the public on evolving hazards and safety measure.
- **State of critical infrastructure** within AOR. (dams, waterways, power, and transport networks). Contingency protocols must be in place and updated.
- Preliminary planning for possible post-disaster efforts to quickly restore and improve facilities, livelihoods, and living conditions in affected communities
- **Previous landslides, flooding, and infrastructure damage may be retriggered or worsened by new rainfall and soil saturation & unstable slopes increase the risk of secondary landslides**

NDRRMC RECOMMENDED ACTIONS:

- **National Response Cluster on standby and heightened alert.** Cluster leads and their member agencies on a heightened alert.
- **Suspension of work on Tuesday for NCR.**
- **Heighten public awareness campaigns** through PCO/PIA. Sustained and targeted information drive and use all available media platforms (broadcast, social media, community networks) to issue advisories, safety protocols, and preparedness tips, tailored to the specific threats in affected regions.
- **Preposition road-clearing equipment along the major arteries, anticipating widespread flooding and landslides that would cut off aid routes.** Alternate supply routes for delivery of essential supplies.
- **Special warnings to fisherfolk, sea vessels and port areas** to take precautionary measures and prohibit sea travel. **Robust warnings to tourist spots and at risk communities in coastal areas vulnerable to tidal hazards and storm surge.**
- Emergency response teams, personnel and equipment near known/identified landslide and flood-prone areas on standby
- **Backup communication networks** in case the cellular and internet services failed.
- Preposition of **resources, rescue equipment, and personnel ready for deployment to support affected /requesting region.**

As of 27 AUGUST 2025, 07:00 AM

KEY PLANNING CONSIDERATIONS FOR RDRRMCs:

- Pre-emptive evacuation in **barangays identified near/along WATERSHEDS in I, CAR, II, III, CALBARZON, MIMAROPA, V, VI and VIII.** Communities along waterways that traverse city centers.
- **Landslide-prone areas** in the Zambales Range, Bataan Peninsula, Mindoro Mountain Range, and Panay Mountain Range
- **Coastal communities within the coast along the eastern seaboard are to be affected by storm surge and high tide conditions**
- **Anticipated needs in high-risk areas** in relation to the projected impacts, prioritizing communities most exposed to hazards.
- **Prolonged and frequent widespread rainshowers** and thunderstorms
- **Community-based early warning dissemination and redundancy** especially at the most vulnerable/at risk communities. Clear understanding of the public on evolving hazards and safety measure.
- **State of critical infrastructure** within AOR. (dams, waterways, power, and transport networks). Contingency protocols must be in place and updated.
- Previous landslides, flooding, and infrastructure damage may be triggered or worsened by new rainfall and soil saturation & unstable slopes increase the risk of secondary landslides
- Include possible scenarios (at least for the next 3 days) within AOR in preparedness for response planning

NDRRMC RECOMMENDED ACTIONS:

- **National Response Cluster on standby and heightened alert.** Cluster leads and their member agencies on heightened alert.
- **Heighten public awareness campaigns** through PCO/PIA. Sustained and targeted information drive and use all available media platforms to issue advisories, safety protocols, and preparedness tips, tailored to the specific threats in affected regions.
- **Preposition road-clearing equipment along the major arteries, anticipating widespread flooding and landslides that would cut off aid routes.** Alternate supply routes for delivery of essential supplies.
- **Continuous supply of power supply for essential services and critical infrastructures and prevent widespread blackouts**
- **Special warnings to fisherfolk, sea vessels and port areas** to take precautionary measures and prohibit sea travel. **Robust warnings in tourist spots and coastal areas vulnerable to tidal hazards and storm surge.**
- Emergency response teams, personnel and equipment **on standby.**
- **Backup communication networks** in case the cellular and internet services failed.
- Preposition of **resources, rescue equipment, and personnel ready for deployment to support affected /requesting region.**

As of 28 AUGUST 2025, 10:00 AM


KEY PLANNING CONSIDERATIONS FOR RDRRMCs:

- Pre-emptive evacuation in barangays identified near/along **WATERSHEDS in I, CAR, II, III, CALBARZON, MIMAROPA, V, VI and VIII.** Communities along waterways that traverse city centers.
- **Coastal communities within the coast along the western seaboard are to be affected by storm surge and high tide conditions**
- **Anticipated needs in high-risk areas** in relation to the projected impacts, prioritizing communities most exposed to hazards.
- **Prolonged and frequent widespread rainshowers and thunderstorms**
- **Community-based early warning dissemination and redundancy** especially at the most vulnerable/at risk communities. Clear understanding of the public on evolving hazards and safety measure.
- **State of critical infrastructure within AOR.** (dams, waterways, power, and transport networks). Contingency protocols must be in place and updated.
- Previous landslides, flooding, and infrastructure damage may be triggered or worsened by new rainfall and soil saturation & unstable slopes increase the risk of secondary landslides
- Include possible scenarios (at least for the next 3 days) within AOR in preparedness for response planning

NDRRMC RECOMMENDED ACTIONS:

- **National Response Cluster on standby and heightened alert.** Cluster leads and their member agencies on heightened alert.
- **Heighten public awareness campaigns** through PCO/PIA. Sustained and targeted information drive and use all available media platforms to issue advisories, safety protocols, and preparedness tips, tailored to the specific threats in affected regions.
- **Preposition road-clearing equipment along the major arteries, anticipating widespread flooding and landslides that would cut off aid routes.** Alternate supply routes for delivery of essential supplies.
- **Continuous supply of power for essential services and critical infrastructures and prevent widespread blackouts**
- **Special warnings to fisherfolk, sea vessels and port areas** to take precautionary measures and prohibit sea travel. **Robust warnings in tourist spots and coastal areas vulnerable to tidal hazards and storm surge.**
- Emergency response teams, personnel and equipment **on standby.**
- **Backup communication networks** in case the cellular and internet services failed.
- Preposition of **resources, rescue equipment, and personnel ready for deployment to support affected /requesting region.**

PDRA-SCENARIO BUILDING



ISSUANCES (DIRECTIVES)



REPUBLIC OF THE PHILIPPINES
NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL
Camp General Emilio Aguinaldo, Quezon City, Philippines



MEMORANDUM
No. 52, s. 2025

02 JUL 2025

TO : CHAIRPERSONS OF RDRRMCs / LDRRMCs /
OCD REGIONAL OFFICES

SUBJECT : MINIMUM PREPAREDNESS CHECKLIST FOR THE
LOW PRESSURE AREA AND SOUTHWEST
MONSOON

Following the Pre-Disaster Risk Assessment (PDRA) Scenario Building conducted on 02 July 2025 at 10:00 AM, the Low Pressure Area outside PAR was estimated based on all available data at 200 km East Northeast of Casiguran, Aurora or 235 km East of Echague, Isabela (16.9°N, 123.9°E) and has a moderate likelihood of development into a Tropical Depression within 24 hours, while Southwest Monsoon is affecting Central Luzon, Southern Luzon, Visayas, and Mindanao. Flooding and rain-induced landslides are possible under these conditions, especially in susceptible areas identified in hazard maps and in areas with significant rainfall observed over the past several days (due to saturated soil condition).

In connection with this, all Chairpersons of Regional and Local DRRMCs, as well as OCD Regional Directors, are directed to implement preparedness actions according to the attached minimum preparedness checklist. The aforementioned checklist serves as a guide for preparedness measures for National, Regional, and Local DRRMCs based on their assessment of the situation.

Additional directives or measures may be introduced by DRRMC member agencies or during respective PDRA meetings, as necessary including the monitoring of local tide forecasts in conjunction with rainfall predictions to implement timely and effective flood mitigation measures.

Likewise, proactively disseminate accurate, timely, and consistent information to the public and stakeholders, including localized warnings, preparedness measures, and official advisories.

Let us ensure timely actions to safeguard our communities during this period.

For guidance and compliance.

By Authority of the Executive Director:


ASEC CESAR M IDIO, CESO V
Deputy Administrator for Operations, OCD



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF NATIONAL DEFENSE
OFFICE OF CIVIL DEFENSE
CAMP GENERAL EMILIO AGUINALDO, QUEZON CITY, PHILIPPINES



MEMORANDUM
No. 966, s. 2025

August 25, 2025

TO: OCD REGIONAL OFFICE NCR

SUBJECT: CONDUCT OF SITUATION ASSESSMENT DUE TO THE
PREVAILING WEATHER SYSTEM

Per DOST-PAGASA during the weather update ICOW Low pressure Area (LPA) East of Hinatuan, Surigao del Sur conducted on 24 August 2025 at 9:00 AM, Metro Manila may experience moderate to at times heavy rains brought by the LPA/TC. This may result in localized flooding, particularly in urbanized, low-lying areas and those near rivers., also, based on the latest DOST-PAGASA Weather Advisory issued on 24 August 2025 at 11:00 AM, Metro Manila is expected to receive 50–100 mm of rainfall from 24 to 27 August 2025. Moreover, landslides are also possible in highly susceptible areas due to the influence of the LPA 80f and the Southwest Monsoon.

In view of the potential for widespread flooding across the Capital Region, OCD NCR is hereby directed to closely coordinate with the Metro Manila Disaster Risk Reduction and Management Council (MMDRMC) through the MMDA and other relevant agencies.

Specifically, OCD-NCR shall undertake the following actions, among others:

- Conduct assessments of the current situation, including analysis of possible scenarios (likely and worst-case);
- Identify and implement preparedness measures, including the use of predictive analytics and the strategic deployment of prepositioned assets; and
- Anticipate response needs based on all available and credible information.

The NDRRMCOC is currently on BLUE Alert Status, with the Virtual Emergency Operations Center activated to provide immediate assistance as needed.

As part of your mandate, OCD NCR is tasked to consolidate and report all related incidents, and to ensure prompt response and effective coordination. Continuous monitoring and timely updates shall be provided to the NDRRMCOC through email address at ndrrmoc@ocd.gov.ph, telephone numbers 8912-5668, 8912-3046; and/or facsimile number: 8911-1873.

For guidance and strict compliance.

By Authority of the OIC, OCD:


ASEC CESAR M IDIO, CESO V
Deputy Administrator for Operations



Republic of the Philippines
DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT
DILG-NAPOLCOM Center, EDSA cor, Quezon Avenue, West Triangle, Quezon City
www.dilg.gov.ph

ADVISORY NO. 3

TO : ALL CONCERNED GOVERNORS, CITY AND MUNICIPAL MAYORS,
PUNONG BARANGAYS, DILG REGIONAL DIRECTORS, AND ALL
OTHERS CONCERNED

SUBJECT : LOW PRESSURE AREAS (08F AND 08G), AND THE SOUTHWEST
MONSOON

DATE : August 27, 2025

According to the DOST-PAGASA, as of 3:00 AM today, the Low Pressure Area (LPA) 08F was estimated based on all available data in the vicinity of Patnanungan, Quezon (14.8°N, 122.2°E) and has a "UNLIKELY" chance of developing into a tropical depression within the next 24 hours. Meanwhile, another LPA 08G was estimated based on all available data at 200 km West of Dagupan City, Pangasinan (15.9°N, 118.5°E) and has a "MEDIUM" chance of development into a tropical depression within the next 24 hours. Meanwhile, the Southwest Monsoon is affecting the western section of Southern Luzon.

HEAVY RAINFALL OUTLOOK

According to DOST-PAGASA Weather Advisory No. 12 issued on 05:00 AM, August 27, 2025, the LPA (08F) and the SW Monsoon will bring a significant amount of rainfall within the next few days in the following areas:

- Today (August 27): moderate to heavy rains (50 - 100mm) are expected over Cagayan, Isabela, Nueva Ecija, Aurora, and Quezon

SOUTHWEST MONSOON

- Today (August 27): moderate to heavy rains (50 - 100mm) are expected over Palawan, Occidental Mindoro, and Antique
- Tomorrow (August 28): moderate to heavy rains (50 - 100mm) are expected over Palawan, Occidental Mindoro, Antique, and Negros Occidental.

"Matino, Mahusay at Maaasahan"
Trunkline: (02) 8876-3454 loc. 6102



NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

TRANSLATED INTO LOGISTICS PREPAREDNESS

INVENTORY OF NON-FOOD ITEMS

as of 28 August 2025



OCD RESOURCES

Family Pack	8K
Family Hygiene Kits	56K
Shelter Repair Kits	7K
25 KVA Generator...	23
Water Filtration Unit	80

USAID RELIEF RESOURCES

Shelter Fixing Kits	1K
Tarpaulin	1K
Hygiene Kit	1K
Family Packs	34

FORT MAGSAYSAY RESOURCES


Hygiene Kits (OC...)	6K
----------------------	----

LOGISTICS PLAN

From	Mode of Travel	To	Route / Access
Manila	Land	Albay	Manila → Daet (Cam. Norte) → Naga → Legazpi
Manila	Land	Albay	SLEX → Maharlika Hwy via Lucena-Atimonan-Naga-Legazpi
Manila	Land	Aurora	Aurora Access: Baler-Bongabon / Baler-Casiguran roads
Manila	Air	Isabela	Airlift (Villamor/Clark → Cauayan or Palanan, Isabela)
Manila	Air	Isabela	Manila → Nueva Ecija → Isabela (direct cargo)
Manila	Land	Isabela	NLEX → SCTEX → TPLEX → Maharlika Hwy (Nueva Ecija-Isabela)
Manila	Air	Masbate	Airlift (Villamor/Clark → Legazpi/Naga, Masbate, Catanduanes)
Manila	Sea	Mindoro	SLEX → STAR → Batangas Port → RORO (to Mindoro/Palawan)
Manila	Land	Nueva Ecija	NLEX → Maharlika Hwy via Bulacan-Nueva Ecija (no SCTEX/TPLEX)
Manila	Sea	Samar	Matnog Port → Samar/Leyte (RORO) for Visayas relay

First Est. Travel Time*
1 hr (flight)


First Risks / Choke Points
Congestion, low-lying Bulacan areas



lmd@good.gov.ph

- ❑ Crafted during PDRA Scenario Building.
- ❑ Includes current inventory of Food and Non-Food Items.
- ❑ Lists available logistics support assets.

BREAKDOWN PER REGION



Source: OS-LMD
Map Created by: OS-EWD-GMS-0625-GB-1

Map shows breakdown and distribution of items by region. It aims to ensure **strategic positioning and quick deployment of resources.**

Subsequent Conduct of PDRA and development of Likely/Worst-Case Scenarios

- Discretion of the Executive Director, NDRRMC and/or concerned PDRA-Scenario Building Team member-agency;
- Likely/worst-case scenario planning and development with the concerned offices may still be undertaken to assess emerging risks and support timely coordination and decision-making even without the conduct of a PDRA meeting
- Likely Scenario shall be continuously updated:
 - Updating the NDRRMC and OCD Key Officials
 - Presentation during Response Cluster Meetings, Logistics planning (if required)
 - IACC briefings (if activated)
 - Provided to member-agencies and RDRRMCs even without an official meeting

PDRA Scenario Building transforms **forecast-based analysis into actionable preparedness and response planning** by integrating hazard forecasts with scenario modeling and projections of potential impacts on people, livelihoods, infrastructure, and essential services.

It is a **participatory, consultative, and timely process** facilitated by OCD as the coordinator of the NDRRMC/RDRRMC, ensuring that all stakeholders—from government to private sector—are aligned, accountable, and responsive.

As an **inter-agency and inter-cluster platform**, PDRA Scenario Building enables informed decision-making across **strategic (national), operational (regional), and tactical (community) levels**.

Importantly, PDRA Scenario Building also **identifies critical gaps**, providing the basis for proactive solutions, corrective actions, and anticipatory measures **before a hazard event occurs**.



THANK YOU!

Contact us:



ndrrmoc@ocd.gov.ph



8912-5668, 8912-2665, 8911-1506



0917 891 6322



<https://ndrrmc.gov.ph/>