

AEM Frontend Developer — Interview Question Bank

Compiled and deduplicated from interview notes (Nov 2024 – May 2026)

1. Interview Timeline (Summary Log)

Date	Company	Round	Result
28/11/2024	Bajaj	Round 1	Fail
08/01/2025	Truemeds	Round 1	Fail
08/02/2024	Itvedant	—	—
26/03/2025	(SCSS-focused interview)	—	Pass (low package offered, declined)
05/04/2025	Techzuf	Round 1 (AEM)	Fail
28/04/2025	Fynd	Round 1 (Frontend)	Fail
03/05/2025	Concentrix	Round 1 (Screening)	Clear
—	Concentrix	Round 2	Fail
05/06/2025 (approx)	Deloitte (AEM)	Round 1	Clear
31/07/2025	Deloitte (AEM)	Round 2	Fail
25/06/2025	Bajaj	Round 2	—
02/08/2025	Capgemini	Round 1	Fail
05/08/2025	Publicis Sapien	Round 1	Fail
14/09/2025	IndusInd Bank	—	—
16/09/2025	Bajaj (Sushant)	Round 1 (AEM)	—
23/09/2025	Infosys	—	—
26/09/2025	Publicis Sapien	Round 2	Fail
30/09/2025	IBM	Round 1 (Scenario-based)	—
01/10/2025	Morgan Stanley	Round 1	Clear
08/10/2025	Morgan Stanley	Round 2	Fail
10/10/2025, 14/10/2025	Publicis Sapien	—	—
03-04/11/2025	Bajaj	Round 2	—
10/12/2025	EPAM	—	—
14/02/2026	Wipro	Round 1	Clear
17/02/2026	Empower (Sr. Frontend Dev)	Round 1	Fail
27/02/2026	Dentsu	Round 1	Fail
03/03/2026	HCL (Sr. Frontend Dev)	Round 1	Fail

03/03/2026	Movate	Round 1	Pass
05/03/2026	Movate	Round 2	Fail
12/03/2026	Wipro	Round 2	Pass
12/03/2026	NTT Data	Round 1	—
13/03/2026	NTT Data	Round 1	—
14/03/2026	UST Global (AEM Lead)	Round 1	Fail
26/03/2026	Accenture	—	—
08/04/2026	Wipro	3 rounds	Clear
23/05/2026	TCS (AEM Developer)	—	Offer / Cleared

2. AEM — Architecture & Core Concepts

- What is AEM? What is its full form?
- Explain AEM architecture — roles of Author, Publish, and Dispatcher.
- Explain AEM architecture “under the hood” — OSGi and internal request flow.
- What are AEM interfaces?
- What is Supertype and Sling Resource Type?
- Explain the AEM request flow (author → publish → dispatcher).
- What are the out-of-the-box (OOTB) features/components in AEM?
- What are AEM run modes?
- What is a system user in AEM and how is it used?
- What is AEM accessibility, and why does it matter?
- How would you explain your AEM project architecture (templates, pages, components) in an interview?

3. Sling & JCR

- What is Sling, and how does it interact with JCR?
- What is JCR (Java Content Repository)? Why is it used in AEM?
- How is content stored in JCR, and how do node properties work?
- Difference between Sling API and JCR API (comparison table).
- Which API does a given operation belong to — Sling or JCR?
- Difference between an event handler and an event listener.
- How are event listeners implemented (in AEM/JS context)?
- How do you configure Sling (Config Sling) in AEM?

4. OSGi

- What are OSGi components and their lifecycle methods?
- What is an OSGi service? How do you inject a service (@Inject and related annotations)?
- What is a Scheduler in OSGi, and what is its lifecycle?
- How many ways are there to create a service in AEM?

5. Sling Models & Servlets

- What is a Sling Model?
- Commonly used Sling Model annotations: @Model, @Inject, @ValueMapValue, @Exporter, etc.
- How do you convert a CQ dialog to a JSON response (@Exporter annotation)?
- What is a Servlet in AEM, and how do you pass data to it?
- What is ValueMap, and what is it used for?
- List/explain commonly used annotations in AEM.

6. Templates, Components & Policies

- Difference between static and editable templates (do authors have access to change static templates?).
- What is a policy in an editable template (page policy vs component policy)?
- What happens if a component is deleted from a template that's used across many pages?
- What is Parsys (Paragraph System)? What is an "Inherited Parsys" (iParsys)?
- What is a component in AEM, and what is a "box component" (core components)?
- Approach to creating a new component as a frontend AEM developer.
- How do you create a template and a page in AEM (end-to-end)?
- How do you create 500 pages from the same template with different components?
- How do you change 500 page URLs (e.g., redirect rules to different domains)?
- You have a form component used on multiple pages with different field counts/layouts — how do you handle this (same functionality, different UI)?
- How do you build a reusable component library usable across multiple templates/websites?
- What is /libs and /apps, and what is their purpose?
- How do you overlay/override a component from /libs? What happens if you edit /libs directly — where is it stored, is it advisable?

7. HTL (Sightly)

- What is data-sly-use, data-sly-call, and data-sly-template used for?
- What are HTL expression options (\${ }, @context, etc.)? What is data-sly-test?
- Difference between data-sly-list and data-sly-repeat.
- Why do we use the sly tag?
- How do you include one component inside another using HTL?
- How do you access child nodes/resources in HTL?
- How do you pass data from a component to HTL?

8. Client Libraries (Clientlibs)

- What are client libraries, and how are they included/loaded in components?
- Difference between dependencies and embed in clientlibs.
- Best practices for naming clientlib folders.
- How do you integrate Tailwind CSS or React inside AEM clientlibs?
- How do you maintain/version client libraries across releases?
- What is "allowProxy" in clientlibs?

9. Content Fragments & Experience Fragments

- What is a Content Fragment, and where/how is it stored?
- What is an Experience Fragment, and how does it differ from a Content Fragment?
- How does React render Content Fragments retrieved from AEM?
- How does GraphQL work with Content Fragments (AEM Headless)?
- What is @context used for, and what different context values exist?

10. Multi Site Management (MSM) & Localization

- What is Multi Site Management (MSM) in AEM?
- How do you manage/create multiple country/language websites using MSM?
- What is rollout configuration in MSM?
- How do you update content across MSM-linked pages?
- How do you change the language across multiple pages?
- If an API call fails, how would you display a localized/translated error message using MSM?

11. Workflows & Scheduler

- What are out-of-the-box workflows in AEM?
- How do you create a custom workflow in AEM? What are the steps?
- What is a Scheduler in AEM/OSGi and its lifecycle?

12. Dispatcher, CDN, Caching & Performance

- What is the Dispatcher, and how does it fit into the AEM flow (author/publish/dispatcher)?
- Difference between Dispatcher and a regular web server.
- Difference between Dispatcher and CDN — roles of each.
- What dispatcher rules have you written?
- How do you clear/flush the Dispatcher cache automatically after publishing a page?
- How do you optimize an AEM website/page (frontend + backend techniques)?
- How do you debug AEM issues (e.g., CSS not loading, API call failures)?
- How is client lib built/generated (client lib generator)?
- What is lazy loading, and how is it implemented in AEM?
- What is Dynamic Media in AEM, and how is it used?

13. AEM Integration (React / Headless / CI-CD)

- How do you integrate AEM with React? How is data managed/rendered from AEM into React?
- Practical: write login code in React that integrates with AEM.
- How do you fetch title/description/label data from an AEM Sling Model into React (frontend + backend code)?
- How does GraphQL query work with AEM headless content? (Practical: write a GraphQL query.)
- How do you connect frontend and backend in AEM? What technologies are used on the backend?
- How do you encrypt/secure API or PII data, and how is data passed to the backend?
- How do you pass data to the backend without an API?
- How do you set/render dynamic data in the UI?
- CI/CD: Jenkins integration with AEM.
- Rewrite rules for CI/CD, redirection, and URL rewriting.
- Have you worked with Next.js or other backend frameworks alongside AEM?
- Migrating another CMS to AEM — architectural approach.
- Migrating a component from React to SolidJS — approach.

14. AEM Scenario-Based / Architect-Level Questions

- 3 fields (name, lastname, age) are authorable — on submit, how is data sent to the backend, and where does it go?
 - Suppose an API call fails and a message must display — how do you handle this with MSM/localization?
 - How do you manage multiple country websites in AEM (governance/performance/content)?
 - How do you solve performance-related issues in AEM at an architectural level?
 - What tools do you use for project management (JIRA, Azure DevOps)?
 - What does “cross-functional” mean in your project context — how many people, how do you collaborate?
 - Who are your stakeholders, and how do you gather requirements from them?
 - Have you worked with QA/BA/authors? What kinds of bugs do they typically find, and how do you resolve them?
 - How do you manage content publishing end-to-end?
 - What are deep link URLs, and how do you manage them in AEM?
-

15. React

- What are React Hooks? Explain `useState` and `useEffect`.
- What is `useEffect`, and how do you manage its dependency array?
- What is `useMemo`, `useCallback`, and `React.memo` — how do they optimize performance?
- What is `useReducer`?
- Difference between Props and State.
- How do you pass values from child to parent components?
- What is a Higher-Order Component (HOC)? Write one. Difference between HOC and a callback function.
- What is prop drilling, and how does Context API solve it?
- Redux vs Context API — when would you choose Redux?
- What is Redux middleware? Role of Redux-Saga/Redux-Thunk?
- What is “side effect” in Redux?
- React lifecycle methods — class components vs function components; unmount behavior.
- Difference between class components and function components.
- What is the Virtual DOM, and what is Reconciliation?
- Why are “keys” important in React lists?
- What are controlled vs uncontrolled components (with practical example)?
- What are React chunks (code splitting)?
- How does React Router work?
- How is React tested with Jest?
- How do you manage state in a React application overall?
- How would you architect/optimize a React app for performance?
- Practical: build a controlled input that displays typed text.
- Practical: build an Accordion component.
- Practical: fetch and render API data with React Router.

16. JavaScript — Core Concepts

- Difference between `==` and `===`.
- Difference between `let`, `const`, and `var`.
- Difference between `null` and `undefined`.
- What are closures? Explain lexical scope in closures.
- What is hoisting?
- What are higher-order functions, first-class functions?
- What is a callback function, and what is “callback hell”?
- What are Promises? States of a Promise. Can a Promise be created with a normal function?

- `Promise.allSettled` and other Promise combinators.
- `async/await` — how do they work with Promises?
- What is the Event Loop? What is `setTimeout` doing internally?
- What is event bubbling?
- What are `call`, `apply`, and `bind`?
- Spread vs Rest operators (with practical examples).
- Shallow copy vs deep copy.
- What is strict mode in JS?
- Polyfills vs Prototypes — what's the difference?
- What are Web Workers, Service Workers, and Edge Workers?
- What is `localStorage`, `sessionStorage`, cookies, and IndexedDB — differences, and time/storage limits?
- Array methods and String methods (general knowledge check).
- How many types of functions exist in JavaScript?
- What are JavaScript data types?
- What is CSR (Client-Side Rendering) vs SSR (Server-Side Rendering)?
- How do you implement SEO in a React (CSR) project?
- How is user authentication/authorization handled (bearer tokens, session handling)?
- Practical: write a function to find a substring in a given string.
- Practical: find the max number in an array.
- Practical: remove duplicate numbers from a nested array.
- Practical: return only unique elements from an array; sum of unique array.
- Practical: flatten a nested object, e.g. `{a:1, b:{c:2, d:{e:3}}}` → `{'a':1, 'b.c':2, 'b.d.e':3}`.
- Practical: sort an array without built-in methods (e.g., bubble sort).
- Practical: reverse an array.
- Practical: call a country-list API, then call a details API when a specific country is clicked.

17. HTML

- HTML4 vs HTML5 — key differences.
- HTML document structure.
- Semantic vs non-semantic tags (with examples).
- Block-level vs inline elements (with examples).
- What is the `<picture>` tag?
- What is the `<video>` tag, and what attributes does it support?
- Meta tags and their purpose.
- Empty/void tags in HTML.
- Accessibility basics in HTML/web pages.
- Basic SEO considerations in HTML.

18. CSS / SCSS

- Difference between CSS and SCSS — advantages of SCSS.
- SCSS: mixins, functions, and variables.
- Difference between pseudo-classes and pseudo-elements.
- Flexbox vs Grid — when to use which.
- The CSS transform property.
- CSS Grid system.
- `display: none` vs `visibility: hidden`.
- CSS Box Model.
- Media queries for mobile/tablet responsiveness.
- Difference between `px`, `%`, `rem`, and `em`.
- Common Bootstrap classes.
- Negative margin/padding — how do they behave, and do they affect responsive design?
- Practical: center a `div` (multiple methods).
- Practical: create a circle/square using only CSS.
- Practical: 3 `div`s in a horizontal row with different colors, each changing color on hover, positioned left/center/right.
- Practical: given 4 `<li>` items, change the background color of just 2 of them.

19. General Web Performance & Optimization

- How do you improve the performance of a web page?
- What is tree shaking, and how do bundlers/Webpack support it?
- What is Webpack, and why/how is it used to build a project?
- What is a Progressive Web App (PWA)? How do you build one?
- What is code splitting/lazy loading in a web app?
- Rendering 10 components individually vs one combined component — which is more performant, and why?

20. Behavioral / Career Questions

- Tell me about your current project and your role in it.
 - Reason for changing your current job.
 - What are your career plans for the next few years?
 - What is your approach to mentoring junior developers?
 - If you're running late (e.g., due to an apartment checkout), how would you professionally inform a colleague/manager?
 - What questions would you ask the interviewer if given the chance?
-

Notes

- Duplicate/near-duplicate questions from repeated interviews (e.g., "difference between static and editable template," "content fragment vs experience fragment," "closures," "AEM architecture") were merged into single entries above.
- The two long overlapping question sets from the "Bajaj (Sushant) - 16/09" and its English rewritten version were consolidated into single entries under the relevant category headings (Sections 2-14).