

Interview Preparation Doc 2024–2026

Interview timeline

Companies and outcomes

- 28/11/2024 — Bajaj: Round 1 failed.
- 08/01/2025 — Truemedics: Round 1 failed.
- 08/02/2024 — Itvedant: Interview notes collected.
- 05/04/2025 — Techzuf: Round 1 failed.
- 28/04/2025 — Fynd: Frontend Round 1 failed.
- 03/05/2025 — Concentrix: Screening cleared, 2nd round failed.
- 25/06/2025 — Bajaj: 2nd round notes.
- 25/07/2025 — Deloitte: AEM Frontend Round 1 cleared.
- 31/07/2025 — Deloitte: Round 2 failed.
- 02/08/2025 — Capgemini: Round 1 failed.
- 05/08/2025 — Publicis Sapient: Round 1 failed.
- 15/08/2025 — IndusInd Bank: Question list to add.
- 23/08/2025 — Infosys: Question list to add.
- 26/09/2025 — Publicis Sapient: Round 2 failed.
- 01/10/2025 — Morgan Stanley: Round 1 cleared.
- 08/10/2025 — Morgan Stanley: Round 2 failed.
- 10/12/2025 — EPAM: Interview notes.
- 14/02/2026 — Wipro: Round 1 cleared.
- 17/02/2026 — Empower: Round 1 failed.
- 27/02/2026 — Dentsu: Round 1 failed.
- 03/03/2026 — HCL: Round 1 failed.
- 03/03/2026 — Movate: Round 1 passed.
- 05/03/2026 — Movate: Round 2 failed.
- 12/03/2026 — Wipro: Round 2 passed.
- 12/03/2026 — NTT Data: Round 1 notes.
- 14/03/2026 — UST Global: AEM Lead Round 1 failed.
- 26/03/2026 — Accenture: Interview notes.
- 08/04/2026 — Wipro: 3 rounds cleared.

- 23/05/2026 — TCS: Interview process progressed.
- 16/07/2026 — EY: 2nd round face-to-face.

Core JavaScript

- `==` vs `===`
- `let`, `const`, `var`
- `null` vs `undefined`
- Closures
- Lexical scope
- Hoisting
- Callback function
- Callback hell
- Promises
- Promise states
- Promise methods and combinators
- `async/await`
- Event loop
- Web APIs
- `setTimeout`
- Event bubbling
- `call`, `apply`, `bind`
- Spread vs rest
- Shallow copy vs deep copy
- Strict mode
- Polyfills vs prototypes
- ES6 features
- Arrow functions vs normal functions
- First-class functions
- Higher-order functions
- Types of functions in JavaScript
- JavaScript data types
- Array methods
- String methods
- Execution order and output-based questions
- Multiple API calls and concurrency questions

React

- Hooks in React
- `useState`
- `useEffect`
- `useMemo`
- `useCallback`
- `React.memo`
- `useReducer`
- Props vs state
- Child to parent communication
- Higher-order component
- HOC vs callback function
- Controlled vs uncontrolled components
- React lifecycle methods
- Class components vs function components
- Unmount behavior
- Virtual DOM
- Reconciliation
- Keys in lists
- React Router
- Chunks / code splitting
- Jest testing
- State management in React
- Redux vs Context API
- Redux middleware
- Redux Toolkit
- Redux-Saga
- Redux-Thunk
- Side effects in Redux
- React performance optimization
- Controlled input practical
- Accordion practical
- Country API + details API practical
- API call and render practical

HTML, CSS, and SCSS

- HTML structure
- HTML5 vs HTML4
- Semantic vs non-semantic tags
- Meta tags
- Picture tag
- Video tag and attributes
- Empty tags
- Inline vs block elements
- CSS vs SCSS
- Variables in SCSS
- Mixins in SCSS
- Pseudo-class vs pseudo-element
- Flexbox vs Grid
- Grid system in CSS
- Positioning
- Box model
- Centering a div
- Negative margin/padding
- Display none vs visibility hidden
- Media queries
- px vs % vs rem vs em
- Create square or circle using CSS
- Three divs aligned left, center, right
- Hover effects
- Accessibility
- SEO
- Bootstrap classes
- Banner image edge-to-edge with centered text
- 10 cards layout as 4 + 4 + 2 using Flexbox
- Mobile image vs desktop image from HTML only

AEM Core Concepts

- What is AEM
- AEM architecture
- Author, Publish, Dispatcher
- Sling
- JCR
- OSGi
- OSGi lifecycle
- OSGi annotations
- Sling Model
- @ValueMapValue and other Sling Model annotations
- Sling API vs JCR API
- /libs vs /apps
- Overlay vs override
- Out-of-the-box features in AEM
- Out-of-the-box workflows
- Event handler vs event listener
- Custom workflow
- Scheduler
- Replication agents
- Run modes
- System user
- ValueMap
- Lazy loading
- Allow proxy
- Dispatcher configuration
- Dispatcher vs web server
- Dispatcher vs CDN
- Dispatcher flush rules
- Client libraries
- Clientlib generator
- Clientlib dependencies vs embed
- Vendor CSS usage in clientlibs
- Clientlib versioning

- Component structure
- Core components
- Custom component creation
- Page creation
- Template creation
- Page policies
- Component policies
- Style policies
- Style guide
- Paragraph system (Parsys)
- Inherited parsys (iParsys)
- Initial content vs structure
- Editable template vs static template
- Template modes
- Template types
- Overlaying components from /libs
- Accessing child nodes/resources in HTL
- Passing data from component to HTL
- HTL tags: `data-sly-use`, `data-sly-call`, `data-sly-template`
- `data-sly-list` vs `data-sly-repeat`
- Other commonly used HTL methods/options
- Why use Sightly / HTL
- Consuming Sling Model data in HTL
- Returning Sling Model data
- Servlet basics

AEM and React Integration

- How to integrate AEM with React
- How React renders content fragments in AEM
- How AEM accesses data in React
- How to pass AEM data to React
- GraphQL with AEM
- AEM headless
- Content Fragment
- Experience Fragment

- Where content fragments and experience fragments are stored
- How to reuse a form component on different pages
- How to handle same functionality with different UI
- Reusable component library
- Reusable library across multiple templates
- Reusable library across multiple websites
- Multi-country websites
- MSM
- Rollout configuration
- Language updates across pages
- Dynamic media
- Accessibility in AEM
- SEO in AEM and React
- Next.js with AEM
- Performance optimization in AEM + React

Backend, API, and Security

- How frontend connects to backend
- Backend technologies used
- REST API
- XHR vs fetch vs Axios
- Bearer token
- User session
- Authentication vs authorization
- Passing data to backend
- Passing data without API
- Handling null exceptions in frontend
- Encrypting API data / PII data
- Sending data to servlet
- OSGi service
- Servlet
- Model
- Injecting service
- GraphQL query
- Kafka

- Middleware
- How response reaches frontend
- How errors are handled in frontend/backend calls

Practical Coding Questions

- Find substring in a string
- Find max number in an array
- Remove duplicates from nested array
- Return only unique elements from an array
- Sum of unique array elements
- Flatten a nested object
- Bubble sort without built-in sort
- Reverse an array
- Controlled input
- Accordion
- Fetch API data and render it
- Country list API then details API on click
- Center a div
- CSS hover layout question

General Interview Questions

- Tell me about yourself
- Explain your current project
- What is your role in the project?
- Have you worked from scratch?
- What tools do you use?
- How do you work with stakeholders?
- How do you collaborate with QA, BA, authors, and developers?
- What bugs have you solved?
- Why do you want to change jobs?
- Where do you see yourself in the next few years?
- How do you mentor juniors?
- How do you handle late login professionally?

Company-wise repetition summary

Company	Repeated topics / focus areas
Bajaj	AEM architecture, static vs editable templates, clientlibs, dispatcher, Content Fragment, webpack, parsys, React integration
Truemeds	Substring, lifecycle, useState/useEffect, Redux, middleware, SEO, CSR vs SSR
Itvedant	Max in array, accessibility, fetch/render API, local/session/cookies, API rendering
Techzuf	Callbacks, async/await, promises, lifecycle unmount, Content Fragment / Experience Fragment, layouts
Fynd	Spread/rest, promise.allSettled, authorization, useEffect dependencies, accordion, shallow/deep copy
Concentrix	Closures, setTimeout, GraphQL, Adobe Analytics/Target, templates, clientlibs, allow proxy
Deloitte	Templates, style guide, clientlibs, Content Fragment / Experience Fragment, reusable forms, style policies
Capgemini	OSGi, JCR, annotations, parsys/iParsys, libs, clientlibs embed/dependencies, templates
Publicis Sapient	PWA, tree shaking, webpack, Redux side effects, middleware, controlled/uncontrolled
IndusInd Bank	Annotations, Sling Model, OSGi, backend/frontend integration, encryption, pass data to backend
Morgan Stanley	AEM basics, tools, stakeholders, architecture, collaboration, deep links, publishing
EPAM	HTML5, meta tags, Flex/Grid, CSS/SCSS, event bubbling, clientlibs, data-sly
Wipro	Accessibility, SEO, closures, promises, async/await, workers, templates, MSM, run modes
HCL	AEM, Jest, state management, Virtual DOM, reconciliation, keys, controlled inputs
Movate	React and AEM basics; practical focus
NTT Data	Accordion, AEM to React rendering, Sly model, run modes, Jenkins, rewrite rules, MSM, React router
UST Global	CMS migration, reusable libraries, performance, multi-country sites, React to SolidJS migration
Accenture	Flex/Grid, negative margin, JS execution order, Author vs Publish, overlay/override, MSM, templates
TCS	AEM basics, page/component policies, CSS debugging, clientlibs, GraphQL, MSM, error handling, multilingual display
EY	Flexbox and Grid, media queries, card layout scenarios, banner layout, responsive images with HTML, Sling Model annotations, HTL consumption, servlet basics, clientlib generator, embed vs dependencies, dispatcher configuration, ES6, arrow functions, promises, event loop, parallel API calls

Repeated questions count

Topic	Count
AEM architecture	9
Static template vs editable template	8
Client libraries	8
Hooks in React	7

Topic	Count
<code>useEffect</code>	7
Closures	7
<code>let</code> , <code>const</code> , <code>var</code>	7
<code>==</code> vs <code>===</code>	6
Redux vs Context API	6
Content Fragment / Experience Fragment	6
AEM + React integration	6
Promises / <code>async-await</code>	7
Flexbox vs Grid	7
Performance optimization	6
Dispatcher	6
<code>null</code> vs <code>undefined</code>	5
Hoisting	5
Callbacks / callback hell	5
Event loop / <code>setTimeout</code>	6
<code>call</code> , <code>apply</code> , <code>bind</code>	5
Prop drilling / Context API	5
Virtual DOM / Reconciliation	5
Keys in React	5
Controlled vs uncontrolled components	5
<code>useMemo</code> / <code>useCallback</code> / <code>React.memo</code>	5
MSM / multi-site management	5
SEO in React CSR	5
Webpack / bundles / chunks	5
<code>localStorage</code> / <code>sessionStorage</code> / cookies / IndexedDB	5
Event bubbling	4
Shallow vs deep copy	4
OSGi	5
Sling Model	5
Parsys / iParsys	4
Author vs Publish	4

Topic	Count
Controlled input practical	4
Accordion practical	4
Bubble sort	4
Responsive layout / CSS practicals	5
ES6 / arrow functions	3
Clientlib generator	2

What to focus on first

1. AEM architecture, templates, clientlibs, dispatcher, Sling Models.
2. React hooks, state, performance, routing, Redux vs Context.
3. JavaScript fundamentals and async concepts.
4. HTML/CSS practicals.
5. AEM + React integration and GraphQL.
6. Coding practice questions.
7. Project explanation and self-introduction.