

## ASSIGNMENT NO. 1: Introduction to Databases and SQL

|                     |                      |                    |                  |
|---------------------|----------------------|--------------------|------------------|
| <b>Student Name</b> | Amit Panorekar       | <b>Roll Number</b> | 20968            |
| <b>Batch</b>        | SY. BSc Data Science | <b>Topic</b>       | WB(Assignment-1) |

### Q1) Write SQL commands to create a database named SchoolDB.


The program should:

1. Create a new database named SchoolDB.
2. Select the database for use.
3. Display confirmation by creating a simple table inside it.

### QUERY:

```
CREATE DATABASE SchoolDB;  
  
USE SchoolDb;  
  
CREATE TABLE TestTable (ID INT);
```

### OUTPUT:



**Q2) Create a table named Student with the following columns:**

| Column Name | Data Type   | Constraint  |
|-------------|-------------|-------------|
| StudentID   | INT         | PRIMARY KEY |
| StudentName | VARCHAR(50) | NOT NULL    |
| Age         | INT         |             |
| ClassName   | VARCHAR(20) |             |
| City        | VARCHAR(30) |             |


The program should:


1. Create the table.
2. Define proper data types.
3. Apply primary key on StudentID.

## QUERY:

```
CREATE TABLE Student(  
  
    StudentID INT PRIMARY KEY,  
  
    StudentName VARCHAR(50) NOT NULL,  
  
    Age INT,  
  
    ClassName VARCHAR(20),  
  
    City VARCHAR(30)  
  
);
```

## OUTPUT:





### Q3) Insert at least 10 records into the Student table.

The records should include:

1. Student ID
2. Student name
3. Age
4. Class name
5. City

After inserting data, display all records using the SELECT command

#### QUERY:

insert into student ( studentid, studentname, age, classname, city)

VALUES

- (1, 'Aarav Shah', 18, 'FYBSc IT', 'Mumbai'),
- (2, 'Meera Joshi', 19, 'FYBCA', 'Pune'),
- (3, 'Rohan Patil', 20, 'SYBSc IT', 'Nashik'),
- (4, 'Sneha Desai', 18, 'FYBCA', 'Mumbai'),
- (5, 'Amit Kumar', 21, 'TYBSc IT', 'Delhi'),
- (6, 'Pooja Singh', 19, 'SYBCA', 'Pune'),
- (7, 'Vikram Rao', 20, 'SYBSc IT', 'Bengaluru'),
- (8, 'Neha Sharma', 18, 'FYBCA', 'Nashik'),
- (9, 'Rahul Verma', 21, 'TYBSc IT', 'Mumbai'),

(10, 'Kavita Iyer', 19, 'SYBCA', 'Chennai');

SELECT \* FROM Student;

**OUTPUT:**

The screenshot shows the phpMyAdmin interface with the 'student' table selected in the 'schooldb' database. The SQL query editor contains the following code:

```
1 insert into student ( studentid, studentname, age, classname, city)
2 VALUES
3 (1, 'Aarav Shah', 18, 'FYBSc IT', 'Mumbai'),
4 (2, 'Meera Joshi', 19, 'FYBCA', 'Pune'),
5 (3, 'Rohan Patil', 20, 'SYBSc IT', 'Nashik'),
6 (4, 'Sneha Desai', 18, 'FYBCA', 'Mumbai'),
7 (5, 'Amit Kumar', 21, 'TYBSc IT', 'Delhi'),
8 (6, 'Pooja Singh', 19, 'SYBCA', 'Pune'),
9 (7, 'Vikram Rao', 20, 'SYBSc IT', 'Bengaluru'),
10 (8, 'Neha Sharma', 18, 'FYBCA', 'Nashik'),
11 (9, 'Rahul Verma', 21, 'TYBSc IT', 'Mumbai'),
12 (10, 'Kavita Iyer', 19, 'SYBCA', 'Chennai');
13 SELECT * FROM Student;
14
```

Below the query editor, a green message bar indicates: "10 rows inserted. (Query took 0.0044 seconds)".

The screenshot shows the phpMyAdmin interface displaying the data of the 'student' table. The table has 10 rows of data:

| StudentID | StudentName | Age | ClassName | City      |
|-----------|-------------|-----|-----------|-----------|
| 1         | Aarav Shah  | 18  | FYBSc IT  | Mumbai    |
| 2         | Meera Joshi | 19  | FYBCA     | Pune      |
| 3         | Rohan Patil | 20  | SYBSc IT  | Nashik    |
| 4         | Sneha Desai | 18  | FYBCA     | Mumbai    |
| 5         | Amit Kumar  | 21  | TYBSc IT  | Delhi     |
| 6         | Pooja Singh | 19  | SYBCA     | Pune      |
| 7         | Vikram Rao  | 20  | SYBSc IT  | Bengaluru |
| 8         | Neha Sharma | 18  | FYBCA     | Nashik    |
| 9         | Rahul Verma | 21  | TYBSc IT  | Mumbai    |
| 10        | Kavita Iyer | 19  | SYBCA     | Chennai   |

Below the table, there are options for 'Query results operations' including Print, Copy to clipboard, Export, Display chart, and Create view.

**Q4) Create a table named Course with the following fields:**

| Column Name | Data Type     |
|-------------|---------------|
| CourseID    | INT           |
| CourseName  | VARCHAR(50)   |
| Duration    | VARCHAR(20)   |
| Fees        | DECIMAL(10,2) |


The program should:

1. Create the table.
2. Add a primary key on CourseID.
3. Insert at least 5 course records.
4. Display all course records.

**QUERY:**

```
CREATE TABLE Course(  
    CourseID INT PRIMARY KEY,  
    CourseName VARCHAR(50),  
    Duration VARCHAR(20),  
    Fees DECIMAL(10,2)  
);
```

**OUTPUT:**



## QUERY:

INSERT INTO course(CourseID,CourseName,Duration,Fees)VALUES

(1,'SQL Mastery','2 Months',4500.00),

(2,'Python Basics','3 Months',6000.50),

(3,'Java Pro','4 Months',8000.00),

(4,'Web Dev Boot','6 Months',12000.75),

(5,'Data Science','6 Months',15000.00);

SELECT \* FROM course;

**OUTPUT:**

The first screenshot shows the phpMyAdmin interface with the 'course' table selected in the 'schooldb' database. The SQL query editor contains the following code:

```
1 INSERT INTO course(CourseID,CourseName,Duration,Fees)VALUES
2 (1,'SQL Mastery','2 Months',4500.00),
3 (2,'Python Basics','3 Months',6000.50),
4 (3,'Java Pro','4 Months',8000.00),
5 (4,'Web Dev Boot','6 Months',12000.75),
6 (5,'Data Science','6 Months',15000.00);
7 SELECT * FROM course;
8
```

The execution result shows: "5 rows inserted. (Query took 0.0047 seconds)".

The second screenshot shows the same interface after clicking the 'Go' button. The table view displays the following data:

| CourseID | CourseName    | Duration | Fees     |
|----------|---------------|----------|----------|
| 1        | SQL Mastery   | 2 Months | 4500.00  |
| 2        | Python Basics | 3 Months | 6000.50  |
| 3        | Java Pro      | 4 Months | 8000.00  |
| 4        | Web Dev Boot  | 6 Months | 12000.75 |
| 5        | Data Science  | 6 Months | 15000.00 |

**Q5) Write SQL queries to display only selected columns from the Student table.**

Display:

1. StudentName
2. ClassName
3. City


Expected output should show only these three columns.


### QUERY:

SELECT StudentName,ClassName,City

FROM student;

### OUTPUT:





**Q6) Write SQL commands to view the structure of the Student table.**


Use the suitable command according to the database environment:

| Database   | Command                     |
|------------|-----------------------------|
| MySQL      | DESC Student;               |
| PostgreSQL | tudent                      |
| SQLite     | PRAGMA table_info(Student); |

**QUERY:**

DESC student;

**OUTPUT:**



**Q7) Prepare a CSV file named students.csv and import it into the Student table.**

The CSV file should contain:

| StudentID | StudentName | Age | ClassName | City   |
|-----------|-------------|-----|-----------|--------|
| 1         | Aarav Shah  | 18  | FYBSc IT  | Mumbai |
| 2         | Meera Joshi | 19  | FYBCA     | Pune   |
| 3         | Rohan Patil | 20  | SYBSc IT  | Nashik |

The task should include:

1. Creating a matching table.
2. Importing the CSV file.
3. Displaying imported records using SELECT.

## QUERY:

LOAD DATA INFILE "C:/NOTES/students.csv"

INTO TABLE Student

FIELDS TERMINATED BY ','


ENCLOSED BY '"'


LINES TERMINATED BY '\n'

IGNORE 1 ROWS;

SELECT \* FROM Student;

## OUTPUT:





#### Q8) Create a database named EmployeeDB and a table named Employee.

The table should contain:

| Column Name  | Data Type     |
|--------------|---------------|
| EmployeeID   | INT           |
| EmployeeName | VARCHAR(50)   |
| Department   | VARCHAR(30)   |
| Salary       | DECIMAL(10,2) |
| City         | VARCHAR(30)   |

The program should:

1. Create the database.
2. Create the Employee table.
3. Insert 8 employee records.
4. Display all employee records.

#### QUERY:

CREATE DATABASE EmployeeDB;

USE EmployeeDB;


CREATE TABLE Employee (

EmployeeID INT PRIMARY KEY, EmployeeName VARCHAR(50),

Department VARCHAR(30), Salary DECIMAL(10,2), City VARCHAR(30)

);

OUTPUT:



QUERY:

INSERT INTO Employee VALUES


- (101, 'John Doe', 'IT', 75000.00, 'New York'),
- (102, 'Jane Smith', 'HR', 65000.00, 'Chicago'),

(103, 'Sam Brown', 'Finance', 82000.00, 'Boston'),  
(104, 'Lisa Ray', 'IT', 78000.00, 'Seattle'),  
(105, 'Mark Lee', 'Sales', 60000.00, 'Austin'),  
(106, 'Anna Kim', 'Marketing', 68000.00, 'Denver'),  
(107, 'Paul Jay', 'Finance', 81000.00, 'Miami'),  
(108, 'Emma Watson', 'HR', 66000.00, 'Dallas');

SELECT \* FROM Employee;

## OUTPUT:

The screenshot shows the phpMyAdmin web interface in a browser. The left sidebar displays a database structure tree with 'schooldb' selected. The main panel shows the 'Employee' table in the 'schooldb' database. The 'SQL' tab is active, displaying a query that inserts 8 rows into the 'Employee' table. The query is:   
`INSERT INTO Employee VALUES (101, 'John Doe', 'IT', 75000.00, 'New York'), (102, 'Jane Smith', 'HR', 65000.00, 'Chicago'), (103, 'Sam Brown', 'Finance', 82000.00, 'Boston'), (104, 'Lisa Ray', 'IT', 78000.00, 'Seattle'), (105, 'Mark Lee', 'Sales', 60000.00, 'Austin'), (106, 'Anna Kim', 'Marketing', 68000.00, 'Denver'), (107, 'Paul Jay', 'Finance', 81000.00, 'Miami'), (108, 'Emma Watson', 'HR', 66000.00, 'Dallas');`  
Below the query, the 'Go' button has been clicked, and a green message bar indicates '8 rows inserted (Query took 0.0073 seconds)'. The console at the bottom shows the full SQL statement executed.



**Q9) Write SQL queries to compare the difference between SELECT \* and selecting specific columns.**

The task should include:

1. Query using SELECT \* FROM Student;
2. Query using SELECT StudentName, City FROM Student;
3. Write two lines explaining the difference between both outputs.

### --Query 1 : The Wildcard Approach

SELECT \* FROM student;

### -- Query 2 : The Specific Approach

SELECT StudentName, City FROM student;

**OUTPUT:**

The first screenshot shows the phpMyAdmin interface with the SQL query editor. The query executed is:

```

1 SELECT * FROM student;
2
3 -- Query 2 : The Specific Approach
4 SELECT StudentName,City FROM student;
5


```

The second screenshot shows the results of the query, displaying 14 rows of student data:

| StudentID | StudentName   | Age | ClassName | City      |
|-----------|---------------|-----|-----------|-----------|
| 1         | Aarav Shah    | 18  | FYBSc IT  | Mumbai    |
| 2         | Meera Joshi   | 19  | FYBCA     | Pune      |
| 3         | Rohan Patil   | 20  | SYBSc IT  | Nashik    |
| 4         | Sneha Desai   | 18  | FYBCA     | Mumbai    |
| 5         | Amit Kumar    | 21  | TYBSc IT  | Delhi     |
| 6         | Pooja Singh   | 19  | SYBCA     | Pune      |
| 7         | Vikram Rao    | 20  | SYBSc IT  | Bengaluru |
| 8         | Neha Sharma   | 18  | FYBCA     | Nashik    |
| 9         | Rahul Verma   | 21  | TYBSc IT  | Mumbai    |
| 10        | Kavita Iyer   | 19  | SYBCA     | Chennai   |
| 11        | Vedant Pangam | 19  | SYBCA     | Pune      |
| 12        | Ram Patil     | 21  | TYBSc IT  | Nashik    |
| 13        | Aditya Ballal | 20  | FYBSc IT  | Pune      |
| 14        | Mandar Shinde | 19  | FYBCA     | Mumbai    |

**Q10) Create a complete SQL script for a mini college database.**

The script should include:



Creating database MiniCollegeDB.

1. Creating tables Student, Course, and Faculty.
2. Adding suitable columns and data types.
3. Inserting at least 5 records in each table.
4. Displaying all records from each table.
5. Viewing the structure of each table.

## QUERY:

CREATE DATABASE MiniCollegeDB;

USE MiniCollegeDB;

CREATE TABLE Student (SID INT PRIMARY KEY, SName VARCHAR(50));

CREATE TABLE Course (CID INT PRIMARY KEY, CName VARCHAR(50));

CREATE TABLE Faculty (FID INT PRIMARY KEY, FName VARCHAR(50));

INSERT INTO Student

VALUES (1,'Ali'),(2,'Ben'),(3,'Cam'),(4,'Dan'),(5,'Eve');

INSERT INTO Course

VALUES (10,'Math'),(11,'Sci'),(12,'Art'),(13,'Lit'),(14,'CS');


INSERT INTO Faculty

VALUES (100,'Dr.X'),(101,'Dr.Y'),(102,'Dr.Z'),(103,'Dr.A'),(104,'Dr.B');

SELECT \* FROM Student; SELECT \* FROM Course; SELECT \* FROM Faculty;

DESC Student; DESC Course; DESC Faculty;

**OUTPUT:**



localhost / 127.0.0.1 / schooldb: x localhost / 127.0.0.1 | phpMyAdmin: x +

localhost/phpmyadmin/index.php?route=/server/sql

phpMyAdmin

Recent Favourites

New

- collegedb
  - New
  - course
  - student
- employeeedb
- hospitaldb
- information\_schema
- juniorcollegedb
- mysql
- performance\_schema
- phpmyadmin
- schooldb
  - New
  - course
  - employee
  - student
  - testtable
- seniorcollegedb
  - New
  - course
  - enrollment
  - student
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plug-ins

Hide query box

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0010 seconds.)

```
CREATE DATABASE MiniCollegeDB;
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

Error: #1046 No database selected

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0002 seconds.)

```
USE MiniCollegeDB;
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

Error: #1046 No database selected

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0147 seconds.)

```
CREATE TABLE Student (SID INT PRIMARY KEY, SName VARCHAR(50));
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0174 seconds.)

```
CREATE TABLE Course (CID INT PRIMARY KEY, CName VARCHAR(50));
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0147 seconds.)

```
CREATE TABLE Faculty (FID INT PRIMARY KEY, FName VARCHAR(50));
```

Console

localhost / 127.0.0.1 / schooldb: x localhost / 127.0.0.1 | phpMyAdmin: x +

localhost/phpmyadmin/index.php?route=/server/sql

phpMyAdmin

Recent Favourites

New

- collegedb
  - New
  - course
  - student
- employeeedb
- hospitaldb
- information\_schema
- juniorcollegedb
- mysql
- performance\_schema
- phpmyadmin
- schooldb
  - New
  - course
  - employee
  - student
  - testtable
- seniorcollegedb
  - New
  - course
  - enrollment
  - student
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plug-ins

```
CREATE TABLE Faculty (FID INT PRIMARY KEY, FName VARCHAR(50));
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

5 rows inserted. (Query took 0.0046 seconds.)

```
INSERT INTO Student VALUES (1, 'Ali'), (2, 'Ben'), (3, 'Cam'), (4, 'Dan'), (5, 'Eve');
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

5 rows inserted. (Query took 0.0047 seconds.)

```
INSERT INTO Course VALUES (10, 'Math'), (11, 'Sci'), (12, 'Art'), (13, 'Lit'), (14, 'CS');
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

5 rows inserted. (Query took 0.0094 seconds.)

```
INSERT INTO Faculty VALUES (100, 'Dr.X'), (101, 'Dr.Y'), (102, 'Dr.Z'), (103, 'Dr.A'), (104, 'Dr.B');
```

[ Edit inline ] [ Edit ] [ Create PHP code ]

Showing rows 0 - 4 (5 total, Query took 0.0008 seconds.)

```
SELECT * FROM Student;
```

☐ Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

|                                                                                                         | SID | SName |
|---------------------------------------------------------------------------------------------------------|-----|-------|
| <input type="checkbox"/> Edit <input type="button" value="Copy"/> <input type="button" value="Delete"/> | 1   | Ali   |
| <input type="checkbox"/> Edit <input type="button" value="Copy"/> <input type="button" value="Delete"/> | 2   | Ben   |

Console

localhost / 127.0.0.1 / schooldb: x localhost / 127.0.0.1 / phpMyAdmin: x +

localhost/phpmyadmin/index.php?route=/server/sql

phpMyAdmin

Recent Favourites

- New
- collegedb
  - New
  - course
  - student
- employeeedb
- hospitaldb
- information\_schema
- juniorcollegedb
- mysql
- performance\_schema
- phpmyadmin
- schooldb
  - New
  - course
  - employee
  - student
  - testtable
- seniorcollegedb
  - New
  - course
  - enrollment
  - student
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plug-ins

Query results operations

Print Copy to clipboard Export Display chart Create view

Showing rows 0 - 4 (5 total, Query took 0.0004 seconds)

SELECT \* FROM Course;

Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

|                          |      | CID  | CName  |
|--------------------------|------|------|--------|
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 10   | Math   |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 11   | Sci    |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 12   | Art    |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 13   | Lit    |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 14   | CS     |

Check all With selected: Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Console

localhost / 127.0.0.1 / schooldb: x localhost / 127.0.0.1 / phpMyAdmin: x +

localhost/phpmyadmin/index.php?route=/server/sql

phpMyAdmin

Recent Favourites

- New
- collegedb
  - New
  - course
  - student
- employeeedb
- hospitaldb
- information\_schema
- juniorcollegedb
- mysql
- performance\_schema
- phpmyadmin
- schooldb
  - New
  - course
  - employee
  - student
  - testtable
- seniorcollegedb
  - New
  - course
  - enrollment
  - student
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plug-ins

Query results operations

Print Copy to clipboard Export Display chart Create view

Showing rows 0 - 4 (5 total, Query took 0.0002 seconds)

SELECT \* FROM Faculty;

Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

|                          |      | FID  | FName  |
|--------------------------|------|------|--------|
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 100  | Dr.X   |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 101  | Dr.Y   |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 102  | Dr.Z   |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 103  | Dr.A   |
| <input type="checkbox"/> | Edit | Copy | Delete |
|                          |      | 104  | Dr.B   |

Check all With selected: Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Console

Query has been executed successfully.

localhost / 127.0.0.1 / schooldb: x localhost / 127.0.0.1 | phpMyAdmin: x +

localhost/phpmyadmin/index.php?route=/server/sql

phpMyAdmin

Recent Favourites

- New
- collegedb
  - New
  - course
  - student
- employeeedb
- hospitaldb
- information\_schema
- juniorcollegedb
- mysql
- performance\_schema
- phpmyadmin
- schooldb
  - New
  - course
  - employee
  - student
  - testtable
- seniorcollegedb
  - New
  - course
  - enrollment
  - student
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plug-ins

Query results operations

Print Copy to clipboard Export Display chart Create view

Your SQL query has been executed successfully.

DESC Student;

[ Edit inline ] [ Edit ] [ Create PHP code ]

Extra options

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| SID   | int(11)     | NO   | PRI | NULL    |       |
| SName | varchar(50) | YES  |     | NULL    |       |

Query results operations

Print Copy to clipboard Create view

Your SQL query has been executed successfully.

DESC Course;

[ Edit inline ] [ Edit ] [ Create PHP code ]

Extra options

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| CID   | int(11)     | NO   | PRI | NULL    |       |
| CName | varchar(50) | YES  |     | NULL    |       |

Query results operations

Console Copy to clipboard Create view

localhost / 127.0.0.1 / schooldb: x localhost / 127.0.0.1 | phpMyAdmin: x +

localhost/phpmyadmin/index.php?route=/server/sql

phpMyAdmin

Recent Favourites

- New
- collegedb
  - New
  - course
  - student
- employeeedb
- hospitaldb
- information\_schema
- juniorcollegedb
- mysql
- performance\_schema
- phpmyadmin
- schooldb
  - New
  - course
  - employee
  - student
  - testtable
- seniorcollegedb
  - New
  - course
  - enrollment
  - student
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plug-ins

Query results operations

Print Copy to clipboard Export Display chart Create view

Your SQL query has been executed successfully.

DESC Course;

[ Edit inline ] [ Edit ] [ Create PHP code ]

Extra options

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| CID   | int(11)     | NO   | PRI | NULL    |       |
| CName | varchar(50) | YES  |     | NULL    |       |

Query results operations

Print Copy to clipboard Create view

Your SQL query has been executed successfully.

DESC Faculty;

[ Edit inline ] [ Edit ] [ Create PHP code ]

Extra options

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| FID   | int(11)     | NO   | PRI | NULL    |       |
| FName | varchar(50) | YES  |     | NULL    |       |

Query results operations

Print Copy to clipboard Create view

Console