Cucumber Report

Start : Dec 21, 3:42:55.585 pm

End : Dec 21, 3:42:56.826 pm

Duration : 1.241 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 0
FAILED - 1	FAILED - 3	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 13

1

3

13

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Product Search - Pre Login	*1.241 s*	*3*	*0*	*3*	*0*	*13*	*0*	*0*	*13*

| #	Feature Name	Scenario Name
1	Product Search - Pre Login	Verify Page title of What's new page is "What's New"
2		Verify product search functionality on What's new page
3		Verify product search functionality on What's new page

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Product Search - Pre Login	3	0	3	0	1.241 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Search - Pre Login	Verify Page title of What's new page is "What's New"	3	0	0	3	1.229 s
2		Verify product search functionality on What's new page	5	0	0	5	1.191 s
3		Verify product search functionality on What's new page	5	0	0	5	1.186 s

Product Search - Pre Login

FAILED	DURATION - 1.241 s	Scenarios Total - 3		Steps Total - 13	
/ 3:42:55.585 pm // 3:42:56.826 pm /		Pass - 0	3	Pass - 0	13
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 13	

Verify Page title of What's new page is "What's New"

FAILED	DURATION - 1.229 s		Steps Total - 3	
/ 3:42:55.596 pm // 3:42:56.825 pm /			Pass - 0	3
Product Search - Pre Login			Fail - 0	
@Smoke			Skip - 3	

| #	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1.127 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' Build info: version: '4.23.0', revision: '4df0a231af' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: edge, platformName: linux}]}] Capabilities {browserName: edge, platformName: linux} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) at factory.DriverFactory.init_driver(DriverFactory.java:126) at parallel.AppHooks.Setup(AppHooks.java:34) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143)		
	at factory.DriverFactory.init_driver(DriverFactory.java:126)		
	at parallel.AppHooks.Setup(AppHooks.java:34)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1082) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$2(PlainHttpConnection.java:238) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:978) at java.base/java.util.concurrent.CompletableFuture$UniHandle.tryFire(CompletableFuture.java:955) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:554) at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1817) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:958) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		
1	Given User is on What's new page	SKIPPED	0.001 s
2	When User gets the page title	SKIPPED	0.000 s
3	Then title of the page is "What's New"	SKIPPED	0.002 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:59)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:39)		

**Verify product search functionality on What's new page**

FAILED	DURATION - 1.191 s
/ 3:42:55.635 pm // 3:42:56.826 pm /	
Product Search - Pre Login	
@Smoke	

Steps
Total - 5
Pass - 0
Fail - 0
Skip - 5

5

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1.136 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' Build info: version: '4.23.0', revision: '4df0a231af' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: edge, platformName: linux}]}] Capabilities {browserName: edge, platformName: linux} 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) 　　at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) 　　at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) 　　at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) 　　at factory.DriverFactory.init_driver(DriverFactory.java:126) 　　at parallel.AppHooks.Setup(AppHooks.java:34) Caused by: java.io.UncheckedIOException: java.net.ConnectException 　　at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) 　　at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42) 　　at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55) 　　at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) 　　at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) 　　at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) 　　at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234) 　　at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) 　　at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143) 　　at factory.DriverFactory.init_driver(DriverFactory.java:126) 　　at parallel.AppHooks.Setup(AppHooks.java:34) 　　at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1575)		
	Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1082)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$2(PlainHttpConnection.java:238)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:978)		
	at java.base/java.util.concurrent.CompletableFuture$UniHandle.tryFire(CompletableFuture.java:955)		
	at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:554)		
	at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1817)		
	... 3 more Caused by: java.nio.channels.ClosedChannelException		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:958) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		
1	Given User is on What's new page	SKIPPED	0.002 s
2	And Search textbox is displayed on What's new page	SKIPPED	0.007 s
3	When User enters "Bag" in Search textbox on What's new page	SKIPPED	0.001 s
4	And User clicks on Search icon on What's new page	SKIPPED	0.001 s
5	Then User gets the result outcome for "Bag" on What's new page	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:59)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:39)		

Verify product search functionality on What's new page

FAILED	DURATION - 1.186 s		Steps	
/ 3:42:55.638 pm // 3:42:56.824 pm /			Total - 5	
			Pass - 0	5
Product Search - Pre Login			Fail - 0	
@Smoke			Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.AppHooks.Setup()	FAILED	1.141 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'AMIT_PC', ip: '192.168.29.158' Build info: version: '4.23.0', revision: '4df0a231af' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: edge, platformName: linux}]}] Capabilities {browserName: edge, platformName: linux} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143)		
	at factory.DriverFactory.init_driver(DriverFactory.java:126)		
	at parallel.AppHooks.Setup(AppHooks.java:34)		
	Caused by: java.io.UncheckedIOException: java.net.ConnectException		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)		
	at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:234)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:143)		
	at factory.DriverFactory.init_driver(DriverFactory.java:126)		
	at parallel.AppHooks.Setup(AppHooks.java:34)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1575) Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1082) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$2(PlainHttpConnection.java:238) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:978) at java.base/java.util.concurrent.CompletableFuture$UniHandle.tryFire(CompletableFuture.java:955) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:554) at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1817) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:958) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		
1	Given User is on What's new page	SKIPPED	0.002 s
2	And Search textbox is displayed on What's new page	SKIPPED	0.001 s
3	When User enters "Jacket" in Search textbox on What's new page	SKIPPED	0.000 s
4	And User clicks on Search icon on What's new page	SKIPPED	0.001 s
5	Then User gets the result outcome for "Jacket" on What's new page	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.AppHooks.FailedTestSS(AppHooks.java:59)		
	AFTER - parallel.AppHooks.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at parallel.AppHooks.TearDown(AppHooks.java:39)		