

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Product Search - Pre Login	15.845 s	3	1	2	0	13	7	2	4

FAIL & SKIP SCENARIOS -- 3 --

	#	Feature Name	Scenario Name			
1 Product Search - Pre Login		Product Search - Pre Login	Verify product search functionality on What's new page			
	2		Verify product search functionality on What's new page			


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@Smoke	3	1	2	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Product Search - Pre Login	3	1	2	0	15.845 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Search - Pre Login	Verify product search functionality on What's new page	5	2	1	2	15.820 s
2		Verify product search functionality on What's new page	5	2	1	2	15.504 s
3		Verify Page title of What's new page is "What's New"	3	3	0	0	14.396 s

DETAILED SECTION -- 7 --

Product Search - Pre Login

FAILED	DURATION - 15.845 s	Scenarios		Steps	
		Total - 3		Total - 13	
/ 2:52:04.153 pm //	/ 2:52:19.998 pm /	Pass - 1	3	Pass - 7	13
		Fail - 2	J J	Fail - 2	🔼 13 🕖
		Skip - 0		Skip - 4	

Verify product search functionality on What's new page




#	Step / Hook Details	Status	Duration
1	Given User is on What's new page	PASSED	5.772 s
2	And Search textbox is displayed on What's new page	PASSED	1.318 s
3	When User enters "Jacket" in Search textbox on What's new page	FAILED	0.712 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [7fc10dd1b2005c16c8af27f64ba5364a, findElement {using=xpath, value=//*[@id='search']}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.99, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56116}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7, userDataDir: C:\Users\razda\AppData\Loca}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56116/devtoo, se:cdpVersion: 131.0.2903.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7fc10dd1b2005c16c8af27f64ba5364a at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.(W3CHttpResponseCodec.java:138)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pages.WhatsNewPage.EnterSearchTextbox(WhatsNewPage.java:41) at parallel.ProductSearch_PreLogin_StepDef.user_enters_in_search_textbox_on_what_s_new_page(ProductSearch_PreLogin_StepDef. java:39) at ?.User enters "Jacket" in Search textbox on What's new page(file:///C:/Users/razda/git/PROJECT4_GRIDPROJECT/src/test/resources/parallel/ProductSearch_PreLogin.feature:13) * Not displayable characters are replaced by '?'.		
4	And User clicks on Search icon on What's new page	SKIPPED	0.001 s
5	Then User gets the result outcome for "Jacket" on What's new page	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario) Verify_product_search_functionality_on_What's_new_page	PASSED	0.401 s

Verify product search functionality on What's new page




#	Step / Hook Details	Status	Duration
1 Given	User is on What's new page	PASSED	3.922 s
2 And S	earch textbox is displayed on What's new page	PASSED	3.146 s
3 When	User enters "Bag" in Search textbox on What's new page	FAILED	0.732 s
org.ope 'Windo [7fc10c browse msedg false, p 131.0.2 unhanc webau 7fc10d at ja at ja at or	anga.selenium.NoSuchSessionException: invalid session id Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: ws.11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: dd1b2005c16c8at27f64ba5364a, findElement {using=xpath, value=l/*{@id=>search}}} Capabilities {acceptinsecureCerts: false, er/Name: MicrosoftEdge, browserVersion: 131.0.2903.99, fedom:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56116}, e: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7, userDataDir: C:\UserstvazdaAppData\uce}, networkConnectionEnabled: bageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost.56116/devtoo, se:cdpVersion: 2903.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, eldePromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, thn:extension:mineInLength: true, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: dd1b2005c16c8at27f64ba5364a		0.702.3

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at pages.WhatsNewPage.EnterSearchTextbox(WhatsNewPage.java:41) at parallel.ProductSearch_PreLogin_StepDef.user_enters_in_search_textbox_on_what_s_new_page(ProductSearch_PreLogin_StepDef. java:39) at ?.User enters "Bag" in Search textbox on What's new page(file:///C:/Users/razda/git/PROJECT4_GRIDPROJECT/src/test/resources/parallel/ProductSearch_PreLogin.feature:13) * Not displayable characters are replaced by '?'.		
4	And User clicks on Search icon on What's new page	SKIPPED	0.002 s
5	Then User gets the result outcome for "Bag" on What's new page	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	PASSED	0.399 s
	Verify_product_search_functionality_on_What's_new_page		

Verify Page title of What's new page is "What's New"



#	Step / Hook Details	Status	Duration
1	Given User is on What's new page	PASSED	6.968 s
2	When User gets the page title	PASSED	0.074 s
3	Then title of the page is "What's New"	PASSED	0.007 s