

# Cucumber Report

21 Dec 2024, 2:55:12 pm

Start : Dec 21, 2:53:17.184 pm

End : Dec 21, 2:55:11.195 pm

Duration : 1 m 54.011 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 10  
FAILED - 2  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Product Search - Pre Login</u>	1 m 54.011 s	3	1	2	0	13	10	2	1

#	Feature Name	Scenario Name
1	<u>Product Search - Pre Login</u>	<u>Verify product search functionality on What's new page</u>
2		<u>Verify product search functionality on What's new page</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	3	1	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Product Search - Pre Login	3	1	2	0	1 m 54.011 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Search - Pre Login</u>	<u>Verify Page title of What's new page is "What's New"</u>	3	3	0	0	1 m 46.977 s
2		<u>Verify product search functionality on What's new page</u>	5	3	1	1	1 m 53.203 s
3		<u>Verify product search functionality on What's new page</u>	5	4	1	0	1 m 53.947 s

## Product Search - Pre Login



<div>FAILED</div>	<div>DURATION - 1 m 54.011 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 10</div> <div>Fail - 2</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:53:17.184 pm // 2:55:11.195 pm /</div>					

## Verify Page title of What's new page is "What's New"

<b>PASSED</b>	DURATION - 1 m 46.977 s		Steps	
/ 2:53:17.198 pm // 2:55:04.175 pm /			Total - 3	
Product Search - Pre Login			Pass - 3	
@Smoke			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given User is on What's new page	PASSED	1 m 24.037 s
2	When User gets the page title	PASSED	15.635 s
3	Then title of the page is "What's New"	PASSED	0.005 s

## Verify product search functionality on What's new page



<div>FAILED</div> <div>DURATION - 1 m 53.203 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:53:17.241 pm // 2:55:10.444 pm /				
Product Search - Pre Login				
@Smoke				

#	Step / Hook Details	Status	Duration
1	Given User is on What's new page	PASSED	1 m 39.634 s
2	And Search textbox is displayed on What's new page	PASSED	0.100 s
3	When User enters "Bag" in Search textbox on What's new page	PASSED	0.365 s
4	<p>And User clicks on Search icon on What's new page</p> <pre> org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: MicrosoftEdge=131.0.2903.99) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#stale-element-reference-exception Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [fa6e17f8f550d40e3715aeaa59807808, clickElement {id=f.635A81C615A08F8A7EDBF1AC1CA7E5EC.d. BF085777961F9974245B53C033AF9187.e.63}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.99, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56242}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\razda\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56242/devtoo..., se.cdpVersion: 131.0.2903.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (fa6e17f8f550d40e3715aeaa59807808)] -&gt; xpath: //*[@id='search_mini_form']/div[2]/button] Session ID: fa6e17f8f550d40e3715aeaa59807808 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at pages.WhatsNewPage.ClickSearchIconButton(WhatsNewPage.java:45) at parallel.ProductSearch_PreLogin_StepDef.user_clicks_on_search_icon_on_what_s_new_page(ProductSearch_PreLogin_StepDef. java:44) at ?.User clicks on Search icon on What's new page(file:///C:/Users/razda/git/PROJECT4_GRIDPROJECT/src/test/resources/parallel/ ProductSearch_PreLogin.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	5.481 s
5	Then User gets the result outcome for "Bag" on What's new page	SKIPPED	0.001 s
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	PASSED	0.324 s



#	Step / Hook Details	Status	Duration
	<p>Verify_product_search_functionality_on_What's_new_page</p> 		

## Verify product search functionality on What's new page

<div>FAILED</div> <div>DURATION - 1 m 53.947 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
/ 2:53:17.248 pm // 2:55:11.195 pm /			
Product Search - Pre Login			
@Smoke			

#	Step / Hook Details	Status	Duration
1	Given User is on What's new page	PASSED	54.411 s
2	And Search textbox is displayed on What's new page	PASSED	45.295 s
3	When User enters "Jacket" in Search textbox on What's new page	PASSED	0.323 s
4	And User clicks on Search icon on What's new page	PASSED	5.514 s
5	<p>Then User gets the result outcome for "Jacket" on What's new page</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [fa6e17f8f550d40e3715aeaa59807808, getElementText {id=f.635A81C615A08F8A7EDBF1AC1CA7E5EC.d.28C907473E897355B9E74FBE009F0549.e.100}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.99, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56242}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\rzad\AppData\Loca...), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56242/devtoo..., se:cdpVersion: 131.0.2903.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (fa6e17f8f550d40e3715aeaa59807808)] -&gt; tag name: a] Session ID: fa6e17f8f550d40e3715aeaa59807808</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)</p>	FAILED	0.933 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:191) at pages.WhatsNewPage.getNumberOfRecords(WhatsNewPage.java:54) at parallel.ProductSearch_PreLogin_StepDef.user_gets_the_result_outcome_for_on_what_s_new_page(ProductSearch_PreLogin_StepDef.java:50)   at ?.User gets the result outcome for "Jacket" on What's new page(file:///C:/Users/razda/git/PROJECT4_GRIDPROJECT/src/test/resources/parallel/ProductSearch_PreLogin.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallel.AppHooks.FailedTestSS(io.cucumber.java.Scenario)	PASSED	0.222 s
	Verify_product_search_functionality_on_What's_new_page		