

MAJOR PROJECT 1
SYNOPSIS REPORT
on
TITLE
FOREST FIRE PREDICTION SYSTEM BASED ON
GEOSPATIAL IMAGE ANALYTICS
BACHELOR OF TECHNOLOGY
in
COMPUTER SCIENCE
Specialization in
Oil And Gas Informatics
Submitted By :

| Name | Roll No | Branch |
|-------------|------------|---------|
| Amit Singh | R970216010 | CSE OGI |
| Ankit Jha | R970216013 | CSE OGI |
| Ankit Sinha | R970216014 | CSE OGI |
| Rahul Raj | R970216050 | CSE OGI |

Under the guidance of
Mr Ashish Kilashchandra Sharma
Associate Professor

School of Computer Science
UNIVERSITY OF PETROLEUM AND ENERGY STUDIES
Dehradun-248007
2019-20



Approved By

(Mr Ashish Kilashchandra Sharma)
Project Guide

(Dr. T P Singh)
Department Head

Project Title

FOREST FIRE PREDICTION SYSTEM BASED ON GEOSPATIAL IMAGE ANALYTICS

Abstract

The forest fires are common events over the Central Himalayan region during the pre-monsoon season (March - June) of every year. Forest fire plays a crucial role in governing the vegetation structure, ecosystem, climate change as well as in atmospheric chemistry. In regional and global scales, the combustion of forest and grassland vegetation releases large volumes of smoke, aerosols, and other chemically active species that significantly influence Earth's radiative budget and atmospheric chemistry, impacting air quality and risks to human health. During the year 2016, massive forest fires have been recorded over the Central Himalayan region of Uttarakhand which continues for several weeks. To study this event we used the multi-satellite observations of aerosols and pollutants during pre-fire, fire and post-fire period over the central Himalayan region. So there are many further consequences for example, many physical, chemical, mineralogical, and biological soil properties can be affected by forest fire. So we are making the forest fire prediction model that will predict the hotspot for fire in the forest with the help of some parameter like Instant Air Temperature($^{\circ}$ C), Maximum Air temperature, Soil temperature, Humidity, Wind speed, Atmospheric Pressure, Accumulated Solar Pressure with the help of spatial image analytics.

- **KEYWORD** :- Spatial image analytics, Forest fire, foci, hotspot, risk, Forest fire prediction.

1 Introduction

The factors that influence fire occurrence in the boreal forest include the properties of the forest vegetation, weather, and ignition agents . Forest fire mostly occurs in Central Himalyan Region that has very large area. Forest fire plays a crucial role in governing the vegetation structure, ecosystem, climate change as well as in atmospheric chemistry. In regional and global scales, the combustion of forest and grassland vegetation releases large volumes of smoke, aerosols, and other chemically active species that significantly influence Earth's radiative budget and atmospheric chemistry, impacting air quality and risks to human health. During the year 2016, massive forest fires have been recorded over the Central Himalayan region of Uttarakhand which continues for several weeks. To study this event we used the multi-satellite observations of aerosols and pollutants during pre-fire, fire and post-fire period over the central Himalayan region. Since there are various post-fire consequences a risk to life and extant infrastructure. These fires can cause extensive economical damage, they also threaten human life. Furthermore, the aftermath of forest fires can have other far-reaching consequences. For example, many physical, chemical, mineralogical, and biological soil properties can be affected by forest fire. Negative effects resulting from high levels burn severity include significant removal of organic matter, deterioration of both soil structure and porosity, considerable loss of nutrients through volatilization, and erosion also the release of hazardous chemicals significantly impacts human health and increases the risk of future diseases. Wildfire smoke is accompanied by high concentrations of carbon dioxide, which can result in consequences such as headache, mental confusion, nausea, disorientation, come, and even death. So we are creating the model that will help us to predict the place where fire may occurred with the help of spatial image analysis. Image analysis is the extraction of meaningful information from images; mainly from digital images by means of digital image processing techniques. Image analysis tasks can be as simple as reading bar coded tags or as sophisticated as identifying a person from their face. So from the image we will perform the image analysis and thus predict the suitable hotspot where fire may occur.

2 Background Study

- In this paper [1] by George E. Sakr it describe a significant component of forest fire management. It plays a major role in resource allocation, mitigation and recovery efforts. This paper presents a description and analysis of forest fire prediction methods based on artificial intelligence. A novel forest fire risk prediction algorithm, based on support vector machines, is presented. The algorithm depends on previous weather conditions in order to predict the fire hazard level of a day. A forest fire risk zone map was constructed using a four-category risk scale. The risk range is from very high to low. The resulting map was found to have a strong correlation with the highly affected fire sites. This method is also dependent on the studied area and the model cannot be generalized to other lands. It is also notable that the use of satellite images and GIS is imperative in the construction of the models.
- In this paper [2] by Prof. K.Angayarkkani Fire plays a vital role in a majority of the forest ecosystems. Forest fires are serious ecological threats that result in deterioration of economy and environment apart from jeopardizing human lives. Thus forest fires need to be detected as early as possible in order to inhibit from being spread. This paper intends to detect forest fires from the forest spatial data. The approach makes use of spatial data mining, image processing and artificial intelligence techniques for the detection of fires. A fuzzy rule base is formed for the detection of fires, from the spatial data with the presence of fires. The digital images from the spatial data are converted to YCbCr color space and then segmented by employing anisotropic diffusion to identify fire regions. Subsequently, a fuzzy set is created with the color space values of the fire regions. Further, fuzzy rules are derived on basis of fuzzy logic reasoning. Extensive experimental assessment on publicly available spatial data illustrated that the proposed approach efficiently detects forest fires.

- In this paper [3] by Daniela Stojanova this study was to learn to predict forest fires in Slovenia using different data mining techniques. We used predictive models based on data from a GIS (geographical information system), the weather prediction model - Aladin and MODIS satellite data. Fire prevention is the first step in reducing the damage caused by fire and estimation of fire movement is very important for successful fire prevention, organization of prevention measures and optimal storage of firefighting resources. An important tool for fire movement estimation is modeling of the relations between the fire threat and the influence factors. Because these factors are more or less geographically determined, these types of models are usually developed within GIS (Geographical Information System). GIS is a computer system capable of capturing, storing, analyzing, and displaying geographically referenced information; that is, data identified according to their location.
- In this paper [4] by Vasanth Iyer the technical basis of Machine learning with Data mining is studied with the evidence collected uniformly over many years and which allow using users perspective in collected evidence. This model helps in probabilistically forecasting fires and help forest department in planning day to day schedules. Using a model to predict future events reliably one needs to collect samples from sensors and select a feature, which does not have any particular bias. Another is the unbalanced nature of the problem of the many forest fire events many are of the burnt area is very small and gives skewed distribution. Most of the examples naturally group into batches, which are collected from evidence satellite photography and collaborative reports from national parks departments. The second set of database was collected from the meteorological weather station about several weather observations, which are located very close to the reported fires. Finally, the compiling task is to serve as a filter and provide the user to vary the false alarm rate. We show by regression analysis of the compiled dataset that the forest fire classifier has a minimum false alarm rate when including temporal features.

3 Problem Statement

Since Wildfire risk models are useful for wildfire suppression planning activities such as the allocation of initial attack resources among geographic regions. So Fire occurrence models are important for estimating both expected loss and the likelihood of an extreme fire event and we are thus creating the model to reduce the consequences of forest fire problem by predicting the hotspot so that we can predict where the fire will take place with the help of some parameter like like Instant Air Temperature, Maximum Air temperature, Soil temperature, Humidity, Wind speed, Atmospheric Pressure, Accumulated Solar Pressure. This will not only prevent the major loss due to the forest fire but also we can take some initial step so that the fire will be minimized after it catches the fire. This will also help the government to monitor through this model and take some crucial action that will manage the after consequence of the fire. By setting some Veterinary Hospitals near the forest and some fire station near the forest.

4 Objectives

We will prepare the respective model which will successfully predict the hotspot of the forest fire using various Machine learning classification algorithm.

5 Methodology

The various methodology used in this project are.

- **STUDY AREA**

Uttarakhand state is situated in the northern part of India and shares an international boundary with China in the north and Nepal in the east. Uttarakhand has an area of 53,483 Km sq. and lies between 28°43' N to 31°27' N latitude and 77°34' E to 81°02' E longitude and the recorded forest area in the state is 34,651 Km², which constitute 64.79% of its total geographical area covered by the state. The state lies in the western part of the great Himalaya range. Climate and vegetation vary greatly with elevation of the region, from the glaciers at the highest elevations to tropical forests at the lower elevations. Physiographically the state can be divided into three zones, the Himalayas, the Shiwaliks and the Terrain region and has a temperate climate in hilly regions, whereas in plain areas, climate is tropical with temperatures ranging from sub-zero in the higher regions to 43 degrees in the plains [SFR, 2009]. The average rainfall in the state is 1550 mm [SFR, 2009]. The state consists of major occurring forest types such as Tropical Moist Deciduous, Tropical Dry Deciduous, Sub Tropical Pine, Himalayan Moist temperate, Himalayan Dry Temperate, Sub Alpine and Alpine forests.

- **DATA COLLECTION**

We shall collect the data from the naksha website. Then we will view the Toposheet of Uttarakhand and then download the Topographical map of the state.

The collected data is analyzed in ArcGIS tool.

6 System Requirements(Software/hardware):

- Ubuntu/linux/windows (64bit/32bit) Operating system
- Anaconda IDE
- GIS tools: GeoDa
- ArcGIS
- Min 4 GB Ram.

7 Schedule (PERT Chart)




Figure 1: *Pert chart*

References

- [1] G. E. Sakr, I. H. Elhajj, G. Mitri, and U. C. Wejinya, “Artificial intelligence for forest fire prediction,” *IEEE/ASME International Conference on Advanced Intelligent Mechatronics, AIM*, no. September 2015, pp. 1311–1316, 2010.
- [2] P. K. Angayarkkani, “Efficient Forest Fire Detection System : A Spatial Data Mining and Image Processing Based Approach,” *Journal of Computer Science*, vol. 9, no. 3, pp. 100–107, 2009.
- [3] V. Iyer, S. S. Iyengar, N. Paramesh, G. R. Murthy, and M. B. Srinivas, “Machine learning and datamining algorithms for predicting accidental small forest fires,” *SENSORCOMM 2011 - 5th International Conference on Sensor Technologies and Applications and WSNSCM 2011, 1st International Workshop on Sensor Networks for Supply Chain Management*, no. c, pp. 116–121, 2011.
- [4] D. Stojanova, A. Kobler, S. Džeroski, and K. Taškova, “Learning To Predict Forest Fires,” *In 9th International multiconference Information Society*, no. March 2016, pp. 3–6, 2006.