

A project report on

NewsPortal.com

Submitted in partial fulfillment of the
requirement for the award of the degree

**MASTER OF COMPUTER APPLICATIONS
OF**

Gujarat Technological University
(GTU)

**Vivek S. Mishra
135223693057**

**Dharmendra D. Meniya
135223693056**

**Shailesh K. Limbadiya
135223693078**

**Kuntal H. Vagadiya
135223693090**



Marwadi Education Foundation's
Group of Institutions
(MEFGI) Rajkot, Gujarat.
2014 – 2015

Marwadi Education Foundation Group of Institutions

Morbi Road, At & Op: Gauridad, Rajkot-360 003.

Phone: - +91 281 2924154

Email: -info@marwadieducation.edu.in

CERTIFICATE

This is the certify that the report on

Website on News Portal

Shailesh K. Limbadiya, Dharmendra D. Meniya,
Vivek S. Mishra, Kuntal H. Vagadiya

Has been successfully completed the project of Marwadi Education Foundation Group of Institution. As on subject for Sem-V from our College for the year 2014-2015

He has successfully demonstrated it to staff. We are satisfied with their performance.

Date: - ____/____/20____

Project in charge
(Prof. Pritesh Madlani)
Marwadi Education Foundation
Rajkot.

Dean
(Dr. R. Shreedharan)
Marwadi Education Foundation
Rajkot.

DECLARATION

We **Vivek S. Mishra, Dharmendra D. Meniya, Shailesh K. Limbadiya & Kuntal H. Vagadiya** hereby declare that this project work entitled **NewsPortal.com** is a record done by us.

We also declare that the matter embodied in this project is genuine work done by us and has not been submitted whether to this University or to any other University / Institute for the fulfillment of the requirement of any course of study.

Place:-

Date :-

**Vivek S. Mishra
Dharmendra D. Meniya
Shailesh K. Limbadiya
Kuntal H. Vagadiya**

ACKNOWLEDGEMENT

First of all we are glad to express our unsaid feelings to our almighty for helping me in the moment of the needs, for giving us a support all the time.

Co-ordination, constant help and guidance were got in the hands of **Prof. Pritesh Madlani** and other faculties, who were extremely helpful to us. He was always supportive & went out to do anything for us regarding the project. We are seriously obliged to him.

We are thankful to our project guide, who provided us a lot of valuable help, co-operation & guidance. We are highly obliged to him for providing us with continuous, invaluable & encouraging guiding throughout the project development.

We are also thankful to him who provided the information for our project to us.

Finally, thanks to the fishes who cheered up a luckier.

**Vivek S. Mishra
Dharmendra D. Meniya
Shailesh K. Limbadiya
Kuntal H. Vagadiya**

CONTENTS

Chapters	Particulars	Sample Page No.
1	SYNOPSIS	6
2 2.1	PREAMBLE Project Description	7
3 3.1 3.2	TECHNICAL DESCRIPTION Hardware Requirement Software Requirement	8 9
4 4.1 4.2 4.2.1	SYSTEM DESIGN AND DEVELOPMENT Diagram Design Database Design Table Structure	10 15 16
5 5.1 5.2 5.3	SYSTEM TESTING Blackbox Testing Whitebox Testing Integrated Testing	19
6 6.1 6.2	SOURCE CODE Client Side Admin Side	20 36 57
7 7.1 7.2	SCREEN SHOTS Admin Side Client Side	103 115
8	CONCLUSION	127
9	BIBLIOGRAPHY	128

SYNOPSIS

- The News Publishing portal provides an easy way to professionally publish an online news publication, corporate press releases, or manage other content without technical expertise. It is most often used as an online newspaper.
- Our News Publishing system provides flexible, easy-to-use content management focused on minimizing. It combines content creation, graphics, and publication controls.
- Design a website with wide range of custom modules like top stories section, breaking news section, advance search option, photo gallery, video uploading services etc.
- Authorized contributing writers can submit stories for editorial review and publication.
- Unlimited category tree system for adding news stories and special features. Unlimited number of dynamic news sections.
- Publishes a photo gallery with a story.

PREAMBLE

➤ Admin Side :-

1. In admin module administrator is the user who manage the whole system and all user of the web site.
2. Administrator can add, edit and delete the news of each category. He has database controller.
3. Administrator is the person who knows all things about the system.
4. Admin also maintain daily report for all news's.
5. Administrator can also maintain user's feedback and implement that kind of facility which is not available in previous website.

➤ Client Side :-

1. A user view all the new news in this web site.
2. User can create his/her account in this website and that can be useful to view news updates.
3. User can also search for which he /she wants.

TECHNICAL REQUIREMENT

❖ Hardware Configuration:-

Hardware is most important part if the project. The configuration of hardware is given below.

❖ Server

- **PC with Processor:** Minimum Pentium IV at 2 GHz
- **RAM:** Minimum 2 GB
- **Disk Space:** Minimum 5 GB (Excluding Data size)
- 104 Key board, monitor, mouse

❖ Client

- **PC with Processor:** Minimum Pentium IV at 1GHz
- **RAM:** Minimum 512 MB
- **Disk Space:** Minimum1GB
- 104 Key board, monitor, mouse

❖ **Software Configuration:-**

Software is most important part of the project. The configuration is given below.

❖ **Server**

- Microsoft Windows 7.
- Microsoft Windows 8.1
- Microsoft Office 2007
- xampp-win32-1.8.3

❖ **Client**

- Window 7 or Windows 8.1
Mozilla Firefox
- Intenet Explorer
- Google Chroma
- Opera

(Should support JavaScript, Java Applets)




SYSTEM DESIGN AND DEVELOPMENT

Design phase deals with transforming the requirements, as described in the SRS document, into a form that is implemented using a programming language. The various designs of this system are shown as following:


❖ Diagram:-


1. Data flow Diagram:-

Data Flow diagram is a graphical representation of flow of data throughout the information system. Data flow diagrams illustrate how data is processed by a system in terms of inputs and outputs.

<u>NAME</u>	<u>NOTATION</u>	<u>DESCRIPTION</u>
External Entity		External entities are objects outside the system, with which the system communicates.
Dataflow		Dataflow are pipelines through which packets of information flow.
Process		Transforms incoming data flow to output data flow.
Data Store system.		Repositories of data in the system.


Context Level Diagram:-






Level 1 DFD

2. Entity Relationship Diagram:-



3. Use Case Diagram :-



DATABASE DESIGN

NewsPortal.com

- [1] Banner
- [2] Login
- [3] Mail
- [4] News
- [5] Page
- [6] TodayImage

MySQL: ~

It is an implementation of a relational database management system that traditionally runs on Linux and UNIX systems. It is arguably the world's most popular open source database system and is friendly to the Linux/Apache/PHP environment. "MySQL is a small, compact database server ideal for small - and not so small - applications (Lycos, 2005)." If PHP was jelly, MySQL would undoubtedly be peanut butter.

MySQL Workbench is a unified visual tool for database architects, developers, and DBAs. MySQL Workbench provides data modeling, SQL development, and comprehensive administration tools for server configuration, user administration, backup, and much more. MySQL Workbench is available on Windows, Linux and Mac OS.

TABLE STRUCTURE

[1] Banner:-

Field Name	Data Type
Id	Int(11)
Image	Varchar(255)
Title	Varchar(255)
Heading	Varchar(255)
Status	Varchar(255)

[2] Login:-

Field Name	Data Type
Id	Int(11)
Username	Varchar(255)
Password	Varchar(255)

[3] Mail:-

Field Name	Data Type
Name	Varchar(20)
Mobile_No	Varchar(12)
Email	Varchar(40)
Message	Varchar(100)

[4] News:-

Field Name	Data Type
Id	Int(11)
Type	Varchar(255)
Subtype	Varchar(255)
Headline	Varchar(255)
Date	Varchar(20)
Image	Text
Detail	Varchar(1000)
Status	Varchar(3)

[5] Page:-

Field Name	Data Type
Id	Int(11)
Name	Varchar(255)
Place	Varchar(255)
Url	Varchar(255)
Sort	Varchar(255)
Title	Varchar(255)
Sortable	Varchar(255)
Detail	Text
Image	Varchar(255)
Advertisement	Text
Valuable	Text

[6] Todayimage:-

Field Name	Data Type
Id	Int(11)
Image	Text
Title	Varchar(255)
Sortdesc	Varchar(255)
Status	Varchar(255)

SYSTEM TESTING

Following are the testing methodologies adopted in our project:-

1) Blackbox Testing

First let us understand what is black box testing? Blackbox Testing is a method of software testing that examines the functionality of an application without peering into its internal structures or workings.

We have tested our project by inputting inappropriate data to check its validation as well as functionality. Tested what data is stored in database and retrieved back.

2) Whitebox Testing

White box testing is a method of testing software that tests internal structures or workings of an application, as opposed to its functionality.

We have checked all the code that how data flow occurs between client browser and server. How data is stored and retrieved by checking its particular code.

3) Integrated Testing

Integrated Testing is a phase in software testing in which individual software module are combined and tested as a group.

The login and registration code is combined and checked if any error or bug is there or not. Login and registration are kept together to prevent unnecessary navigation of end users.

SOURCE CODE

[1] Connection: ~

```
<?php
session_start();
$d = (array_reverse(explode('/', $_SERVER['SCRIPT_FILENAME'])));
unset($d[0]);
$websitepath = implode("/", array_reverse($d));
//echo $websitepath;
//debug($d);
//include($websitepath . "/resizeimage.php");
ini_set('display_errors', 0);
//unset($_SESSION['cartitems']);
//mysql_connect("localhost", "aasthask_u", "aastha?-p");
mysql_connect("localhost", "root", "");
mysql_select_db("news_portal");
$adminpath = "files/";
$catalog = "catalog/";

function debug($str) {
    echo '<pre>';
    print_r($str);
    echo '</pre>';
}

function imgresize($imgpath, $w, $h) {
    global $catalog;

    $filename = array_reverse(explode("/", $imgpath));
    if (file_exists($catalog . $filename[0])) {
        mkdir($catalog . $w . "x" . $h);
        if (!file_exists($catalog . $w . "x" . $h . '/' . $filename[0])) {
            $imager = new SimpleImage();
            $imager->load($imgpath);
            $imager->resize($w, $h);
            $imager->save($catalog . $w . "x" . $h . '/' . $filename[0]);
        }
    }
    return $catalog . $w . "x" . $h . '/' . $filename[0];
}

function getoptn($cname, $text, $value, $dbt, $class, $mult = "", $selectedvalue = "",
$all = "") {
    $sql = "SELECT " . $text . "," . $value . " FROM " . $dbt . " order by " . $text;
    $q = mysql_query($sql) or die(mysql_error());
    $data = "<select name=\"$cname\" class=\"$class\" $mult>";
    if ($all == 'All') {
        $data.= '<option value="">' . $all . '</option>';
    } elseif ($all == 'None') {
        $data.= '<option value="">' . $all . '</option>';
    } else {
        $data.= "";
    }
}
```

```

while ($row = mysql_fetch_array($q)) {
    if ($selectedvalue == $row[$value]) {
        $data.= '<option value="" . $row[$value] . "" selected="selected">' .
    $row[$text] . '</option>';
    } else {
        $data.= '<option value="" . $row[$value] . ">' . $row[$text] . '</option>';
    }
}
$data.= "</select>";
return $data;
}

function getTextBetweenTags($string, $tagname) {
    $pattern = "/<$tagname>([\w\W]*?)</$tagname>/";
    preg_match($pattern, $string, $matches);
    return $matches[1];
}

function dmy2mysql($input) {
    $output = false;
    $d = preg_split('#[-/:. ]#', $input);
    if (is_array($d) && count($d) >= 3) {
        if (checkdate($d[1], $d[0], $d[2]) || ($d[0] == "00" && $d[1] == "00")) {
            $output = "$d[2]-$d[1]-$d[0]";
        }
        if ($d[3])
            $output.= ' ' . $d[3] . ':' . $d[4];
    }
    return $output;
}

//pro

function mysql2dmy($input) {
    $output = false;
    $input1 = $input;
    $input = substr($input, 0, 10);
    $d = explode('-', $input);
    if (is_array($d) && count($d) >= 3) {
        if (checkdate($d[1], $d[2], $d[0]) || ($d[2] == "00" && $d[1] == "00")) {
            $output = "$d[2]/$d[1]/$d[0]";
        }
        if (substr($input1, 11))
            $output.= " " . substr($input1, 11);
    }
    return $output;
}

//products and categories tree view

function getuser($id) {
    $sql = "select * from users where id="" . $id . """;
    $q = mysql_query($sql);
    $r = mysql_fetch_assoc($q);
    return $r;
}

```

```

function getpeople($id) {
    $sql = "select * from people where id='' . $id . """;
    $q = mysql_query($sql);
    $r = mysql_fetch_assoc($q);
    return $r;
}

function getclient($id) {
    $sql = "select * from clients where id='' . $id . """;
    $q = mysql_query($sql) or die(mysql_error());
    $r = mysql_fetch_assoc($q);
    return $r;
}

function runSQL($rsqI) {

    $db['default']['hostname'] = "localhost";
    $db['default']['username'] = 'root';
    $db['default']['password'] = "digpal251988";
    $db['default']['database'] = "ijs";

    $db['live']['hostname'] = 'localhost';
    $db['live']['username'] = '';
    $db['live']['password'] = "";
    $db['live']['database'] = "";

    $active_group = 'default';

    $base_url = "http://" . $_SERVER['HTTP_HOST'];
    $base_url .= str_replace(basename($_SERVER['SCRIPT_NAME']), "", $_SERVER['SCRIPT_NAME']);

    $connect = mysql_connect($db[$active_group]['hostname'],
    $db[$active_group]['username'], $db[$active_group]['password']) or die("Error: could
    not connect to database");
    $db = mysql_select_db($db[$active_group]['database']);

    $result = mysql_query($rsqI) or die($rsqI);
    return $result;
    mysql_close($connect);
}

function countRec($fname, $tname) {
    $sql = "SELECT count($fname) FROM $tname ";
    $result = runSQL($sql);
    while ($row = mysql_fetch_array($result)) {
        return $row[0];
    }
}

function constructWhere($s) {
    $qwery = "";
    //['eq','ne','lt','le','gt','ge','bw','bn','in','ni','ew','en','cn','nc']
    $qopers = array(
        'eq' => " = ",
        'ne' => " <> ",

```

```

'lt' => " < ",
'le' => " <= ",
'gt' => " > ",
'ge' => " >= ",
'bw' => " LIKE ",
'bn' => " NOT LIKE ",
'in' => " IN ",
'ni' => " NOT IN ",
'ew' => " LIKE ",
'en' => " NOT LIKE ",
'cn' => " LIKE ",
'nc' => " NOT LIKE ");
if ($s) {
    $jsona = json_decode($s, true);
    if (is_array($jsona)) {
        $gopr = $jsona['groupOp'];
        $rules = $jsona['rules'];
        $i = 0;
        foreach ($rules as $key => $val) {
            $field = $val['field'];
            $op = $val['op'];
            $v = $val['data'];
            if ($v && $op) {
                $i++;
                // ToSql in this case is absolutley needed
                $v = ToSql($field, $op, $v);
                if ($i == 1)
                    $qwery = " AND ";
                else
                    $qwery .= " " . $gopr . " ";
                switch ($op) {
                    // in need other thing
                    case 'in' :
                    case 'ni' :
                        $qwery .= $field . $qopers[$op] . "(" . $v . ")";
                        break;
                    default:
                        $qwery .= $field . $qopers[$op] . $v;
                }
            }
        }
    }
}
return $qwery;
}

function getStringForGroup($group) {
    $i_ = "";
    $sopt = array('eq' => "=", 'ne' => "<>", 'lt' => "<", 'le' => "<=", 'gt' => ">", 'ge'
=> ">=", 'bw' => " {$i_}LIKE ", 'bn' => " NOT {$i_}LIKE ", 'in' => ' IN ', 'ni' => ' NOT
IN ', 'ew' => " {$i_}LIKE ", 'en' => " NOT {$i_}LIKE ", 'cn' => " {$i_}LIKE ", 'nc' => "
NOT {$i_}LIKE ", 'nu' => 'IS NULL', 'nn' => 'IS NOT NULL');
    $s = "(";
    if (isset($group['groups']) && is_array($group['groups']) && count($group['groups'])
> 0) {
        for ($j = 0; $j < count($group['groups']); $j++) {
            if (strlen($s) > 1) {

```

```

        $s .= " " . $group['groupOp'] . " ";
    }
    try {
        $dat = getStringForGroup($group['groups'][$j]);
        $s .= $dat;
    } catch (Exception $e) {
        echo $e->getMessage();
    }
}
if (isset($group['rules']) && count($group['rules']) > 0) {
    try {
        foreach ($group['rules'] as $key => $val) {
            if (strlen($s) > 1) {
                $s .= " " . $group['groupOp'] . " ";
            }
            $field = $val['field'];
            $op = $val['op'];
            $v = $val['data'];
            if ($op) {
                switch ($op) {
                    case 'bw':
                    case 'bn':
                        $s .= $field . ' ' . $sopt[$op] . "$v%";
                        break;
                    case 'ew':
                    case 'en':
                        $s .= $field . ' ' . $sopt[$op] . "%$v";
                        break;
                    case 'cn':
                    case 'nc':
                        $s .= $field . ' ' . $sopt[$op] . "%$v%";
                        break;
                    case 'in':
                    case 'ni':
                        $s .= $field . ' ' . $sopt[$op] . "( '$v' )";
                        break;
                    case 'nu':
                    case 'nn':
                        $s .= $field . ' ' . $sopt[$op] . " ";
                        break;
                    default :
                        $s .= $field . ' ' . $sopt[$op] . " '$v' ";
                        break;
                }
            }
        }
    } catch (Exception $e) {
        echo $e->getMessage();
    }
}
$s .= ")";
if ($s == "()") {
    //return array("",$prm); // ignore groups that don't have rules
    return " 1=1 ";
} else {
    return $s;
}

```

```

        ;
    }
}

function ToSql($field, $oper, $val) {
    // we need here more advanced checking using the type of the field - i.e. integer,
    string, float
    switch ($field) {
        case 'id':
            return intval($val);
            break;
        case 'amount':
        case 'tax':
        case 'total':
            return floatval($val);
            break;
        default :
            //mysql_real_escape_string is better
            if ($oper == 'bw' || $oper == 'bn')
                return "" . addslashes($val) . "%";
            else if ($oper == 'ew' || $oper == 'en')
                return "%" . addcslashes($val) . "";
            else if ($oper == 'cn' || $oper == 'nc')
                return "%" . addslashes($val) . "%";
            else
                return "" . addslashes($val) . "";
    }
}

function Strip($value) {
    if (get_magic_quotes_gpc() != 0) {
        if (is_array($value))
            if (array_is_associative($value)) {
                foreach ($value as $k => $v)
                    $tmp_val[$k] = stripslashes($v);
                $value = $tmp_val;
            }
        else
            for ($j = 0; $j < sizeof($value); $j++)
                $value[$j] = stripslashes($value[$j]);
    }
    else
        $value = stripslashes($value);
    }
    return $value;
}

function array_is_associative($array) {
    if (is_array($array) && !empty($array)) {
        for ($iterator = count($array) - 1; $iterator; $iterator--) {
            if (!array_key_exists($iterator, $array)) {
                return true;
            }
        }
        return !array_key_exists(0, $array);
    }
    return false;
}

```

```

function numbertotext($number) {
    if (($number < 0) || ($number > 999999999)) {
        throw new Exception("Number is out of range");
    }

    $Gn = floor($number / 1000000); /* Millions (giga) */
    $number -= $Gn * 1000000;
    $kn = floor($number / 1000); /* Thousands (kilo) */
    $number -= $kn * 1000;
    $Hn = floor($number / 100); /* Hundreds (hecto) */
    $number -= $Hn * 100;
    $Dn = floor($number / 10); /* Tens (deca) */
    $n = $number % 10; /* Ones */

    $res = "";

    if ($Gn) {
        $res .= numbertotext($Gn) . " Million";
    }

    if ($kn) {
        $res .= (empty($res) ? "" : " ") .
            numbertotext($kn) . " Thousand";
    }

    if ($Hn) {
        $res .= (empty($res) ? "" : " ") .
            numbertotext($Hn) . " Hundred";
    }

    $ones = array("", "One", "Two", "Three", "Four", "Five", "Six",
        "Seven", "Eight", "Nine", "Ten", "Eleven", "Twelve", "Thirteen",
        "Fourteen", "Fifteen", "Sixteen", "Seventeen", "Eighteen",
        "Nineteen");
    $tens = array("", "", "Twenty", "Thirty", "Fourty", "Fifty", "Sixty",
        "Seventy", "Eigthy", "Ninety");

    if ($Dn || $n) {
        if (!empty($res)) {
            $res .= " and ";
        }

        if ($Dn < 2) {
            $res .= $ones[$Dn * 10 + $n];
        } else {
            $res .= $tens[$Dn];

            if ($n) {
                $res .= "-" . $ones[$n];
            }
        }
    }

    if (empty($res)) {
        $res = "zero";
    }
}

```

```

        return $res;
    }

function xml2array($contents, $get_attributes = 1, $priority = 'tag') {
    if (!$contents)
        return array();

    if (!function_exists('xml_parser_create')) {
        //print "'xml_parser_create()' function not found!";
        return array();
    }

    //Get the XML parser of PHP - PHP must have this module for the parser to work
    $parser = xml_parser_create("");
    xml_parser_set_option($parser, XML_OPTION_TARGET_ENCODING, "UTF-8"); #
http://minutillo.com/steve/weblog/2004/6/17/php-xml-and-character-encodings-a-tale-of-sadness-rage-and-data-loss
    xml_parser_set_option($parser, XML_OPTION_CASE_FOLDING, 0);
    xml_parser_set_option($parser, XML_OPTION_SKIP_WHITE, 1);
    xml_parse_into_struct($parser, trim($contents), $xml_values);
    xml_parser_free($parser);

    if (!$xml_values)
        return; //Hmm...

//Initializations
$xml_array = array();
$parents = array();
$opened_tags = array();
$arr = array();

$current = &$xml_array; //Reference
//Go through the tags.
$repeated_tag_index = array(); //Multiple tags with same name will be turned into an
array
foreach ($xml_values as $data) {
    unset($attributes, $value); //Remove existing values, or there will be trouble
    //This command will extract these variables into the foreach scope
    // tag(string), type(string), level(int), attributes(array).
    extract($data); //We could use the array by itself, but this cooler.

    $result = array();
    $attributes_data = array();

    if (isset($value)) {
        if ($priority == 'tag')
            $result = $value;
        else
            $result['value'] = $value; //Put the value in a assoc array if we are in the
'Attribute' mode
    }

    //Set the attributes too.
    if (isset($attributes) and $get_attributes) {

```

```

foreach ($attributes as $attr => $val) {
    if ($priority == 'tag')
        $attributes_data[$attr] = $val;
    else
        $result['attr'][$attr] = $val; //Set all the attributes in a array called 'attr'
}
}

//See tag status and do the needed.
if ($type == "open") {//The starting of the tag '<tag>' 
    $parent[$level - 1] = &$current;
    if (!is_array($current) or (!in_array($tag, array_keys($current)))) { //Insert
New tag
    $current[$tag] = $result;
    if ($attributes_data)
        $current[$tag . '_attr'] = $attributes_data;
    $repeated_tag_index[$tag . '_' . $level] = 1;

    $current = &$current[$tag];
} else { //There was another element with the same tag name
    if (isset($current[$tag][0])) {//If there is a 0th element it is already an array
        $current[$tag][$repeated_tag_index[$tag . '_' . $level]] = $result;
        $repeated_tag_index[$tag . '_' . $level]++;
    } else {//This section will make the value an array if multiple tags with the
same name appear together
        $current[$tag] = array($current[$tag], $result); //This will combine the
existing item and the new item together to make an array
        $repeated_tag_index[$tag . '_' . $level] = 2;

        if (isset($current[$tag . '_attr'])) { //The attribute of the last(0th) tag
must be moved as well
            $current[$tag]['0_attr'] = $current[$tag . '_attr'];
            unset($current[$tag . '_attr']);
        }
    }
    $last_item_index = $repeated_tag_index[$tag . '_' . $level] - 1;
    $current = &$current[$tag][$last_item_index];
}
} elseif ($type == "complete") { //Tags that ends in 1 line '<tag />' 
//See if the key is already taken.
if (!isset($current[$tag])) { //New Key
    $current[$tag] = $result;
    $repeated_tag_index[$tag . '_' . $level] = 1;
    if ($priority == 'tag' and $attributes_data)
        $current[$tag . '_attr'] = $attributes_data;
} else { //If taken, put all things inside a list(array)
    if (isset($current[$tag][0]) and is_array($current[$tag])) {//If it is already
an array...
        // ...push the new element into that array.
        $current[$tag][$repeated_tag_index[$tag . '_' . $level]] = $result;

        if ($priority == 'tag' and $get_attributes and $attributes_data) {
            $current[$tag][$repeated_tag_index[$tag . '_' . $level] . '_attr'] =
$attributes_data;
        }
        $repeated_tag_index[$tag . '_' . $level]++;
    } else { //If it is not an array...

```

```

        $current[$tag] = array($current[$tag], $result); //...Make it an array
using using the existing value and the new value
        $repeated_tag_index[$tag . '_' . $level] = 1;
        if ($priority == 'tag' and $get_attributes) {
            if (isset($current[$tag . '_attr'])) { //The attribute of the last(0th) tag
must be moved as well
                $current[$tag]['0_attr'] = $current[$tag . '_attr'];
                unset($current[$tag . '_attr']);
            }

            if ($attributes_data) {
                $current[$tag][$repeated_tag_index[$tag . '_' . $level] . '_attr'] =
$attributes_data;
            }
        }
        $repeated_tag_index[$tag . '_' . $level]++;
//0 and 1 index is already
taken
    }
}
} elseif ($type == 'close') { //End of tag '</tag>'
    $current = &$parent[$level - 1];
}
}

return($xml_array);
}

```

[2] Resize-Class:-

```

<?php
Class resize
{
    // *** Class variables
    private $image;
    private $width;
    private $height;
    private $imageResized;

    function __construct($fileName)
    {
        // *** Open up the file
        $this->image = $this->openImage($fileName);

        // *** Get width and height
        $this->width = imagesx($this->image);
        $this->height = imagesy($this->image);
    }

    # # -----
    private function openImage($file)

```

```

{
    // *** Get extension
    $extension = strtolower(strrchr($file, '.'));

    switch($extension)
    {
        case '.jpg':
        case '.jpeg':
            $img = @imagecreatefromjpeg($file);
            break;
        case '.gif':
            $img = @imagecreatefromgif($file);
            break;
        case '.png':
            $img = @imagecreatefrompng($file);
            break;
        default:
            $img = false;
            break;
    }
    return $img;
}

## ----

public function resizeImage($newWidth, $newHeight,
$option="auto")
{
    // *** Get optimal width and height - based on $option
    $optionArray = $this->getDimensions($newWidth,
$newHeight, $option);

    $optimalWidth = $optionArray['optimalWidth'];
    $optimalHeight = $optionArray['optimalHeight'];

    // *** Resample - create image canvas of x, y size
    $this->imageResized =
imagecreatetruecolor($optimalWidth, $optimalHeight);
    imagecopyresampled($this->imageResized, $this->image,
0, 0, 0, 0, $optimalWidth, $optimalHeight, $this->width, $this->height);

    // *** if option is 'crop', then crop too
    if ($option == 'crop') {
        $this->crop($optimalWidth, $optimalHeight,
$newWidth, $newHeight);
    }
}

## ----

private function getDimensions($newWidth, $newHeight, $option)
{
    switch ($option)
    {

```

```

        case 'exact':
            $optimalWidth = $newWidth;
            $optimalHeight= $newHeight;
            break;
        case 'portrait':
            $optimalWidth = $this-
>getSizeByFixedHeight($newHeight);
            $optimalHeight= $newHeight;
            break;
        case 'landscape':
            $optimalWidth = $newWidth;
            $optimalHeight= $this-
>getSizeByFixedWidth($newWidth);
            break;
        case 'auto':
            $optionArray = $this-
>getSizeByAuto($newWidth, $newHeight);
            $optimalWidth =
$optionArray['optimalWidth'];
            $optimalHeight =
$optionArray['optimalHeight'];
            break;
        case 'crop':
            $optionArray = $this-
>getOptimalCrop($newWidth, $newHeight);
            $optimalWidth =
$optionArray['optimalWidth'];
            $optimalHeight =
$optionArray['optimalHeight'];
            break;
    }
    return array('optimalWidth' => $optimalWidth,
'optimalHeight' => $optimalHeight);
}
## -----
private function getSizeByFixedHeight($newHeight)
{
    $ratio = $this->width / $this->height;
    $newWidth = $newHeight * $ratio;
    return $newWidth;
}

private function getSizeByFixedWidth($newWidth)
{
    $ratio = $this->height / $this->width;
    $newHeight = $newWidth * $ratio;
    return $newHeight;
}

private function getSizeByAuto($newWidth, $newHeight)
{
    if ($this->height < $this->width)
// *** Image to be resized is wider (landscape)
{
    $optimalWidth = $newWidth;
}

```

```

                $optimalHeight= $this-
>getSizeByFixedWidth($newWidth);
        }
        elseif ($this->height > $this->width)
        // *** Image to be resized is taller (portrait)
        {
            $optimalWidth = $this-
>getSizeByFixedHeight($newHeight);
            $optimalHeight= $newHeight;
        }
        else
        // *** Image to be resizerd is a square
        {
            if ($newHeight < $newWidth) {
                $optimalWidth = $newWidth;
                $optimalHeight= $this-
>getSizeByFixedWidth($newWidth);
            } else if ($newHeight > $newWidth) {
                $optimalWidth = $this-
>getSizeByFixedHeight($newHeight);
                $optimalHeight= $newHeight;
            } else {
                // *** Sqaure being resized to a square
                $optimalWidth = $newWidth;
                $optimalHeight= $newHeight;
            }
        }

        return array('optimalWidth' => $optimalWidth,
'optimalHeight' => $optimalHeight);
    }

    # # -----
private function getOptimalCrop($newWidth, $newHeight)
{
    $heightRatio = $this->height / $newHeight;
    $widthRatio = $this->width / $newWidth;

    if ($heightRatio < $widthRatio) {
        $optimalRatio = $heightRatio;
    } else {
        $optimalRatio = $widthRatio;
    }

    $optimalHeight = $this->height / $optimalRatio;
    $optimalWidth = $this->width / $optimalRatio;

    return array('optimalWidth' => $optimalWidth,
'optimalHeight' => $optimalHeight);
}

    # # -----
private function crop($optimalWidth, $optimalHeight, $newWidth,
$newHeight)

```

```

{
    // *** Find center - this will be used for the crop
    $cropStartX = ( $optimalWidth / 2 ) - ( $newWidth /2 );
    $cropStartY = ( $optimalHeight/ 2 ) - ( $newHeight/2 );

    $crop = $this->imageResized;
    //imagedestroy($this->imageResized);

    // *** Now crop from center to exact requested size
    $this->imageResized = imagecreatetruecolor($newWidth ,
    $newHeight);
        imagecopyresampled($this->imageResized, $crop , 0, 0,
    $cropStartX, $cropStartY, $newWidth, $newHeight , $newWidth, $newHeight);
}

## ----

public function saveImage($savePath, $imageQuality="100")
{
    $extension = strrchr($savePath, '.');
    $extension = strtolower($extension);

    switch($extension)
    {
        case '.jpg':
        case '.jpeg':
            if (imagetypes() & IMG_JPG) {
                imagejpeg($this->imageResized,
$savePath, $imageQuality);
            }
            break;

        case '.gif':
            if (imagetypes() & IMG_GIF) {
                imagegif($this->imageResized,
$savePath);
            }
            break;

        case '.png':
            $scaleQuality = round((($imageQuality/100)

                $invertScaleQuality = 9 - $scaleQuality;

            if (imagetypes() & IMG_PNG) {
                imagepng($this->imageResized,
$savePath, $invertScaleQuality);
            }
            break;

        default:
            break;
    }
    imagedestroy($this->imageResized);
}

##-----

```

```
?> }
```

[3] Simple-Image:-

```
<?php

class SimpleImage {

    var $image;
    var $image_type;

    function load($filename) {
        $image_info = getimagesize($filename);
        $this->image_type = $image_info[2];
        if ($this->image_type == IMAGETYPE_JPEG) {
            $this->image = imagecreatefromjpeg($filename);
        } elseif ($this->image_type == IMAGETYPE_GIF) {
            $this->image = imagecreatefromgif($filename);
        } elseif ($this->image_type == IMAGETYPE_PNG) {
            $this->image = imagecreatefrompng($filename);
        }
    }

    function save($filename, $image_type=IMAGETYPE_JPEG, $compression=75,
    $permissions=null) {
        if ($image_type == IMAGETYPE_JPEG) {
            imagejpeg($this->image, $filename, $compression);
        } elseif ($image_type == IMAGETYPE_GIF) {
            imagegif($this->image, $filename);
        } elseif ($image_type == IMAGETYPE_PNG) {
            imagepng($this->image, $filename);
        } if ($permissions != null) {
            chmod($filename, $permissions);
        }
    }

    function output($image_type=IMAGETYPE_JPEG) {
        if ($image_type == IMAGETYPE_JPEG) {
            imagejpeg($this->image);
        } elseif ($image_type == IMAGETYPE_GIF) {
            imagegif($this->image);
        } elseif ($image_type == IMAGETYPE_PNG) {
            imagepng($this->image);
        }
    }

    function getWidth() {
        return imagesx($this->image);
    }
}
```

```
function getHeight() {
    return imagesy($this->image);
}

function resizeToHeight($height) {
    $ratio = $height / $this->getHeight();
    $width = $this->getWidth() * $ratio;
    $this->resize($width, $height);
}

function resizeToWidth($width) {
    $ratio = $width / $this->getWidth();
    $height = $this->getheight() * $ratio;
    $this->resize($width, $height);
}

function scale($scale) {
    $width = $this->getWidth() * $scale / 100;
    $height = $this->getheight() * $scale / 100;
    $this->resize($width, $height);
}

function resize($width, $height) {
    $new_image = imagecreatetruecolor($width, $height);
    imagecopyresampled($new_image, $this->image, 0, 0, 0, 0, $width, $height,
$this->getWidth(), $this->getHeight());
    $this->image = $new_image;
}

?>
```

❖ Client Side :~

[1] Index: ~

```
<?php
    include('bluetech/connection.php');
    include('bluetech/resize-class.php');
    include('bluetech/SimpleImage.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>NEWS PORTAL</title>
<meta name="keywords" content="News Layout, free css template, free website, CSS,
HTML" />
<meta name="description" content="News Website Layout - free HTML CSS template
provided by templatemo.com" />
<link href="css/templatemo_style.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/tabcontent.css" />
<link rel="stylesheet" href="css/img-polaroid.css" type="text/css"/>
<link rel="stylesheet" href="css/grid-12.css" type="text/css" />
<link rel="stylesheet" href="css/style5.css" type="text/css" />

<script type="text/javascript" src="js/tabcontent.js">
</script>
</head>
<body>
<div id="templatemo_container">

    <div id="templatemo_top_panel">
        <div id="templatemo_sitetitle">
            NEWS PORTAL
        </div>
        <div id="templatemo_searchbox">
            <form action="#" method="get">
                <br />
                <input type="text" name="q" size="10" id="searchfield" title="searchfield" />
                <input type="submit" name="Search" value="Search" alt="Search"
id="searchbutton" title="Search" />
            </form>
        </div>
        <div id="templatemo_currentdate">
            <script type="text/javascript">
                <!--
                    var m_names = new Array("January", "February", "March",
"April", "May", "June", "July", "August", "September", "October", "November",
"December");
                    var d_names = new Array("Sunday", "Monday", "Tuesday",
"Wednesday", "Thursday", "Friday", "Saturday");
                -->
            </script>
        </div>
    </div>
</body>
```

```

    "Wednesday", "Thursday", "Friday", "Saturday");

        var currentTime = new Date()
        var day = currentTime.getDay()
        var month = currentTime.getMonth() + 1
        var date = currentTime.getDate()
        var year = currentTime.getFullYear()
        document.write( d_names[day] + ", " + date + " " +
m_names[month] + " " + year + ", ")

        var currentTime = new Date()
        var hours = currentTime.getHours()
        var minutes = currentTime.getMinutes()
        if (minutes < 10){
            minutes = "0" + minutes
        }
        document.write(hours + ":" + minutes + " ")
        if(hours > 11){
            document.write("PM")
        } else {
            document.write("AM")
        }
        //-->
    </script>
</div>
</div> <!-- end of top panel -->

<div id="templatemo_menu">
<ul>
    <li><a href="index.php?p=home" class="<?php if($_GET['p']=='" || 
$_GET['p']=='home') {echo "current"; }?>">Home</a></li>
    <li><a href="index.php?p=about" class="<?php if($_GET['p']=='about') {echo 
"current"; }?>">About Us</a></li>
    <li><a href="index.php?p=dailynews" class="<?php 
if($_GET['p']=='dailynews') {echo "current"; }?>">Daily News</a></li>
    <li><a href="index.php?p=news&type=Sports" class="<?php 
if($_GET['p']=='sports') {echo "current"; }?>">Sports</a></li>
    <li><a href="index.php?p=news&type=Bussiness" class="<?php 
if($_GET['p']=='bussiness') {echo "current"; }?>">Business</a></li>
    <li><a href="index.php?p=news&type=Politics" class="<?php 
if($_GET['p']=='politics') {echo "current"; }?>">Politics</a></li>
    <li><a href="index.php?p=news&type=Entertainment" class="<?php 
if($_GET['p']=='entertainment') {echo "current"; }?>">Entertainment</a></li>
    <li><a href="index.php?p=news&type=Technology" class="<?php 
if($_GET['p']=='techno') {echo "current"; }?>">Technology & Science</a></li>
    <li><a href="index.php?p=contact" class="<?php if($_GET['p']=='contact') 
{echo "current"; }?>">Contact</a></li>
</ul>
</div>
<div id="templatemo_content">
<div style="margin:5px 0;"></div>

<?php include('slider.php')?>

<?php
    if(file_exists($_GET['p'].'.php')) && $_GET['p']

```

```

        {
            include($_GET['p'].'.php');
        }
        else
        {
            include('home.php');
        }
    ?>

<div id="templatemo_main_rightcol">
    <div class="templatemo_rcol_sectionwithborder">
        <div id="templatemo_blog_section">
            <h2>Get In Touch</h2>
            <p>&nbsp;
                <?php if(isset($_GET['akw'])) {print "<h2>".$_GET['akw'];} ?>
            </p>
            <div class="blog_box" style="">
                <form name="form1" action="mail.php" enctype="multipart/form-data" method="post">
                    <div style="margin:5px 0;"><input type="text" name="name" placeholder="Name"/></div>
                    <div style="margin:5px 0;"><input type="text" name="mobile" placeholder="Mobile No"/></div>
                    <div style="margin:5px 0;"><input type="text" name="email" placeholder="Email Address"/></div>
                    <div style="margin:5px 0;"><textarea name="message" placeholder="Type Your Message Here....."></textarea></div>
                    <div style="margin:5px 0;"><button type="submit" name="submit">Send</button>
                        <button type="reset" name="reset">Clear</button>
                    </div>
                </form>
            </div>
        </div>
    </div>

    <div class="templatemo_rcol_sectionwithborder">
        <div id="templatemo_blog_section">
            <h2>Today's Image</h2>
            <div class="blog_box">
                <?php
                    $q1 = "select * from todayimage";
                    $sql1 = mysql_query($q1);
                    while($r1 = mysql_fetch_assoc($sql1))
                    {
                        $resizeObj = new resize('bluetech/files/' . $r1['image']);

                        // *** 2) Resize image (options: exact, portrait, landscape, auto, crop)
                        $resizeObj->resizeImage(84, 84, 'exact');
                        //
                        // *** 3) Save image
                        $resizeObj->saveImage('bluetech/files/' . 'thumbgal'. $r1['image'],
                    }
                </div>
            </div>
        </div>
    </div>

```



```

<style>
.inquiry{
    margin: 0px;
}
label{
    color: #000;
    font-family: verdana;
}
select,input{
    width: 100%;
    height: 28px;
    border-radius: 3px;
    border: 1px solid #ababab;
    box-shadow: inset 2px 2px 5px #aeaeae;
    padding-left: 5px;
}
textarea{
    width: 100%;
    height: 80px;
    border-radius: 3px;
    border: 1px solid #ababab;
    box-shadow: inset 2px 2px 5px #aeaeae;
    padding-left: 5px;
    resize:none;
}
</style>

</body>
</html>

```

[2] About Us: ~

```

<div id="templatemo_main_leftcol"><!-- end of left column -->
    <div style="width:94%; font-size:14px; text-align:justify;">
        <?php
        $q="select * from page where name='About Us'";
        $sql=mysql_query($q);
        $r=mysql_fetch_assoc($sql);
        echo $r['detail'];
        ?>

        <div class="clearfix"></div>
    </div>
</div>

```

[3] Contact Us: ~

```
<div id="templatemo_main_leftcol">
    <div id="templatemo_topnews"></div>
    <div style="">
        <style>
            .border{border:solid 3px #000; border-radius:10px; margin-bottom:20px;}
        </style>
        </div>
        <div class="clearfix"></div>
        <div style="font-size:12px;">
            <table width="200" border="0">
                <tr>
                    <td>&nbsp;
                        <div style="float:left; width:90%; padding:5px; border-right:2px">
                            <p>
                                <center></center>
                                Shailesh K. Limbadiya<br />
                                MCA SEM-5<sup>th</sup>(2014-15)<br />
                                7698861788<br />
                                Software & Web Developer & Network Security.<br />
                                sk.limbadiyashialesh.1010@Gmail.com
                            </p>
                        </div>
                    </td>
                    <td>&nbsp;
                        <div style="float:left; width:90%; padding:5px; border-right:2px">
                            <p>
                                <center></center>
                                Dharmendra D. Meniya<br />
                                MCA SEM-5<sup>th</sup>(2014-15)<br />
                                9913878203<br />
                                Software & Web Developer.<br />
                                sk.limbadiyashialesh.1010@Gmail.com
                            </p>
                        </div>
                        <br />
                    </td>
                </tr>
                <tr>
                    <td>&nbsp;
                        <div style="float:left; width:90%; padding:5px;">
                            <center></center>
                            Vivek S. Mishra<br />
                            MCA SEM-5<sup>th</sup>(2014-15)<br />
                            9427441500<br />
                            Software & Web Developer & Network Security.<br />
                            vivmishra47@Gmail.com
                        </div>
                    </td>
                    <td>&nbsp;
```

```

<div style="float:left; width:90%; padding:5px;">
<p>
    <center></center>
    Kuntal H. Vagadiya<br />
    MCA SEM-5<sup>th</sup>(2014-15)<br />
    9016753065<br />
    Web Designing.<br />
    sk.limbadiyashialesh.1010@Gmail.com
</p>
</div>
</td>

</tr>
</table>
</div>
</div>

```

[4]Daily News: ~

```

<script type="text/javascript" src="js/jquery-1.5.min.js"></script>
<script type="text/javascript" src="js/jquery.jcarousel.js"></script>
<script type="text/javascript" src="js/newscarousel.js"></script>
    <div id="templatemo_main_leftcol">
        <h2>Dailly News</h2>
        <div id="news">
            <div id="scroll">
                <a href="#" id="newslist-prev" class="jbutton"></a> <a href="#" id="newslist-
next" class="jbutton"></a>
            </div>
            <div class="clearfix"></div>
            <div id="newslist">
                <ul>
                    <?php
                        $q="select * from news ORDER BY id DESC";
                        $sql=mysql_query($q);
                        while($r=mysql_fetch_assoc($sql))
                        {
                            ?>
                            <!-- Begin Entry Heading 1 -->
                            <li style="width:94%;">
                                <a href="index.php?p=newsdetails&id=<?php echo $r['id'];?>">
                                    
                                    <h4 class="title"><?php echo $r['headline'];?></h4></a>
                                    <p><?php echo $r['details'];?>
                                    &nbsp;&nbsp;&nbsp;
                                    <a href="index.php?p=newsdetails&id=<?php echo $r['id'];?>">
                                        class="more">Continue Reading &raquo;</a></p>
                            </li>
                    <?php } ?>

```

```

        </ul>
    </div>
    <div class="clearfix"></div>
</div>
</div>

```

[5] Gallery: ~

```

<link rel="stylesheet" href="css/vlightbox1.css" type="text/css" />
<link rel="stylesheet" href="css/visuallightbox.css" type="text/css" media="screen" />

<script src="js/visuallightbox.js" type="text/javascript"></script>

<div id="templatemo_main_leftcol">

<div id="rt-transition" class="rt-hidden">
    <div id="rt-showcase" class="showcasepanel-overlay-dark">
        <div id="rt-showcase2" class="showcasepanel-pattern-denim">
            <div id="rt-showcase3" class="showcasepanel-accentoverlay-dark">
                <div class="rt-container">
                    <h3 class="title">Our Photo Gallery</h3>
                    <div class="clear"></div>
                </div>
            </div></div></div>

            <div id="rt-feature" class="featurepanel-overlay-light">
                <div id="rt-feature2">
                    <div id="rt-feature3" class="featurepanel-accentoverlay-dark">
                        <div id="rt-feature4" class="featurepanel-pattern-textile">
                            <div class="rt-container">

<div id="vlightbox1" align="center">
<?php
    $q="select * from todayimage";
    $sql=mysql_query($q);
    while($r=mysql_fetch_assoc($sql))
    {

        $resizeObj = new resize('bluetech/files/' . $r['image']);
        $resizeObj->resizeImage(200, 180, 'exact');
        $resizeObj->saveImage('bluetech/files/' . 'smallgal'. $r['image'],
100);

    ?>
    <a class="vlightbox1" href="bluetech/files/<?php echo $r['image']; ?>" title="">
        
    </a>
<?php } ?>

```

```

</div>

<div class="clear"></div>
    </div>
</div></div></div></div> <div id="rt-main-container"
class="body-overlay-light">
    <div id="rt-body-surround" class="body-
accentoverlay-dark"></div>
    </div>
</div>

</div>
<!--&lt;script type='text/javascript' src='js/thickbox.js?ver=3.1-20121105'&gt;&lt;/script&gt;
--&gt; &lt;script src="js/vlbdatal.js" type="text/javascript"&gt;&lt;/script&gt;

&lt;style&gt;
#rq { list-style:none; padding:5px; }
#rq li{ margin-bottom:5px; }
.rq-ticket #rq a { color:#5DACC3; font-weight:bold; }
.rq-ticket #rq p a { font-weight:normal; color:#2C6B87; }
.rq-ticket #rq p a:hover { border:0; }
.rq-ticket #rq small { font-size:11px; display:block; font-weight:bold; }
&lt;/style&gt;
&lt;script&gt;
$(function(){ $('#rq .gbutton').click(function(){
    if (this.open_p){
        this.className = 'gbutton';
        $('p', this.parentNode).slideUp(200);
    } else {
        this.className = 'gbutton-open';
        $('p', this.parentNode).slideDown(200);
    }
    this.open_p = !(this.open_p);
});});</pre>

```

[6] Home: ~

```

<link rel="stylesheet" type="text/css" href="css/style_common.css" />
<link rel="stylesheet" type="text/css" href="css/style7.css" />

<script type="text/javascript">
$(document).ready(function() {
/*
 * Simple image gallery. Uses default settings
 */
$('.fancybox').fancybox();
```

```

/*
 * Different effects
 */

// Change title type, overlay closing speed
$(".fancybox-effects-a").fancybox({
    helpers: {
        title : {
            type : 'outside'
        },
        overlay : {
            speedOut : 0
        }
    }
});

// Disable opening and closing animations, change title type
$(".fancybox-effects-b").fancybox({
    openEffect  : 'none',
    closeEffect : 'none',

    helpers : {
        title : {
            type : 'over'
        }
    }
});

// Set custom style, close if clicked, change title type and overlay
color
$(".fancybox-effects-c").fancybox({
    wrapCSS   : 'fancybox-custom',
    closeClick : true,

    openEffect : 'none',

    helpers : {
        title : {
            type : 'inside'
        },
        overlay : {
            css : {
                'background' :
'rgba(238,238,238,0.85)'
            }
        }
    }
});

// Remove padding, set opening and closing animations, close if
clicked and disable overlay
$(".fancybox-effects-d").fancybox({
    padding: 0,

    openEffect : 'elastic',
    openSpeed : 150,

```

```

        closeEffect : 'elastic',
        closeSpeed : 150,
        closeClick : true,
        helpers : {
            overlay : null
        }
    });
$('.fancybox-buttons').fancybox({
    openEffect : 'none',
    closeEffect : 'none',
    prevEffect : 'none',
    nextEffect : 'none',
    closeBtn : false,
    helpers : {
        title : {
            type : 'inside'
        },
        buttons : {}
    },
    afterLoad : function() {
        this.title = 'Image ' + (this.index + 1) + ' of ' +
this.group.length + (this.title ? ' - ' + this.title : '');
    }
});
$('.fancybox-thumbs').fancybox({
    prevEffect : 'none',
    nextEffect : 'none',
    closeBtn : false,
    arrows : false,
    nextClick : true,
    helpers : {
        thumbs : {
            width : 50,
            height : 50
        }
    }
});
$('.fancybox-media')
    .attr('rel', 'media-gallery')
    .fancybox({
        openEffect : 'none',
        closeEffect : 'none',
        prevEffect : 'none',
        nextEffect : 'none',
        arrows : false,
        helpers : {
            media : {}
        }
    })

```

```

                buttons : {}
            });
        });
        $("#fancybox-manual-a").click(function() {
            $.fancybox.open('1_b.jpg');
        });

        $("#fancybox-manual-b").click(function() {
            $.fancybox.open({
                href : 'iframe.html',
                type : 'iframe',
                padding : 5
            });
        });

        $("#fancybox-manual-c").click(function() {
            $.fancybox.open([
                {
                    href : '1_b.jpg',
                    title : 'My title'
                },
                {
                    href : '2_b.jpg',
                    title : '2nd title'
                },
                {
                    href : '3_b.jpg'
                }
            ], {
                helpers : {
                    thumbs : {
                        width: 75,
                        height: 50
                    }
                }
            });
        });

    });

```

</script>

```

<style type="text/css">
    .fancybox-custom .fancybox-skin {
        box-shadow: 0 0 50px #222;
    }
</style>
<div id="templatemo_main_leftcol">
    <div class="span3 view view-seventh">
        
        <div class="mask" style=" background:url(images/news_home.jpg);">
            <h2>Daily News</h2>
            <p>&nbsp;</p>
            <a class="fancybox-buttons info" data-fancybox-group="button"
               href="index.php?p=dailynews">View</a>
        </div>
    </div>
    <div class="span3 view view-seventh">
        
        <div class="mask" style=" background:url(images/sport_home.jpg);">

```

```

<h2>Sports</h2>
    <p>&nbsp;</p>
    <a class="fancybox-buttons info" data-fancybox-group="button"
        href="index.php?p=news&type=Sports">View</a>
    </div>
</div>
<div class="span3 view view-seventh">
    
    <div class="mask" style=" background:url(images/business_home.jpg);">
        <h2>Bussiness</h2>
        <p>&nbsp;</p>
        <a class="fancybox-buttons info" data-fancybox-group="button"
            href="index.php?p=news&type=Bussiness">View</a>
        </div>
    </div>
<div class="span3 view view-seventh">
    
    <div class="mask" style=" background:url(images/political_home.jpg);">
        <h2>Politics</h2>
        <p>&nbsp;</p>
        <a class="fancybox-buttons info" data-fancybox-group="button"
            href="index.php?p=news&type=Politics">View</a>
        </div>
    </div>
<div class="span3 view view-seventh">
    
    <div class="mask" style=
background:url(images/entertainment_home.jpg);>
        <h2>Entertainment</h2>
        <p>&nbsp;</p>
        <a class="fancybox-buttons info" data-fancybox-group="button"
            href="index.php?p=news&type=Entertainment">View</a>
        </div>
    </div>
<div class="span3 view view-seventh">
    
    <div class="mask" style=" background:url(images/science_home.jpg);">
        <h2>Science & Technology</h2>
        <p>&nbsp;</p>
        <a class="fancybox-buttons info" data-fancybox-group="button"
            href="index.php?p=news&type=Technology">View</a>
        </div>
    </div>
</div>

```

[7] Mail: ~

```
<?php
echo "Hi...";

$name=$_POST['name'];
$mobile_no=$_POST['mobile'];
$email=$_POST['email'];
$message=$_POST['message'];
echo"Hello";
echo"<br>".$name;
echo"<br>".$mobile_no;
echo"<br>".$email;
echo"<br>".$message;
$cn=mysql_connect("localhost","root","");
$db=mysql_select_db("news_portal",$cn);
echo"Connected";
$query=mysql_query("insert into mail
values('".$name."','".$mobile_no."','".$email."','".$message."')");
if($query)
    //echo "Inserted";
    header("location:index.php?akw=Message sent.");
else
    echo "Not Inserted";
?>
```

[8] News: ~

```
<div id="templatemo_main_leftcol">
<h3>Category : <?php echo $r['type']; ?> News</h3>
<hr />
<?php
    $q="select * from news where type='".$_GET['type']."' ORDER BY id
DESC";
    $sql=mysql_query($q);
    while($r=mysql_fetch_assoc($sql))
    {
        $resizeObj = new resize('bluetech/files/' . $r['image']);

        // *** 2) Resize image (options: exact, portrait,
landscape, auto, crop)
        $resizeObj->resizeImage(150, 150, 'exact');
        //
        // *** 3) Save image
        $resizeObj->saveImage('bluetech/files/' . 'news' . $r['image'], 100);

    }
?>
<div class="rt-container" style="margin-top:25px;">
    <div class="rt-grid-2">
```

```

        
    </div>
    <div class="rt-grid-5 rt-push-1">
        <h2 style="border-bottom:dashed 1px #000;"><a
href="index.php?p=newsdetails&id=<?php echo $r['id'];?>"> <?php echo
$r['headline']; ?></a></h2>

        <span><?php echo $r['date'];?></span>
        <div style="height:120px; border-bottom:1px dotted #000; font-size:14px;
padding:5px; overflow:hidden; line-height:19px;">
            <p align="justify">

                <?php echo $r['details']; ?>j
            </p>
        </div>
        <a href="index.php?p=newsdetails&id=<?php echo $r['id'];?>" style="font-
size:14px;">Read More</a>
    </div>
</div>
<div style="clear:both; border-bottom: dashed 3px #000;"></div>
<?php }?>
</div>

```

[9] DetailNews: ~

```

<?php
    $q="select * from news where id="" . $_GET['id']. """;
    $sql=mysql_query($q);
    $r=mysql_fetch_assoc($sql);
    ?>
    <div id="templatemo_main_leftcol">
        <h3>News Details</h3>

        <div id="templatemo_topnews"></div>
        <div style="padding:10px;">
            
        </div>
        <h2><?php echo $r['headline'];?></h2>
        <div id="templatemo_topnews"></div>
        <span><?php echo $r['date'];?></span>
        <div style="text-align:justify; width:95%; font-size:14px; margin-
top:10px;"><?php echo $r['details']; ?></div>
    </div>

```

[10] Partnerlogo: ~

```
<script>
jQuery(document).ready(function ($) {
    var options = {
        $AutoPlay: true,
        $AutoPlaySteps: 1,
        $AutoPlayInterval: 0,
        $PauseOnHover: 1,
        $ArrowKeyNavigation: true,
        $SlideEasing: $JssorEasing$.EaseLinear,
        $SlideDuration: 3000,
        $MinDragOffsetToSlide: 20,
        $SlideWidth: 140,
        $SlideSpacing: 0,
        $DisplayPieces: 7,
        $ParkingPosition: 0,
        $UISearchMode: 1,
        $PlayOrientation: 1,
        $DragOrientation: 1
    };

    var jssor_slider1 = new $JssorSlider$("slider1_container", options);
    function ScaleSlider() {
        var bodyWidth = document.body.clientWidth;
        if (bodyWidth)
            jssor_slider1.$SetScaleWidth(Math.min(bodyWidth, 980));
        else
            window.setTimeout(ScaleSlider, 30);
    }

    ScaleSlider();

    if (!navigator.userAgent.match(/(iPhone|iPod|iPad|BlackBerry|IEMobile)/))
        $(window).bind('resize', ScaleSlider);
    }

});
</script>
<div id="slider1_container" style="position: relative; top: 0px; left: 0px; width: 980px; height: 100px; overflow: hidden; ">

    <!-- Loading Screen -->
    <div u="loading" style="position: absolute; top: 0px; left: 0px;">
        <div style="filter: alpha(opacity=70); opacity:0.7; position: absolute; display: block;
            background-color: #000; top: 0px; left: 0px; width: 100%;height:100%;">
        </div>
        <div style="position: absolute; display: block; background: url(img/loading.gif) no-repeat center center;
            top: 0px; left: 0px; width: 100%;height:100%;">
        </div>
    </div>
</div>
```

```

<!-- Slides Container -->
<div u="slides" style="cursor: move; position: absolute; left: 0px; top: 0px;
width: 980px; height: 100px; overflow: hidden;">
    <div></div>
    <div></div>
</div>
</div>

```

[11] Slider: ~

```

<!-- Caption Style -->
<style>
.ccaptionOrange, .captionBlack
{
    color: #fff;
    font-size: 20px;
    line-height: 30px;
    text-align: center;
    border-radius: 4px;
}
.ccaptionOrange
{
    background: #EB5100;
    background-color: rgba(235, 81, 0, 0.6);
}
.captionBlack
{
    font-size: 16px;
    background: #000;
    background-color: rgba(0, 0, 0, 0.4);
}

```

```

a.captionOrange, A.captionOrange:active, A.captionOrange:visited
{
    color: #ffffff;
    text-decoration: none;
}
a.captionOrange:hover
{
    color: #eb5100;
    text-decoration: underline;
    background-color: #eeeeee;
    background-color: rgba(238, 238, 238, 0.7);
}
.bricon
{
    background: url(..../img/browser-icons.png);
}
</style>
<!-- it works the same with all jquery version from 1.x to 2.x --&gt;
&lt;script type="text/javascript" src="js/jquery-1.9.1.min.js"&gt;&lt;/script&gt;
&lt;script type="text/javascript" src="js/jssor.core.js"&gt;&lt;/script&gt;
&lt;script type="text/javascript" src="js/jssor.utils.js"&gt;&lt;/script&gt;
&lt;script type="text/javascript" src="js/jssor.slider.js"&gt;&lt;/script&gt;
&lt;script&gt;

jQuery(document).ready(function ($) {
    var options = {
        $AutoPlay: true,
        $AutoPlaySteps: 1,
        $AutoPlayInterval: 4000,
        $PauseOnHover: 1,
        $ArrowKeyNavigation: true,
        $SlideDuration: 500,
        $MinDragOffsetToSlide: 20,
        $SlideSpacing: 0,
        $DisplayPieces: 1,
        $ParkingPosition: 0,
        $UISearchMode: 1,
        $PlayOrientation: 1,
        $DragOrientation: 3,
        $ArrowNavigatorOptions: {
            $Class: $JssorArrowNavigator$,
            $ChanceToShow: 1,
            $Steps: 1
        },
        $ThumbnailNavigatorOptions: {
            $Class: $JssorThumbnailNavigator$,
            $ChanceToShow: 2,
            $ActionMode: 1,
            $AutoCenter: 3,
            $Lanes: 1,
            $SpacingX: 3,
            $SpacingY: 3,
            $DisplayPieces: 9,
            $ParkingPosition: 260,
            $Orientation: 1,
            $DisableDrag: false
    }
});
</pre>

```

```

        }
    };

    var jssor_slider2 = new $JssorSlider$("slider2_container", options);

    function ScaleSlider() {
        var parentWidth = jssor_slider2.$Elmt.parentNode.clientWidth;
        if (parentWidth)
            jssor_slider2.$SetScaleWidth(Math.min(parentWidth, 975));
        else
            window.setTimeout(ScaleSlider, 30);
    }

    ScaleSlider();

    if (!navigator.userAgent.match(/(iPhone|iPod|iPad|BlackBerry|IEMobile)/))
        $(window).bind('resize', ScaleSlider);
    }
});

</script>
<div id="slider2_container" style="position: relative; top: 0px; left: 0px; width:975px; height: 300px; overflow: hidden; box-shadow:#000 0px 0px 5px 5px; border:5px solid #fff; margin:0px auto;">

    <!-- Loading Screen -->
    <div u="loading" style="position: absolute; top: 0px; left: 0px;">
        <div style="filter: alpha(opacity=70); opacity:0.7; position: absolute; display: block; background-color: #000000; top: 0px; left: 0px; width: 100%; height:100%;">
            </div>
            <div style="position: absolute; display: block; background: url(..//img/loading.gif) no-repeat center center; top: 0px; left: 0px; width: 100%;height:100%;">
                </div>
        </div>
    <!-- Slides Container -->
    <div u="slides" style="cursor: move; position: absolute; left: 0px; top: 0px; width: 995px; height: 300px; overflow: hidden;">

        <?php
            $sql="select * from banner where status='Yes'";
            $q=mysql_query($sql);
            while($r=mysql_fetch_assoc($q))
            {
                $resizeObj = new resize('bluetech/files/' . $r['image']);
                $resizeObj->resizeImage(600, 300, 'exact');
                $resizeObj->saveImage('bluetech/files/' . 'slide'. $r['image'], 100);
                $resizeObj = new resize('bluetech/files/' . $r['image']);
                $resizeObj->resizeImage(60, 30, 'exact');
                $resizeObj->saveImage('bluetech/files/' . 'thumb'. $r['image'], 100);
            }
        ?>

```

```

<div>
    " />
    " />
</div>
<?php } ?>

</div>

<!-- Arrow Navigator Skin Begin --&gt;
&lt;style&gt;
    .jssora02l, .jssora02r, .jssora02ldn, .jssora02rdn
    {
        position: absolute;
        cursor: pointer;
        display: block;
        background: url(img/a02.png) no-repeat;
        overflow:hidden;
    }
    .jssora02l { background-position: -3px -33px; }
    .jssora02r { background-position: -63px -33px; }
    .jssora02l:hover { background-position: -123px -33px; }
    .jssora02r:hover { background-position: -183px -33px; }
    .jssora02ldn { background-position: -243px -33px; }
    .jssora02rdn { background-position: -303px -33px; }
&lt;/style&gt;
<!-- Arrow Left --&gt;
&lt;span u="arrowleft" class="jssora02l" style="width: 55px; height: 55px; top: 123px; left: 8px;"&gt;
&lt;/span&gt;
<!-- Arrow Right --&gt;
&lt;span u="arrowright" class="jssora02r" style="width: 55px; height: 55px; top: 123px; right: 8px;"&gt;
&lt;/span&gt;
&lt;div u="thumbnavigator" class="jssort03" style="position: absolute; width: 995px; height: 60px; left:0px; bottom: 0px;"&gt;
    &lt;div style=" background-color: #000; filter:alpha(opacity=30); opacity:.3; width: 100%; height:100%;"&gt;&lt;/div&gt;
    &lt;style&gt;
        .jssort03 .w, .jssort03 .pav:hover .w
        {
            position: absolute;
            width: 60px;
            height: 30px;
            border: white 1px dashed;
        }
        * html .jssort03 .w
        {
            width /* */: 62px;
            height /* */: 32px;
        }
        .jssort03 .pdn .w, .jssort03 .pav .w { border-style: solid; }
        .jssort03 .c
        {
            width: 62px;
            height: 32px;
            filter: alpha(opacity=45);
        }
    &lt;/style&gt;
&lt;/div&gt;
</pre>

```

```

    opacity: .45;

    transition: opacity .6s;
    -moz-transition: opacity .6s;
    -webkit-transition: opacity .6s;
    -o-transition: opacity .6s;
}
.jssort03 .p:hover .c, .jssort03 .pav .c
{
    filter: alpha(opacity=0);
    opacity: 0;
}
.jssort03 .p:hover .c
{
    transition: none;
    -moz-transition: none;
    -webkit-transition: none;
    -o-transition: none;
}
</style>
<div u="slides" style="cursor: move;">
    <div u="prototype" class="p" style="POSITION: absolute; WIDTH: 62px;
HEIGHT: 32px; TOP: 0; LEFT: 0;">
        <div class=w><ThumbnailTemplate style=" WIDTH: 100%; HEIGHT:
100%; border: none;position:absolute; TOP: 0; LEFT:
0;"></ThumbnailTemplate></div>
        <div class=c style="POSITION: absolute; BACKGROUND-COLOR: #000;
TOP: 0; LEFT: 0">
            </div>
        </div>
    </div>
    <!-- Thumbnail Item Skin End -->
</div>
<!-- ThumbnailNavigator Skin End -->
<a style="display: none" href="http://www.jssor.com">content slider</a>
</div>

```

❖ Admin Side: ~

[1] Index: ~

```
<?php
ini_set( "display_errors", 0);
include 'connection.php';
if(!$_SESSION['udata']){
    header('Location:login.php');
}
if(isset($_GET['logout']))
if($_GET['logout']=='yes'){
    unset($_SESSION['udata']);
    header('Location:login.php');
}

?>
<!DOCTYPE html>
<html>
    <head>
        <title>
            News Portal-Bluetech
        </title>
        <link href="css/bootstrap.min.css" media="all" rel="stylesheet" type="text/css"
/>
        <link href="css/font-awesome.min.css" media="all" rel="stylesheet"
type="text/css" />
        <link href="css/se7en-font.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/isotope.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/jquery.fancybox.css" media="all" rel="stylesheet" type="text/css"
/>
        <link href="css/fullcalendar.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/wizard.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/select2.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/morris.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/datatables.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/datepicker.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/timepicker.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/colorpicker.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/bootstrap-switch.css" media="all" rel="stylesheet" type="text/css"
/>
        <link href="css/bootstrap-editable.css" media="all" rel="stylesheet"
type="text/css" />
        <link href="css/daterangepicker.css" media="all" rel="stylesheet" type="text/css"
/>
        <link href="css/typeahead.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/summernote.css" media="all" rel="stylesheet" type="text/css" />
        <link href="css/ladda-themeless.min.css" media="all" rel="stylesheet"
type="text/css" />
        <link href="css/social-buttons.css" media="all" rel="stylesheet" type="text/css"
/>
        <link href="css/pygments.css" media="all" rel="stylesheet" type="text/css" />
```

```

<link href="new/ckeditor/contents.css" media="all" rel="stylesheet"
type="text/css" />
<link href="css/style.css" media="all" rel="stylesheet" type="text/css" />
<link href="css/color/green.css" media="all" rel="alternate stylesheet"
title="green-theme" type="text/css" />
<link href="css/color/orange.css" media="all" rel="alternate stylesheet"
title="orange-theme" type="text/css" />
<link href="css/color/magenta.css" media="all" rel="alternate stylesheet"
title="magenta-theme" type="text/css" />
<link href="css/color/gray.css" media="all" rel="alternate stylesheet" title="gray-
theme" type="text/css" />
<link href="css/jquery.fileupload-ui.css" media="screen" rel="stylesheet"
type="text/css" />
<link href="css/dropzone.css" media="screen" rel="stylesheet" type="text/css" />
<script src="js/jquery-1.10.2.min.js" type="text/javascript"></script>
<script src="js/jquery-ui.js" type="text/javascript"></script>
<script src="js/bootstrap.min.js" type="text/javascript">
</script>
<script src="js/raphael.min.js" type="text/javascript">
</script>
<script src="js/selectivizr-min.js" type="text/javascript"></script>
<script src="js/jquery.mousewheel.js" type="text/javascript"></script>
<script src="js/jquery.vmap.min.js" type="text/javascript"></script>
<script src="js/jquery.vmap.sampledata.js" type="text/javascript"></script>
<script src="js/jquery.vmap.world.js" type="text/javascript"></script>
<script src="js/jquery.bootstrap.wizard.js" type="text/javascript"></script>
<script src="js/fullcalendar.min.js" type="text/javascript"></script>
<script src="js/gcal.js" type="text/javascript"></script>
<script src="js/jquery.dataTables.min.js" type="text/javascript"></script>
<script src="js/dataTables-editable.js" type="text/javascript"></script>
<script src="js/jquery.easy-pie-chart.js" type="text/javascript"></script>
<script src="js/excanvas.min.js" type="text/javascript"></script>
<script src="js/jquery.isotope.min.js" type="text/javascript"></script>
<script src="js/isotope_extras.js" type="text/javascript"></script>
<script src="js/modernizr.custom.js" type="text/javascript"></script>
<script src="js/jquery.fancybox.pack.js" type="text/javascript"></script>
<script src="js/select2.js" type="text/javascript"></script>
<script src="js/styleswitcher.js" type="text/javascript"></script>
<script src="js/wysiwyg.js" type="text/javascript"></script>
<script src="js/typeahead.js" type="text/javascript"></script>
<script src="js/summernote.min.js" type="text/javascript"></script>
<script src="js/jquery.inputmask.min.js" type="text/javascript"></script>
<script src="js/jquery.validate.js" type="text/javascript"></script>
<script src="js/bootstrap-fileupload.js" type="text/javascript"></script>
<script src="js/bootstrap-datepicker.js" type="text/javascript"></script>
<script src="js/bootstrap-timepicker.js" type="text/javascript"></script>
<script src="js/bootstrap-colorpicker.js" type="text/javascript"></script>
<script src="js/bootstrap-switch.min.js" type="text/javascript"></script>
<script src="js/typeahead.js" type="text/javascript"></script>
<script src="js/spin.min.js" type="text/javascript"></script>
<script src="js/ladda.min.js" type="text/javascript"></script>
<script src="js/moment.js" type="text/javascript"></script>
<script src="js/mockjax.js" type="text/javascript"></script>
<script src="js/bootstrap-editable.min.js" type="text/javascript"></script>
<script src="js/xeditable-demo-mock.js" type="text/javascript"></script>
<script src="js/xeditable-demo.js" type="text/javascript"></script>
<script src="js/address.js" type="text/javascript"></script>

```

```

<script src="js/daterange-picker.js" type="text/javascript"></script>
<script src="js/date.js" type="text/javascript"></script>
<script src="js/morris.min.js" type="text/javascript"></script>
<script src="js/skycons.js" type="text/javascript"></script>
<script src="js/fitvids.js" type="text/javascript"></script>
<script src="js/jquery.sparkline.min.js" type="text/javascript"></script>
<script src="js/dropzone.js" type="text/javascript"></script>
<script src="js/main.js" type="text/javascript"></script>
<script src="new/ckeditor/ckeditor.js" type="text/javascript"></script>
<script src="new/ckeditor/config.js" type="text/javascript"></script>
<script src="new/ckeditor/build-config.js" type="text/javascript"></script>
<script src="new/ckeditor/styles.js" type="text/javascript"></script>
<script src="new/ckfinder/ckfinder.js" type="text/javascript"></script>
<script src="js/respond.js" type="text/javascript"></script>

<!-- <meta content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no" name="viewport">-->
</head>
<body class="page-header-fixed bg-1">
    <div class="modal-shiftfix">
        <!-- Navigation -->
        <div class="navbar navbar-fixed-top scroll-hide">
            <div class="container-fluid top-bar">
                <div class="pull-right">
                    <ul class="nav navbar-nav pull-right">

                        <li class="dropdown user hidden-xs"><a data-toggle="dropdown" class="dropdown-toggle" href="#">
                            </a>
                        </li>
                    </ul>
                </div>
                <div class="pull-right">
                    <ul class="nav navbar-nav pull-right">

                        <li class="dropdown user hidden-xs"><a data-toggle="dropdown" class="dropdown-toggle" href="#">
                            Admin<b class="caret"></b></a>
                            <ul class="dropdown-menu">

                                <li><a href="index.php?p=accountsetting">
                                    <i class="fa fa-gear"></i>Account Settings</a>
                                </li>
                                <li><a href="index.php?logout=yes">
                                    <i class="fa fa-sign-out"></i>Logout</a>
                                </li>
                            </ul>
                        </li>
                    </ul>
                </div>
                <button class="navbar-toggle"><span class="icon-bar"></span><span class="icon-bar"></span><span class="icon-bar"></span></button><a class="logo" href="index.php"></a>
            </div>
        <div class="container-fluid main-nav clearfix">

```

```

<div class="nav-collapse">
  <ul class="nav">
    <li>
      <a class="current" href="index.php"><span aria-hidden="true" class="se7en-home"></span>Dashboard</a>
    </li>

    <li class="dropdown"><a data-toggle="dropdown" href="#">
      <span aria-hidden="true" class="se7en-tables"></span>Today Images<b class="caret"></b></a>
      <ul class="dropdown-menu">
        <li>
          <a href="index.php?p=addtodayimage">Add</a>
        </li>
        <li>
          <a href="index.php?p=viewtodayimage">View/Edit</a>
        </li>
      </ul>
    </li>
    <li class="dropdown"><a data-toggle="dropdown" href="#">
      <span aria-hidden="true" class="se7en-forms"></span>News<b class="caret"></b></a>
      <ul class="dropdown-menu">
        <li>
          <a href="index.php?p=addnews">Add</a>
        </li>
        <li>
          <a href="index.php?p=viewnews">View/Edit</a>
        </li>
      </ul>
    </li>
    <li class="dropdown"><a data-toggle="dropdown" href="#">
      <span aria-hidden="true" class="se7en-tables"></span>Banner<b class="caret"></b></a>
      <ul class="dropdown-menu">
        <li>
          <a href="index.php?p=addbanner">Add</a>
        </li>
        <li>
          <a href="index.php?p=viewbanner">View/Edit</a>
        </li>
      </ul>
    </li>
    <li class="dropdown"><a data-toggle="dropdown" href="#">
      <span aria-hidden="true" class="se7en-pages"></span>Pages<b class="caret"></b></a>
      <ul class="dropdown-menu">
        <li><a href="index.php?p=addpage">
          Add
        </a>
      </li>
        <li>
          <a href="index.php?p=viewpage">View/Edit</a>
        </li>
      </ul>
    </li>
  </ul>
</div>

```

```

        </li>

    </ul>
    </li>
</ul>
</div>
</div>
</div>

<?php
if (file_exists($_GET['p']) . '.php' && $_GET['p']) {

    include $_GET['p'] . '.php';
} else {
    include 'dashboard.php';
}
?>
</div>

</body>
</html>

```

[2] Dashboard: ~

```

<div align="center" style="width: 100%;">
    
</div>

```

[3] Add News: ~

```

<?php
if (isset($_POST['submit'])) {

    $sql = "insert into news (`";
    foreach ($_FILES as $a => $b) {
        if ($a != 'submit') {
            if (is_array($b['name'])) {
                $pa[] = $a;
                $b['name'] = array_unique(array_values(array_filter($b['name'])));
                $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
                for ($i = 0; $i < count($b['name']); $i++) {
                    $b['name'][$i] = time() . '-' . $b['name'][$i];
                    move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
                }
                $pb[] = implode(',', $b['name']);
            } elseif (is_array($b)) {
                $pa[] = $a;
                $b['name'] = time() . '-' . $b['name'];
                move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
            }
        }
    }
}

```

```

        $pb[] = $b['name'];
    }
}
}

foreach ($_POST as $a => $b) {
    if ($a != 'submit') {
        if (is_array($b)) {
            $pa[] = $a;
            unset($pb1);
            for ($i = 0; $i < count($b); $i++) {
                $b[$i] = mysql_escape_string($b[$i]);
                if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'reatetime' || strpos($a, "date") || $a == 'date')
                    $pb1[] = dmy2mysql($b[$i]);
                else
                    $pb1[] = $b[$i];
            }
            $pb[] = implode(',', $pb1);
        }
        else {
            $pa[] = $a;
            if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'reatetime' || strpos($a, "date") || $a == 'date')
                $pb[] = dmy2mysql($b);
            else
                $pb[] = mysql_escape_string($b);
        }
    }
}

$sql.=implode('`', `', $pa) . `) values(`" . implode("`", $pb) . `")`;
$q = mysql_query($sql) or die(mysql_error());

if ($q)
    echo "<script>alert('New News Created');  
window.location='index.php?p=viewnews';</script>";
}

?>

<div class="container-fluid main-content">

    <div class="row">
        <div class="col-lg-12">
            <div class="widget-container fluid-height clearfix">
                <div class="heading">
                    <i class="fa fa-table"></i>Add News
                </div>

                <div class="widget-content padded">
                    <form action="" class="form-horizontal" method="post"
enctype="multipart/form-data">

                        <div class="form-group">

```

```

<label class="control-label col-md-2">Select Category</label>
<div class="col-md-7">
    <select class="form-control" name="type">
        <option>--Select--</option>
        <option>Sports</option>
        <option>Bussiness</option>
        <option>Politics</option>
        <option>Entertainment</option>
        <option>Technology</option>
    </select>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Sub Type</label>
<div class="col-md-7">
    <input class="form-control" type="text" name="subtype"/>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Headlines</label>
<div class="col-md-7">
    <input class="form-control" type="text" name="headline"/>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Select Date</label>
<div class="col-md-7">
    <input class="form-control datepicker" type="text" name="date"/>
</div>
</div>

<!--<br>
<div class="form-group">
<?php // $currentdate = date("Y-m-d"); ?>
<input type="hidden" name="dateproduct" value="<?php // echo $currentdate; ?>"/>
</div>-->

<div class="form-group">
<label class="control-label col-md-2">Detail</label>
<div class="col-md-7">
<!--<textarea class="form-control ckeditor" ro ws="3"
name="briefdetail"></textarea>-->
<textarea id="editor1" name="details" rows="10" cols="80"></textarea>
<script type="text/javascript">
var editor = CKEDITOR.replace( 'editor1', {
    filebrowserBrowseUrl : 'new/ckfinder/ckfinder.html',
    filebrowserImageBrowseUrl : 'new/ckfinder/ckfinder.html?type=Images',
    filebrowserFlashBrowseUrl : 'new/ckfinder/ckfinder.html?type=Flash',
    filebrowserUploadUrl :
    'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Files',
    filebrowserImageUploadUrl :
    'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Images'
    ,
    filebrowserFlashUploadUrl :
    'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Flash'
}

```

```

});

CKFinder.setupCKEditor( editor, '..' );
</script>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Image Upload</label>
<div class="col-md-4">
<div class="fileupload fileupload-new" data-provides="fileupload"><input type="hidden" value="" name="">
<div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">

</div>
<div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>
<div>
<span class="btn btn-default btn-file"><span class="fileupload-new">Select image</span><span class="fileupload-exists">Change</span><input type="file" name="image"></span><a class="btn btn-default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>
</div>
</div>
</div>
</div>

<div class="form-group">
<label class="control-label col-md-2">News Status</label>
<div class="col-md-7">
<label class="radio" for="option1">
<input id="option1" name="status" type="radio" value="Yes" checked="checked"><span>Active</span></label>
<label class="radio"><input name="status" type="radio" value="No"><span>Hidden</span></label>
</div>
</div>

</div>
</div>

<div class="form-group">
<div class="col-md-7" style="text-align: right;">
<button class="btn btn-primary" type="submit" name="submit">Submit</button><button class="btn btn-default-outline">Cancel</button>
</div>
</div>
</form>
</div>
</div>
</div>
</div>

```

```
</div>
```

[4] Edit News: ~

```
<?php
if (isset($_POST['submit'])) {

    $sql = "update news set ";
    foreach ($_FILES as $a => $b) {
//      debug($_FILES);
        if (is_array($b['name'])) {
            $dd = '`' . $a . '=';
            $b['name'] = array_unique(array_values(array_filter($b['name'])));
            $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
            for ($i = 0; $i < count($b['name']); $i++) {
                $b['name'][$i] = time() . '-' . $b['name'][$i];
                move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
            }
            if ($_POST[$a][0]) {
                unset($pb1);
                for ($i = 0; $i < count($_POST[$a]); $i++) {
                    $pb1[] = mysql_escape_string($_POST[$a][$i]);
                }
                $dd.= "" . implode(',', $b['name']) . "," . implode(",", $pb1) . "";
            }
            else
                $dd.= "" . implode(',', $b['name']) . "";
            $escape[] = $a;
        } elseif (is_array($b)) {
            $dd = '`' . $a . '=';
            $b['name'] = time() . '-' . $b['name'];
            move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
            $dd.= "" . $b['name'] . "";
            $escape[] = $a;
        }
        $pa[] = $dd;
    }
    foreach ($_POST as $a => $b) {
        if ($a != 'submit' && !in_array($a, $escape)) {
            $dd = '`' . $a . '=';
            if (is_array($b)) {
                unset($pb1);
                for ($i = 0; $i < count($b); $i++) {
                    $b[$i] = mysql_escape_string($b[$i]);
                    if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time"
|| strpos($a, "datetime") || $a == 'datetime')
                        $pb1[] = dmy2mysql($b[$i]);
                    else
                        $pb1[] = $b[$i];
                }
                $dd.= "" . implode("", $pb1) . "";
            }
            else {
                if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time" ||
strpos($a, "datetime") || $a == 'datetime')
                    $dd.= "" . dmy2mysql($b) . "";
            }
        }
    }
}
```

```

        else
            $dd.= "" . mysql_escape_string($b) . "";
        }
    }
    $pa[] = $dd;
}
$sql.=implode(',',$pa) . " where id=" . $_GET['id'];

$q = mysql_query($sql) or die(mysql_error() . $sql);
if ($q)
    echo "<script>alert('News Updated')";
window.location='index.php?p=viewnews';</script>";

}

$sql = "select * from news where id=" . $_GET['id'];
$q = mysql_query($sql);
$rdata = mysql_fetch_assoc($q);
//debug($rdata);
if ($_GET['del']) { // when click on delete link this will be called and delete image from
database
    $datadel = explode(',',$rdata[$_GET['del']]);
    $_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;
    @unlink($adminpath . $rdata['image']);
    @unlink($adminpath .'news' . $rdata['image']);

    unset($datadel[$_GET['ids']]);
    $sql = "update news set `". $_GET['del'] . "`='". implode(',',$datadel) . "' where
id=" . $_GET['id'];
    $q = mysql_query($sql);
    echo "<script>alert('Image Updated'); window.location='index.php?p=editnews&id=" .
$_GET['id'] ."';</script>";
}
?>

<div class="container-fluid main-content">

    <div class="row">
        <div class="col-lg-12">
            <div class="widget-container fluid-height clearfix">
                <div class="heading">
                    <i class="fa fa-table"></i>Edit News
                </div>

                <div class="widget-content padded">

                    <form action="" class="form-horizontal" method="Post"
enctype="multipart/form-data">

                        <div class="form-group">
                            <label class="control-label col-md-2">News Type</label>
                            <div class="col-md-7">
                                <select class="form-control" name="type">
                                    <option > <?php echo $rdata['type']; ?></option>
                                    <option value="">Select</option>
                                    <option >Sports</option>
                            </div>
                        </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <option>Business</option>
        <option>Politics</option>
        <option>Entertainment</option>
        <option>Technology</option>

    </select>
</div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Sub Type</label>
    <div class="col-md-7">
        <input class="form-control" name="subtype" type="text"
value=<?php echo $rdata['subtype']; ?>"/>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">News Headlines</label>
    <div class="col-md-7">
        <input class="form-control" name="headline" type="text"
value=<?php echo $rdata['headline']; ?>"/>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Select Date</label>
    <div class="col-md-7">
        <input class="form-control datepicker" type="text" name="date"
value=<?php echo $rdata['date']; ?>"/>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Detail</label>
    <div class="col-md-7">
        <!--
            <textarea class="form-control ckeditor" ro ws="3"
name="briefdetail" ><?php echo $rdata['briefdetail']; ?></textarea>-->
            <textarea id="editor1" name="details" rows="10"
cols="80"><?php echo $rdata['details']; ?></textarea>
            <script type="text/javascript">
var editor = CKEDITOR.replace( 'editor1' , {
    filebrowserBrowseUrl : 'new/ckfinder/ckfinder.html',
    filebrowserImageBrowseUrl : 'new/ckfinder/ckfinder.html?type=Images',
    filebrowserFlashBrowseUrl : 'new/ckfinder/ckfinder.html?type=Flash',
    filebrowserUploadUrl :
'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Files',
    filebrowserImageUploadUrl :
'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Images'
    ,
    filebrowserFlashUploadUrl :
'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Flash'
});
CKFinder.setupCKEditor( editor, '../' );
</script>
    </div>

```

```

</div>

<div class="form-group">
    <label class="control-label col-md-2">Image Upload</label>
    <div class="col-md-4">
        <?php
        if ($rdata['image'] && file_exists($adminpath . $rdata['image'])) {
            ?
        
            <a href="index.php?p=editnews&del=image&id=<?php echo $_GET['id']; ?>">
                Delete </a>
        <?php
        } else {
            ?
        <div class="fileupload fileupload-new" data-provides="fileupload"><input type="hidden" value="" name="">
            <div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">
                
            </div>
            <div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>
            <div>
                <span class="btn btn-default btn-file"><span class="fileupload-new">Select image</span><span class="fileupload-exists">Change</span><input type="file" name="image"></span><a class="btn btn-default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>
            </div>
        </div>
        <?php
        }
        ?
    </div>
</div>

```

```

<div class="form-group">
    <label class="control-label col-md-2">News Status</label>
    <div class="col-md-7">
        <label class="radio" for="option1">
            <input id="option1" name="status" type="radio" value="Yes" ?php if($rdata['status']=='Yes') { ?>checked="checked"?><?php } ?>/><span>Active</span></label>
            <label class="radio"><input name="status" type="radio" value="No" ?php if($rdata['status']=='No') { ?>checked="checked"?><?php } ?>/><span>Hidden</span></label>
    </div>

```

```

        </div>

        <div class="form-group">

            <div class="col-md-7" style="text-align: right;">
                <button class="btn btn-primary" type="submit"
name="submit">Update</button>
                <button class="btn btn-default-outline">Cancel </button>
            </div>
        </div>
    </div>

    </form>

</div>
</div>
</div>
<!-- end DataTables Example -->
</div>

```

[5] View News: ~

```

<?php
if(isset ($_GET['del'])=='Yes')
{
    $sql="delete from news where id='". $_GET['id']."' ";
    $q=mysql_query($sql)or die(mysql_error().$sql);

    if($q)
    {
        echo "<script>alert('News Delete Succesfully');
window.location='index.php?p=viewnews';</script>";
    }
}

?>
<div class="container-fluid main-content">

    <div class="row">
        <div class="col-lg-12">
            <div class="widget-container fluid-height clearfix">
                <div class="heading">
                    <i class="fa fa-table"></i>View News
                </div>
                <div class="widget-content padded clearfix">
                    <div id="dataTable1_wrapper" class="dataTables_wrapper role="grid">

                        <div class="dataTables_filter" id="dataTable1_filter">

                    </div>

```

```

        <table class="table table-bordered table-striped dataTable"
id="dataTable1" aria-describedby="dataTable1_info">
            <thead>
                <tr role="row">
                    <th class="check-header hidden-xs sorting_disabled"
role="columnheader" rowspan="1" colspan="1" aria-label="

                        " style="width: 17.77777671813965px;">
                        <label><input id="checkAll" name="checkAll"
type="checkbox"><span></span></label>
                    </th>
                    <th class="sorting" role="columnheader" tabindex="0" aria-
controls="dataTable1" rowspan="1" colspan="1" aria-label="

                        Id
                        : activate to sort column ascending" style="width:
143.7777767181396px;">
                        Id
                    </th>

                    <th class="sorting" role="columnheader" tabindex="0" aria-
controls="dataTable1" rowspan="1" colspan="1" aria-label="

                        Image
                        : activate to sort column ascending" style="width:
141.7777767181396px;">
                        Image
                    </th>
                    <th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="

                        News
                        : activate to sort column ascending" style="width:
247.7777767181396px;">
                        News Heading
                    </th>
                    <th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="

                        Date Added
                        : activate to sort column ascending" style="width:
154.7777767181396px;">
                        Date Added
                    </th>
                    <th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="

                        Status
                        : activate to sort column ascending" style="width:
153.7777767181396px;">
                        Status
                    </th>
                    <th class="sorting_disabled" role="columnheader"
rowspan="1" colspan="1" aria-label="" style="width:
71.7777767181396px;"></th></tr></thead>

            <tbody role="alert" aria-live="polite" aria-relevant="all">

                <?php
                $sql = "select * from news ";
                $q = mysql_query($sql) or die(mysql_error() . $sql);
                while($r= mysql_fetch_assoc($q))

```

```

{
?>
<tr class="odd">
    <td class="check hidden-xs sorting_1">
        <label><input name="optionsRadios1" type="checkbox" value="option1"><span></span></label>
    </td>
    <td class=" ">
        <?php echo $r['id']; ?>
    </td>

    <td class="">
        <?php if($r['image']&& file_exists($adminpath.$r['image'])){ ?>
width="50px" height="50px;" />
        <?php }
        else
        {
        ?>
        
        <?php
}
        ?>
    </td>

    <td class="hidden-xs ">
        <?php echo $r['headline']; ?>
    </td>

    <td class=" ">
        <?php echo $r['date']; ?>
    </td>

    <td class="hidden-xs ">
        <?php if($r['status']=='Yes') {
        ?>
        <span class="label label-success"> Active</span>
        <?php
} else if($r['status']=='No'){
        ?>
        <span class="label label-danger"> Hidden</span>
<?php } ?>
    </td>

    <td class="actions ">
        <div class="action-buttons">
            <a class="table-actions" href=""><i class="fa fa-eye"></i></a><a class="table-actions" href="index.php?p=editnews&id=<?php echo $r['id'] ?>"><i class="fa fa-pencil"></i></a><a class="table-actions" href="index.php?p=viewnews&del=Yes&id=<?php echo $r['id']; ?>"><i class="fa fa-trash-o"></i></a>
        </div>
    </td>

```

```

        </tr>
        <?php } ?>

                </tbody></table><div class="dataTables_info"
id="dataTable1_info">Showing 1 to 10 of 14 entries</div><div
class="dataTables_paginate paging_full_numbers" id="dataTable1_paginate"><a
tabindex="0" class="first paginate_button paginate_button_disabled"
id="dataTable1_first">First</a><a tabindex="0" class="previous paginate_button
paginate_button_disabled" id="dataTable1_previous">Previous</a><span><a
tabindex="0" class="paginate_active">1</a><a tabindex="0"
class="paginate_button">2</a></span><a tabindex="0" class="next paginate_button"
id="dataTable1_next">Next</a><a tabindex="0" class="last paginate_button"
id="dataTable1_last">Last</a></div></div>
                </div>
            </div>
        </div>
    <!-- end DataTables Example -->
</div>

```

[6] Add Today Image: ~

```

<?php
if (isset($_POST['submit'])) {
    $sql = "insert into todayimage (`";
    foreach ($_FILES as $a => $b) {
        if ($a != 'submit') {
            if (is_array($b['name'])) {
                $pa[] = $a;
                $b['name'] = array_unique(array_values(array_filter($b['name'])));
                $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
                for ($i = 0; $i < count($b['name']); $i++) {
                    $b['name'][$i] = time() . '-' . $b['name'][$i];
                    move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
                }
                $pb[] = implode(',', $b['name']);
            } elseif (is_array($b)) {
                $pa[] = $a;
                $b['name'] = time() . '-' . $b['name'];
                move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
                $pb[] = $b['name'];
            }
        }
    }
}
foreach ($_POST as $a => $b) {
    if ($a != 'submit') {
        if (is_array($b)) {
            $pa[] = $a;
            unset($pb1);
            for ($i = 0; $i < count($b); $i++) {
                $b[$i] = mysql_escape_string($b[$i]);
                if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'datetime' || strpos($a, "date") || $a == 'date')

```

```

        $pb1[] = dmy2mysql($b[$i]);
    else
        $pb1[] = $b[$i];
    }
    $pb[] = implode('', $pb1);
}
else {
    $pa[] = $a;
    if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'datetime' || strpos($a, "date") || $a == 'date')
        $pb[] = dmy2mysql($b);
    else
        $pb[] = mysql_escape_string($b);
}
}

$sql.=implode('`', `', $pa) . `)` values(`" . implode("`", `", $pb) . `")`;
$q = mysql_query($sql) or die(mysql_error());

if ($q)
    echo "<script>alert('Today Image Created');  

window.location='index.php?p=viewtodayimage';</script>";
}

?>
<div class="container-fluid main-content">

<div class="row">
    <div class="col-lg-12">
        <div class="widget-container fluid-height clearfix">
            <div class="heading">
                <i class="fa fa-table"></i>Add Today Images
            </div>

            <div class="widget-content padded">
                <form action="#" class="form-horizontal" method="post"
enctype="multipart/form-data">

                    <div class="form-group">
                        <label class="control-label col-md-2">Title</label>
                        <div class="col-md-7">
                            <input class="form-control" name="title" type="text"/>
                        </div>
                    </div>

                    <div class="form-group">
                        <label class="control-label col-md-2">Sort Description</label>
                        <div class="col-md-7">
                            <input class="form-control" placeholder="" type="text"
name="sortdesc"/>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>

```

```

        </div>

        </div>

        <div class="form-group">
            <label class="control-label col-md-2">Image Upload</label>
            <div class="col-md-4">
                <div class="fileupload fileupload-new" data-provides="fileupload"><input type="hidden" value="" name="">
                    <div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">
                        
                    </div>
                    <div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>
                    <div>
                        <span class="btn btn-default btn-file"><span class="fileupload-new">Select image</span><span class="fileupload-exists">Change</span><input type="file" name="image"></span><a class="btn btn-default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>
                    </div>
                    </div>
                </div>
            </div>
        </div>

        <div class="form-group">
            <label class="control-label col-md-2">Status</label>
            <div class="col-md-7">
                <label class="radio" for="option1">
                    <input id="option1" name="status" type="radio" value="Yes" /><span>Active</span></label>
                <label class="radio"><input name="status" type="radio" value="No" /><span>Hidden</span></label>
            </div>
        </div>

        <div class="form-group">
            <div class="col-md-7" style="text-align: right;">
                <button class="btn btn-primary" type="submit" name="submit">Submit</button><button class="btn btn-default-outline">Cancel</button>
            </div>
        </div>
    </div>
    <!-- end DataTables Example -->
</div>

```

[7] Edit Today Image: ~

```
<?php
if (isset($_POST['submit']))
{
    $sql = "update todayimage set ";
    foreach ($_FILES as $a => $b) {
        // debug($_FILES);
        if (is_array($b['name'])) {
            $dd = '' . $a . '=';
            $b['name'] = array_unique(array_values(array_filter($b['name'])));
            $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
            for ($i = 0; $i < count($b['name']); $i++) {
                $b['name'][$i] = time() . '-' . $b['name'][$i];
                move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
            }
            if ($_POST[$a][0]) {
                unset($pb1);
                for ($i = 0; $i < count($_POST[$a]); $i++) {
                    $pb1[] = mysql_escape_string($_POST[$a][$i]);
                }
                $dd.= "" . implode(',', $b['name']) . "," . implode(",", $pb1) . "";
            }
            else
                $dd.= "" . implode(',', $b['name']) . "";
            $escape[] = $a;
        } elseif (is_array($b)) {
            $dd = '' . $a . '=';
            $b['name'] = time() . '-' . $b['name'];
            move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
            $dd.= "" . $b['name'] . "";
            $escape[] = $a;
        }
        $pa[] = $dd;
    }
    foreach ($_POST as $a => $b) {
        if ($a != 'submit' && !in_array($a, $escape)) {
            $dd = '' . $a . '=';
            if (is_array($b)) {
                unset($pb1);
                for ($i = 0; $i < count($b); $i++) {
                    $b[$i] = mysql_escape_string($b[$i]);
                    if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time"
                        || strpos($a, "datetime") || $a == 'datetime')
                        $pb1[] = dmy2mysql($b[$i]);
                    else
                        $pb1[] = $b[$i];
                }
                $dd.= "" . implode(",", $pb1) . "";
            }
            else {
                if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time" ||
                    strpos($a, "datetime") || $a == 'datetime')

```

```

        $dd.= "" . dmy2mysql($b) . "";
    else
        $dd.= "" . mysql_escape_string($b) . "";
    }
}
$pa[] = $dd;
}
$sql.=implode(',',$pa) . " where id=" . $_GET['id'];

$q = mysql_query($sql) or die(mysql_error() . $sql);
if ($q)
    echo "<script>alert('Banner Images Updated')";
window.location='index.php?p=viewtodayimage';</script>";
}

$sql = "select * from todayimage where id=" . $_GET['id'];
$q = mysql_query($sql);
$rdata = mysql_fetch_assoc($q);
//debug($rdata);
if ($_GET['del']) { // when click on delete link this will be called and delete image from
database
    $datadel = explode(',',$rdata[$_GET['del']]);
    $_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;
    @unlink($adminpath . $rdata['image']);
    @unlink($adminpath .'biggal'. $rdata['image']);
    @unlink($adminpath .'thumbgal'. $rdata['image']);
    @unlink($adminpath .'smallgal'. $rdata['image']);
    unset($datadel[$_GET['ids']]);
    $sql = "update todayimage set `". $_GET['del'] . "`='". implode(' ', $datadel) . "'"
where id=" . $_GET['id'];
    $q = mysql_query($sql);
    echo "<script>alert('Image Updated')";
window.location='index.php?p=edittodayimage&id=' . $_GET['id'] . "'</script>";
}
?>

<div class="container-fluid main-content">

    <div class="row">
        <div class="col-lg-12">
            <div class="widget-container fluid-height clearfix">
                <div class="heading">
                    <i class="fa fa-table"></i>Edit Today's Image
                </div>

                <div class="widget-content padded">
                    <form action="#" class="form-horizontal" method="post"
enctype="multipart/form-data">

                        <div class="form-group">
                            <label class="control-label col-md-2">Title</label>
                            <div class="col-md-7">
                                <input class="form-control" name="title" type="text" value="<?php echo
$rdata['title'];?>"/>
                            </div>

```

```

</div>

<div class="form-group">
    <label class="control-label col-md-2">Sort Description</label>
    <div class="col-md-7">
        <input class="form-control" name="sortdesc" type="text" value="<?php
echo $rdata['sortdesc']; ?>"/>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Image Upload</label>
    <div class="col-md-4">
        <?php
        if ($rdata['image'] && file_exists($adminpath . $rdata['image'])) {
            ?
            
            <a href="index.php?p=editgallery&del=image&id=<?php echo $_GET['id']; ?>">
                Delete </a>
            <?php
        } else {
            ?
            <div class="fileupload fileupload-new" data-provides="fileupload"><input type="hidden" value="" name="">
                <div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">
                    
                </div>
                <div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>
                <div>
                    <span class="btn btn-default btn-file"><span class="fileupload-new">Select image</span><span class="fileupload-exists">Change</span><input type="file" name="image"></span><a class="btn btn-default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>
                </div>
            </div>
            <?php
        }
        ?
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Status</label>
    <div class="col-md-7">
        <label class="radio" for="option1">

```

```

        <input id="option1" name="status" type="radio" value="Yes"
<?php if($rdata['status']=='Yes') { ?>checked="checked"<?php }
?>/><span>Active</span></label>
                <label class="radio"><input name="status" type="radio"
value="No" <?php if($rdata['status']=='No') { ?>checked="checked"<?php }
?>/><span>Hidden</span></label>

            </div>
        </div>

<div class="form-group">

    <div class="col-md-7" style="text-align: right;">
        <button class="btn btn-primary" type="submit"
name="submit">Update</button><button class="btn btn-default-outline">Cancel
</button>
    </div>
    </div>
</form>
    </div>
    </div>
    </div>
</div>
<!-- end DataTables Example -->
</div>

```

[8]View Today Image: ~

```

<?php
if(isset ($_GET['del'])=='Yes')
{



$sql = "select * from todayimage where id=" . $_GET['id'];
$q = mysql_query($sql);
$rdata = mysql_fetch_assoc($q);
//debug($rdata);
// when click on delete link this will be called and delete image from database
$datadel = explode(',', $rdata[$_GET['del']]);
$_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;

@unlink($adminpath . $rdata['image']);
@unlink($adminpath .'thumbgal'. $rdata['image']);
@unlink($adminpath .'biggal'. $rdata['image']);
@unlink($adminpath .'smallgal'. $rdata['image']);

$sql1="delete from todayimage where id="" . $_GET['id']."'\"";
$q1=mysql_query($sql1)or die(mysql_error().$sql1);

if($q1)
{

```

```
echo "<script>alert('Today Image Delete Succesfully');  
window.location='index.php?p=viewtodayimage';</script>";  
}  
?  
<div class="container-fluid main-content">  
  
<div class="row">  
    <div class="col-lg-12">  
        <div class="widget-container fluid-height clearfix">  
            <div class="heading">  
                <i class="fa fa-table"></i>View Today Images  
            </div>  
            <div class="widget-content padded clearfix">  
                <div id="dataTable1_wrapper" class="dataTables_wrapper role="grid">  
  
                    <div class="dataTables_filter" id="dataTable1_filter">  
  
                    </div>  
                    <table class="table table-bordered table-striped dataTable" id="dataTable1" aria-describedby="dataTable1_info">  
                        <thead>  
                            <tr role="row"><th class="check-header hidden-xs sorting_disabled" role="columnheader" rowspan="1" colspan="1" aria-label="<br/>Id : activate to sort column ascending" style="width: 17.7777767181396px;">  
                                <label><input id="checkAll" name="checkAll" type="checkbox"><span></span></label>  
                            </th><th class="sorting" role="columnheader" tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Image : activate to sort column ascending" style="width: 143.7777767181396px;">  
                                Id  
                            </th><th class="sorting" role="columnheader" tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Image : activate to sort column ascending" style="width: 141.7777767181396px;">  
                                Image  
                            </th><th class="hidden-xs sorting" role="columnheader" tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Product_Name : activate to sort column ascending" style="width: 247.7777767181396px;">  
                                Product_Name  
                            </th><th class="hidden-xs sorting" role="columnheader" tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Title : activate to sort column ascending" style="width: 154.7777767181396px;">  
                                Title  
                            </th><th class="hidden-xs sorting" role="columnheader" tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Date Added : activate to sort column ascending" style="width: 154.7777767181396px;">  
                                Date Added  
                            </th><th class="hidden-xs sorting" role="columnheader" tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Short Description : activate to sort column ascending" style="width: 154.7777767181396px;">  
                                Short Description  
                            </th>
```

```

        Status
        : activate to sort column ascending" style="width:
153.7777767181396px;">
        Status
        </th><th class="sorting_disabled" role="columnheader"
rowspan="1" colspan="1" aria-label="" style="width:
71.7777767181396px;"></th></tr></thead>

<tbody role="alert" aria-live="polite" aria-relevant="all">

<?php
$sql = "select * from todayimage ";
$q = mysql_query($sql) or die(mysql_error() . $sql);
while($r= mysql_fetch_assoc($q))
{
?
<tr class="odd">
    <td class="check hidden-xs sorting_1">
        <label><input name="optionsRadios1" type="checkbox"
value="option1"><span></span></label>
    </td>
    <td class=" ">
        <?php echo $r['id']; ?>
    </td>
    <td class="">
        <?php if($r['image']&& file_exists($adminpath.$r['image'])){?
    
        <?php } else {
    ?
        
        <?php
    }
    ?
    </td>
    <td class="hidden-xs ">
        <?php echo $r['title']; ?>
    </td>
    <td class="hidden-xs ">
        <?php echo ($r['sortdesc']); ?>
    </td>
    <td class="hidden-xs ">
        <?php if($r['status']=='Yes')
        {
        ?
        <span class="label label-success"> Active</span>
        <?php
        } else if($r['status']=='No'){
        ?
        <span class="label label-danger"> Hidden</span>
        <?php } ?>
    </td>

```

```

        <td class="actions ">
            <div class="action-buttons">
                <a class="table-actions" href=""><i class="fa fa-eye"></i></a>
                <a class="table-actions" href="index.php?p=edittodayimage&id=<?php echo $r['id'] ?>"><i class="fa fa-pencil"></i></a>
                <a class="table-actions" href="index.php?p=viewtodayimage&del=Yes&id=<?php echo $r['id']; ?>"><i class="fa fa-trash-o"></i></a>
            </div>
        </td>
    </tr>
<?php } ?>

        </tbody></table>
        <div class="dataTables_info" id="dataTable1_info">Showing 1 to 10
of 14 entries</div>
        <div class="dataTables_paginate paging_full_numbers"
id="dataTable1_paginate">
            <a tabindex="0" class="first paginate_button
paginate_button_disabled" id="dataTable1_first">First</a><a tabindex="0"
class="previous paginate_button paginate_button_disabled"
id="dataTable1_previous">Previous</a><span><a tabindex="0"
class="paginate_active">1</a><a tabindex="0"
class="paginate_button">2</a></span><a tabindex="0" class="next paginate_button"
id="dataTable1_next">Next</a><a tabindex="0" class="last paginate_button"
id="dataTable1_last">Last</a></div></div>
            </div>
        </div>
    </div>
</div>

```

[9] Add Banner: ~

```

<?php
if (isset($_POST['submit'])) {
    $sql = "insert into banner (`";
    foreach ($_FILES as $a => $b) {
        if ($a != 'submit' ) {
            if (is_array($b['name'])) {
                $pa[] = $a;
                $b['name'] = array_unique(array_values(array_filter($b['name'])));
                $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
                for ($i = 0; $i < count($b['name']); $i++) {
                    $b['name'][$i] = time() . '-' . $b['name'][$i];
                    move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
                }
                $pb[] = implode(',', $b['name']);
            }
        }
    }
}

```

```

} elseif (is_array($b)) {
    $pa[] = $a;
    $b['name'] = time() . '-' . $b['name'];
    move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
    $pb[] = $b['name'];
}
}
foreach ($_POST as $a => $b) {
    if ($a != 'submit') {
        if (is_array($b)) {
            $pa[] = $a;
            unset($pb1);
            for ($i = 0; $i < count($b); $i++) {
                $b[$i] = mysql_escape_string($b[$i]);
                if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'datetime' || strpos($a, "date") || $a == 'date')
                    $pb1[] = dmy2mysql($b[$i]);
                else
                    $pb1[] = $b[$i];
            }
            $pb[] = implode(',', $pb1);
        }
        else {
            $pa[] = $a;
            if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'datetime' || strpos($a, "date") || $a == 'date')
                $pb[] = dmy2mysql($b);
            else
                $pb[] = mysql_escape_string($b);
        }
    }
}

$sql.=implode('`', `', $pa) . `) values(`" . implode("`", `", $pb) . `")`;
$q = mysql_query($sql) or die(mysql_error());

if ($q)
    echo "<script>alert('Banner Image Created');  
window.location='index.php?p=viewbanner';</script>";
}

?>
<div class="container-fluid main-content">

<div class="row">
    <div class="col-lg-12">
        <div class="widget-container fluid-height clearfix">
            <div class="heading">
                <i class="fa fa-table"></i>Add Home Page Banner
            </div>

            <div class="widget-content padded">
                <form action="#" class="form-horizontal" method="post">

```

```

enctype="multipart/form-data">

<div class="form-group">
    <label class="control-label col-md-2">Name</label>
    <div class="col-md-7">
        <input class="form-control" name="heading" type="text"/>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Title</label>
    <div class="col-md-7">
        <input class="form-control" name="title" type="text"/>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Image Upload</label>
    <div class="col-md-4">
        <div class="fileupload fileupload-new" data-provides="fileupload"><input type="hidden" value="" name="">
            <div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">
                
            </div>
            <div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>
            <div>
                <span class="btn btn-default btn-file"><span class="fileupload-new">Select image</span><span class="fileupload-exists">Change</span><input type="file" name="image"></span><a class="btn btn-default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>
            </div>
            </div>
        </div>
    </div>
</div>

<div class="form-group">
    <label class="control-label col-md-2">Status</label>
    <div class="col-md-7">
        <label class="radio" for="option1">
            <input id="option1" name="status" type="radio" value="Yes" /><span>Active</span></label>
            <label class="radio"><input name="status" type="radio" value="No" /><span>Hidden</span></label>
        </div>
    </div>
</div>

<div class="form-group">
    <div class="col-md-7" style="text-align: right;">
        <button class="btn btn-primary" type="submit">

```

```

name="submit">Submit</button><button class="btn btn-default-outline">Cancel
</button>
</div>
</div>
</form>
</div>
</div>
</div>
</div>
<!-- end DataTables Example -->
</div>

```

[10] Edit Banner: ~

```

<?php
if (isset($_POST['submit']))
{
    $sql = "update banner set ";
    foreach ($_FILES as $a => $b) {
        // debug($_FILES);
        if (is_array($b['name'])) {
            $dd = '' . $a . '=';
            $b['name'] = array_unique(array_values(array_filter($b['name'])));
            $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
            for ($i = 0; $i < count($b['name']); $i++) {
                $b['name'][$i] = time() . '-' . $b['name'][$i];
                move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
            }
            if ($_POST[$a][0]) {
                unset($pb1);
                for ($i = 0; $i < count($_POST[$a]); $i++) {
                    $pb1[] = mysql_escape_string($_POST[$a][$i]);
                }
                $dd.= "" . implode(',', $b['name']) . "," . implode(",", $pb1) . "";
            }
            else
                $dd.= "" . implode(',', $b['name']) . "";
            $escape[] = $a;
        } elseif (is_array($b)) {
            $dd = '' . $a . '=';
            $b['name'] = time() . '-' . $b['name'];
            move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
            $dd.= "" . $b['name'] . "";
            $escape[] = $a;
        }
        $pa[] = $dd;
    }
    foreach ($_POST as $a => $b) {
        if ($a != 'submit' && !in_array($a, $escape)) {
            $dd = " " . $a . "=\"";

```

```

        if (is_array($b)) {
            unset($pb1);
            for ($i = 0; $i < count($b); $i++) {
                $b[$i] = mysql_escape_string($b[$i]);
                if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time"
                || strpos($a, "datetime") || $a == 'datetime')
                    $pb1[] = dmy2mysql($b[$i]);
                else
                    $pb1[] = $b[$i];
            }
            $dd.= "" . implode(", ", $pb1) . "";
        }
        else {
            if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time" ||
            strpos($a, "datetime") || $a == 'datetime')
                $dd.= "" . dmy2mysql($b) . "";
            else
                $dd.= "" . mysql_escape_string($b) . "";
        }
    }
    $pa[] = $dd;
}
$sql.=implode('', $pa) . " where id=" . $_GET['id'];

$q = mysql_query($sql) or die(mysql_error() . $sql);
if ($q)
    echo "<script>alert('Banner Images Updated')";
window.location='index.php?p=viewbanner';</script>";
}

$sql = "select * from banner where id=" . $_GET['id'];
$q = mysql_query($sql);
$rdata = mysql_fetch_assoc($q);
//debug($rdata);
if ($_GET['del']) { // when click on delete link this will be called and delete image from
database
    $datadel = explode(',', $rdata[$_GET['del']]);
    $_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;
    @unlink($adminpath . $rdata['image']);
    @unlink($adminpath . 'slide'. $rdata['image']);
    @unlink($adminpath . 'thumb'. $rdata['image']);
    unset($datadel[$_GET['ids']]);
    $sql = "update banner set `". $_GET['del'] . "`="" . implode(',', $datadel) . " where
id=" . $_GET['id'];
    $q = mysql_query($sql);
    echo "<script>alert('Image Updated')";
window.location='index.php?p=editbanner&id=' . $_GET['id'] . "";</script>";
}
?>
```

```

<div class="container-fluid main-content">

    <div class="row">
        <div class="col-lg-12">
            <div class="widget-container fluid-height clearfix">
                <div class="heading">
                    <i class="fa fa-table"></i>Edit Home Page banner
```

```

        </div>

        <div class="widget-content padded">

            <form action="#" class="form-horizontal" method="post"
enctype="multipart/form-data">

                <div class="form-group">
                    <label class="control-label col-md-2">Name</label>
                    <div class="col-md-7">
                        <input class="form-control" name="heading" type="text" value="<?php
echo $rdata['heading'];?>"/>
                    </div>
                </div>

                <div class="form-group">
                    <label class="control-label col-md-2">Title</label>
                    <div class="col-md-7">
                        <input class="form-control" name="title" type="text" value="<?php echo
$rdata['title']; ?>"/>
                    </div>
                </div>

                <div class="form-group">
                    <label class="control-label col-md-2">Image Upload</label>
                    <div class="col-md-4">
                        <?php
                            if ($rdata['image'] && file_exists($adminpath . $rdata['image'])) {
                                ?
                            
                        style="width: 50%;"/>
                        <a href="index.php?p=editgallery&del=image&id=<?php echo
$_GET['id']; ?>">
                            Delete </a>
                        <?php
                    } else {
                        ?
                        <div class="fileupload fileupload-new" data-
provides="fileupload"><input type="hidden" value="" name="">
                            <div class="fileupload-new img-thumbnail" style="width:
200px; height: 150px;">
                                
                            </div>
                            <div class="fileupload-preview fileupload-exists img-thumbnail"
style="width: 200px; max-height: 150px;"></div>
                            <div>
                                <span class="btn btn-default btn-file"><span
class="fileupload-new">Select image</span><span class="fileupload-
exists">Change</span><input type="file" name="image"></span><a class="btn btn-
default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>

```

```

        </div>

        </div>
        <?php
        }
        ?>

        </div>
    </div>

    <div class="form-group">
        <label class="control-label col-md-2">Status</label>
        <div class="col-md-7">
            <label class="radio" for="option1">
                <input id="option1" name="status" type="radio" value="Yes"
<?php if($rdata['status']=='Yes') { ?>checked="checked"<?php } ?>/><span>Active</span></label>
                <label class="radio"><input name="status" type="radio"
value="No" <?php if($rdata['status']=='No') { ?>checked="checked"<?php } ?>/><span>Hidden</span></label>

            </div>
        </div>

        <div class="form-group">

            <div class="col-md-7" style="text-align: right;">
                <button class="btn btn-primary" type="submit"
name="submit">Update</button><button class="btn btn-default-outline">Cancel
</button>
            </div>
            </div>
        </form>
        </div>
        </div>
    </div>
    <!-- end DataTables Example -->
</div>

```

[11] View Banner: ~

```

<?php
if(isset($_GET['del'])=='Yes')
{

$sql = "select * from banner where id=" . $_GET['id'];
$q = mysql_query($sql);
$rdata = mysql_fetch_assoc($q);
//debug($rdata);
// when click on delete link this will be called and delete image from database

```

```

$datadel = explode(',', $rdata[$_GET['del']]);
$_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;
@unlink($adminpath . $rdata['image']);
    @unlink($adminpath . 'slide'. $rdata['image']);
    @unlink($adminpath . 'thumb' . $rdata['image']);

$sql1="delete from banner where id='". $_GET['id']."' ";
$q1=mysql_query($sql1)or die(mysql_error().$sql1);

if($q1)
{
    echo "<script>alert('Banner Image Delete Succesfully');
window.location='index.php?p=viewbanner';</script>";
}

?>
<div class="container-fluid main-content">

    <div class="row">
        <div class="col-lg-12">
            <div class="widget-container fluid-height clearfix">
                <div class="heading">
                    <i class="fa fa-table"></i>View Product
                </div>
                <div class="widget-content padded clearfix">
                    <div id="dataTable1_wrapper" class="dataTables_wrapper grid">
                        <div class="dataTables_filter" id="dataTable1_filter">
                            </div>
                            <table class="table table-bordered table-striped dataTable"
id="dataTable1" aria-describedby="dataTable1_info">
                                <thead>
                                    <tr role="row"><th class="check-header hidden-xs
sorting_disabled" role="columnheader" rowspan="1" colspan="1" aria-label="

" style="width: 17.77777671813965px;">
                                        <label><input id="checkAll" name="checkAll"
type="checkbox"><span></span></label>
                                    </th><th class="sorting" role="columnheader" tabindex="0"
aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="

Id
: activate to sort column ascending" style="width:
143.7777767181396px;">
                                        Id
                                    </th><th class="sorting" role="columnheader" tabindex="0"
aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="

Image
: activate to sort column ascending" style="width:
141.7777767181396px;">
                                        Image_name
                                    </th><th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="

Product_Name

```

```

        : activate to sort column ascending" style="width:
247.7777767181396px;">>
    Name
</th><th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label=""
        Date Added
        : activate to sort column ascending" style="width:
154.7777767181396px;">>
    Title
</th><th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label=""
        Status
        : activate to sort column ascending" style="width:
153.7777767181396px;">>
    Status
</th><th class="sorting_disabled" role="columnheader"
rowspan="1" colspan="1" aria-label="" style="width:
71.7777767181396px;">></th></tr></thead>

<tbody role="alert" aria-live="polite" aria-relevant="all">

<?php
$sql = "select * from banner ";
$q = mysql_query($sql) or die(mysql_error() . $sql);
while($r= mysql_fetch_assoc($q))
{
?>
<tr class="odd">
    <td class="check hidden-xs sorting_1">
        <label><input name="optionsRadios1" type="checkbox"
value="option1"><span></span></label>
    </td>
    <td class=" " >
        <?php echo $r['id']; ?>
    </td>
    <td class="">
        <?php if($r['image']&& file_exists($adminpath.$r['image'])){ ?>
            
            <?php }
            else
{
?>
            
            <?php
}
            ?>
        </td>
        <td class="hidden-xs ">
            <?php echo $r['heading']; ?>
        </td>
        <td class="hidden-xs ">
            <?php echo ($r['title']); ?>
        </td>
        <td class="hidden-xs ">

```

```

<?php if($r['status']=='Yes')
{
?>
<span class="label label-success"> Active</span>
<?php
} else if($r['status']=='No'){
?
<span class="label label-danger"> Hidden</span>
<?php } ?>

</td>
<td class="actions ">
<div class="action-buttons">
<a class="table-actions" href=""><i class="fa fa-eye"></i></a><a class="table-actions" href="index.php?p=editbanner&id=<?php echo $r['id'] ?>"><i class="fa fa-pencil"></i></a><a class="table-actions" href="index.php?p=viewbanner&del=Yes&id=<?php echo $r['id']; ?>"><i class="fa fa-trash-o"></i></a>
</div>
</td>
</tr>
<?php } ?>

</tbody></table>
<div class="dataTables_info" id="dataTable1_info">Showing 1 to 10
of 14 entries</div>
<div class="dataTables_paginate paging_full_numbers"
id="dataTable1_paginate">
<a tabindex="0" class="first paginate_button
paginate_button_disabled" id="dataTable1_first">First</a><a tabindex="0"
class="previous paginate_button paginate_button_disabled"
id="dataTable1_previous">Previous</a><span><a tabindex="0"
class="paginate_active">1</a><a tabindex="0"
class="paginate_button">2</a></span><a tabindex="0" class="next paginate_button"
id="dataTable1_next">Next</a><a tabindex="0" class="last paginate_button"
id="dataTable1_last">Last</a></div></div>
</div>
</div>
</div>
</div>

```

[12] Add Page: ~

```
<?php
if (isset($_POST['submit'])) {

    $sql = "insert into page (`";
    foreach ($_FILES as $a => $b) {
        if ($a != 'submit') {
            if (is_array($b['name'])) {

                $pa[] = $a;

                $b['name'] = array_unique(array_values(array_filter($b['name'])));

                $b['tmp_name'] =
array_unique(array_values(array_filter($b['tmp_name'])));

                for ($i = 0; $i < count($b['name']); $i++) {

                    $b['name'][$i] = time() . '-' . $b['name'][$i];

                    move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);

                }

                $pb[] = implode(',', $b['name']);

            } elseif (is_array($b)) {

                $pa[] = $a;

                $b['name'] = time() . '-' . $b['name'];

                move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);

                $pb[] = $b['name'];

            }

        }

    }

    foreach ($_POST as $a => $b) {

        if ($a != 'submit') {

            if (is_array($b)) {

                $pa[] = $a;


```

```

        unset($pb1);

        for ($i = 0; $i < count($b); $i++) {

            $b[$i] = mysql_escape_string($b[$i]);

            if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'datetime' || strpos($a, "date") || $a == 'date')

                $pb1[] = dmy2mysql($b[$i]);

            else

                $pb1[] = $b[$i];

        }

        $pb[] = implode(',', $pb1);

    }

    else {

        $pa[] = $a;

        if (strpos($a, "time") || $a == 'time' || strpos($a, "datetime") || $a ==
'datetime' || strpos($a, "date") || $a == 'date')

            $pb[] = dmy2mysql($b);

        else

            $pb[] = mysql_escape_string($b);

    }

}

}

}

$sql.=implode(` `, ` `, $pa) . ` ` values(`` . implode(`` , `` , $pb) . ``);

$q = mysql_query($sql) or die(mysql_error());

if ($q)

    echo "<script>alert('New Page Created');  

window.location='index.php?p=viewpage';</script>";
}?
<div class='container-fluid main-content'>
<div class='row'>
<div class='col-lg-12'>
<div class='widget-container fluid-height clearfix'>
<div class='heading'>
<i class='fa fa-table'></i>Add New Page

```

```

        </div>
        <div class="widget-content padded">
            <form action="#" class="form-horizontal" method="post"
enctype="multipart/form-data">
                <div class="form-group">
                    <label class="control-label col-md-2">Name</label>
                    <div class="col-md-7">
                        <input class="form-control" type="text" name="name"/>
                    </div>
                </div>
                <div class="form-group">
                    <label class="control-label col-md-2">Page Link Place:</label>
                    <div class="col-md-7">
                        <select class="form-control" name="place">
                            <option>--Select--</option>
                            <option>Home Page Content</option>
                            <option>Home Page Thumb Image</option>
                            <option>Footer Menu</option>
                        </select>
                    </div>
                </div>
                <div class="form-group">
                    <label class="control-label col-md-2">Url</label>
                    <div class="col-md-7">
                        <input class="form-control" placeholder="" type="text"
name="url"/>
                    </div>
                </div>
                <div class="form-group">
                    <label class="control-label col-md-2">Sort</label>
                    <div class="col-md-7">
                        <input class="form-control" placeholder="" type="text"
name="sort"/>
                    </div>
                </div>
                <div class="form-group">
                    <label class="control-label col-md-2">Url Title</label>
                    <div class="col-md-7">
                        <input class="form-control" type="text" name="title"/>
                    </div>
                </div>
                <div class="form-group">
                    <label class="control-label col-md-2">Short Description</label>
                    <div class="col-md-7">
                        <textarea class="form-control" rows="3"
name="shortde"></textarea>
                    </div>
                </div>
                <div class="col-lg-12">
                </div>
                <div class="form-group">
                    <label class="control-label col-md-2">Detail</label>
                    <div class="col-md-7">
                        <textarea id="editor1" name="detail" rows="10"
cols="80"></textarea>
                        <script type="text/javascript">
                            var editor = CKEDITOR.replace( 'editor1', {

```

```

        filebrowserBrowseUrl : 'new/ckfinder/ckfinder.html',
        filebrowserImageBrowseUrl :
'new/ckfinder/ckfinder.html?type=Images',
        filebrowserFlashBrowseUrl :
'new/ckfinder/ckfinder.html?type=Flash',
        filebrowserUploadUrl :
'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Files',
        filebrowserImageUploadUrl :
'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Images'
,
        filebrowserFlashUploadUrl :
'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Flash'
    });
    CKFinder.setupCKEditor( editor, '..' );

```

</script>

</div>

</div>

<div class="form-group">

<label class="control-label col-md-2">Image Upload</label>

<div class="col-md-4">

<div class="fileupload fileupload-new" data-

provides="fileupload"><input type="hidden" value="" name="">

<div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">

</div>

<div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>

<div>

<span

class="fileupload-new">Select image<span class="fileupload-

exists">Change<input type="file" name="image"/><a class="btn btn-

default fileupload-exists" data-dismiss="fileupload" href="#">Remove

</div>

</div>

</div>

<div class="form-group">

<label class="control-label col-md-2">Advertisement</label>

<div class="col-md-4 more">

<input type="file" class="form-control" name="advertisements[]" multiple="" />

<script>

function addmore(){

\$('.more').append('<input class="form-control" name="advertisements[]" type="file" multiple="" />')

}

</script>

</div>

<button type="button" onclick="addmore()">Addmore</button>

</div>

<div class="form-group">

<label class="control-label col-md-2">Valuable Clients</label>

<div class="col-md-4 more1">

<input type="file" class="form-control" name="valuable[]" multiple="" />

```

<script>
    function addmore(){
        $('.more1').append('<input class="form-control" name="valuable[]" type="file" multiple="" />')
    }
</script>
</div>
<button type="button" onclick="addmore()">Addmore</button>
</div>
<div class="form-group">
    <div class="col-md-7" style="text-align: right;">
        <button class="btn btn-primary" type="submit" name="submit">Submit</button><button class="btn btn-default-outline">Cancel
    </div>
    </div>
</form>
</div>
</div>
</div>
<!-- end DataTables Example -->
</div>

```

[13] Edit Page: ~

```

<?php

if (isset($_POST['submit'])) {
    $sql = "update page set ";
    foreach ($_FILES as $a => $b) {
//      debug($_FILES);
        if (is_array($b['name'])) {
            $dd = '' . $a . '=';
            $b['name'] = array_unique(array_values(array_filter($b['name'])));
            $b['tmp_name'] = array_unique(array_values(array_filter($b['tmp_name'])));
            for ($i = 0; $i < count($b['name']); $i++) {
                $b['name'][$i] = time() . '-' . $b['name'][$i];
                move_uploaded_file($b['tmp_name'][$i], 'files/' . $b['name'][$i]);
            }
        if ($_POST[$a][0]) {
            unset($pb1);
            for ($i = 0; $i < count($_POST[$a]); $i++) {
                $pb1[] = mysql_escape_string($_POST[$a][$i]);
            }
            $dd.= "" . implode(',', $b['name']) . "," . implode(",", $pb1) . "";
        }
        else
            $dd.= "" . implode(',', $b['name']) . "";
        $escape[] = $a;
    } elseif (is_array($b)) {
        $dd = '' . $a . '=';
    }
}

```

```

$b['name'] = time() . '-' . $b['name'];
move_uploaded_file($b['tmp_name'], 'files/' . $b['name']);
$dd.= "" . $b['name'] . "";
$escape[] = $a;
}
$pa[] = $dd;
}
foreach ($_POST as $a => $b) {
if ($a != 'submit' && !in_array($a, $escape)) {
$dd = `` . $a . ` =`;
if (is_array($b)) {
unset($pb1);
for ($i = 0; $i < count($b); $i++) {
$b[$i] = mysql_escape_string($b[$i]);
if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time"
|| strpos($a, "datetime") || $a == 'datetime')
$pb1[] = dmy2mysql($b[$i]);
else
$pb1[] = $b[$i];
}
$dd.= "" . implode(", ", $pb1) . "";
}
else {
if (strpos($a, "time") || strpos($a, "date") || $a == "date" || $a == "time" ||
strpos($a, "datetime") || $a == 'datetime')
$dd.= "" . dmy2mysql($b) . "";
else
$dd.= "" . mysql_escape_string($b) . "";
}
$pa[] = $dd;
}
$sql.=implode('', $pa) . " where id=" . $_GET['id'];
$q = mysql_query($sql) or die(mysql_error() . $sql);
if ($q)
echo "<script>alert('Page Updated')";
window.location='index.php?p=viewpage';</script>";
}
$sql = "select * from page where id=" . $_GET['id'];
$q = mysql_query($sql);
$rdata = mysql_fetch_assoc($q);
//debug($rdata);
if ($_GET['del']) { // when click on delete link this will be called and delete image from
database
$datadel = explode(',', $rdata[$_GET['del']]);
$_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;
@unlink($adminpath . $rdata['image']);
unset($datadel[$_GET['ids']]);
$sql = "update page set ` " . $_GET['del'] . ` ="" . implode(',', $datadel) . " where
id=" . $_GET['id'];
$q = mysql_query($sql);
echo "<script>alert('Image Updated'); window.location='index.php?p=editpage&id="
. $_GET['id'] . "'";</script>";
}
if ($_GET['del']=='advertisements') { // when click on delete link this will be called and
delete image from database
$datadel = explode(',', $rdata[$_GET['del']]);

```

```

$_GET['ids'] = $_GET['ids'] ? $_GET['ids'] : 0;
@unlink($adminpath . $rdata['advertisements']);
unset($datadel[$_GET['ids']]);
$sql = "update page set `". $_GET['del'] . "` = ". implode(',', $datadel) . " where
id=" . $_GET['id'];
$q = mysql_query($sql);
echo "<script>alert('Image Updated'); window.location='index.php?p=editpage&id=".
$_GET['id'] . "'</script>";
}
?>
<div class="container-fluid main-content">
<div class="row">
<div class="col-lg-12">
<div class="widget-container fluid-height clearfix">
<div class="heading">
<i class="fa fa-table"></i>Add New Page
</div>
<div class="widget-content padded">
<form action="#" class="form-horizontal" method="post"
enctype="multipart/form-data">
<div class="form-group">
<label class="control-label col-md-2">Name</label>
<div class="col-md-7">
<input class="form-control" type="text" name="name"
value=<?php echo $rdata['name']; ?>"/>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Page Link Place:</label>
<div class="col-md-7">
<select class="form-control" name="place">
<option > <?php echo $rdata['place']; ?></option>
<option value="">Select</option>
<option >Home Page Content</option>
<option>Home Page Thumb Image</option>
<option >Footer Menu</option>
</select>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Url</label>
<div class="col-md-7">
<input class="form-control" placeholder="" type="text"
name="url" value=<?php echo $rdata['url']; ?>"/>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Sort</label>
<div class="col-md-7">
<input class="form-control" placeholder="" type="text"
name="sort" value=<?php echo $rdata['sort']; ?>"/>
</div>
</div>
<div class="form-group">
<label class="control-label col-md-2">Url Title</label>
<div class="col-md-7">
<input class="form-control" type="text" name="title"

```

```

value="<?php echo $rdata['title']; ?>"/>
    </div>
</div>
<div class="form-group">
    <label class="control-label col-md-2">Short Description</label>
    <div class="col-md-7">
        <textarea class="form-control" rows="3" name="shortde">
            <?php echo $rdata['shortde']; ?>
        </textarea>
    </div>
</div>
<div class="col-lg-12">
</div>
<div class="form-group">
    <label class="control-label col-md-2">Detail</label>
    <div class="col-md-7">
        <!--
name="detail" >
        <?php //echo $rdata['detail']; ?>
        </textarea>-->
        <textarea id="editor1" name="detail" rows="10" cols="80">
<?php echo $rdata['detail']; ?></textarea>
        <script type="text/javascript">
            var editor = CKEDITOR.replace( 'editor1', {
                filebrowserBrowseUrl : 'new/ckfinder/ckfinder.html',
                filebrowserImageBrowseUrl :
                    'new/ckfinder/ckfinder.html?type=Images',
                filebrowserFlashBrowseUrl :
                    'new/ckfinder/ckfinder.html?type=Flash',
                filebrowserUploadUrl :
                    'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Files',
                filebrowserImageUploadUrl :
                    'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Images'
            ,
                filebrowserFlashUploadUrl :
                    'new/ckfinder/core/connector/php/connector.php?command=QuickUpload&type=Flash'
            });
            CKFinder.setupCKEditor( editor, '..' );
        </script>
    </div>
</div>
<div class="form-group">
    <label class="control-label col-md-2">Image Upload</label>
    <div class="col-md-4">
        <?php
        if ($rdata['image'] && file_exists($adminpath . $rdata['image'])) {
            ?>
            
            <a href="index.php?p=editpage&del=image&id=<?php echo $_GET['id']; ?>">
                Delete </a>
            <?php
        } else {
            ?>
            <div class="fileupload fileupload-new" data-

```

```

provides="fileupload">><input type="hidden" value="" name="">
    <div class="fileupload-new img-thumbnail" style="width: 200px; height: 150px;">
        
    </div>
    <div class="fileupload-preview fileupload-exists img-thumbnail" style="width: 200px; max-height: 150px;"></div>
<div>
    <span class="btn btn-default btn-file"><span class="fileupload-new">Select image</span><span class="fileupload-exists">Change</span><input type="file" name="image"></span><a class="btn btn-default fileupload-exists" data-dismiss="fileupload" href="#">Remove</a>
    </div>
</div>
<?php
}
?>
</div>
</div>
<div class="form-group">
    <label class="control-label col-md-2">Advertisement</label>
    <div class="col-md-4">
        <?php
        $sql = "select * from page where id='' . $_GET['id'] . ''";
        $q = mysql_query($sql) or die(mysql_error() . $sql);
        while ($r = mysql_fetch_assoc($q)) {
            $images = explode(',', $r['advertisements']);
            for ($i = 0; $i < count($images); $i++) {
                if ($images[$i] && file_exists('files/' . $images[$i])) {
                    ?>
                    <div style="float: left; margin: 5px;">
                        <br>
                        <a href="index.php?p=editpage&del=advertisements&ids=<?php echo $i; ?>&id=<?php echo $_GET['id'] ?>">Delete</a>
                        <input type="hidden" value="<?php echo $images[$i]; ?>" name="advertisements[]" /><br>
                    </div>
                    <?php
                }
            }
        }
        ?>
        <div style="clear: both;"></div>
        <input type="file" name="advertisements[]" alt="blank" multiple=""/>
    </div>
</div>
<div class="form-group">
    <label class="control-label col-md-2">Valuable Clients</label>
    <div class="col-md-4">
        <?php
        $sql = "select * from page where id='' . $_GET['id'] . ''";
        $q = mysql_query($sql) or die(mysql_error() . $sql);
        while ($r = mysql_fetch_assoc($q)) {
            $images = explode(',', $r['valuable']);

```

```

        for ($i = 0; $i < count($images); $i++) {
            if ($images[$i] && file_exists('files/' . $images[$i])) {
                ?
                <div style="float: left; margin: 5px;">
                    <br>
                    <a href="index.php?p=editpage&del=valuable&ids=<?php echo $i; ?>&id=<?php echo $_GET['id'] ?>">Delete</a>
                        <input type="hidden" value="<?php echo $images[$i]; ?>" name="valuable[]" /><br>
                    </div>
                    <?php
                }
            }
        }
    ?
    <div style="clear: both;"></div>
    <input type="file" name="valuable[]" alt="blank" multiple="" />
</div>
</div>
<div class="form-group">
    <div class="col-md-7" style="text-align: right;">
        <button class="btn btn-primary" type="submit" name="submit">Submit</button><button class="btn btn-default-outline">Cancel</button>
    </div>
    </div>
</form>
</div>
</div>
</div>
</div>
</div>

```

[14] View Page: ~

```

<?php
if(isset($_GET['del'])=='Yes')
{
    $sql="delete from page where id='". $_GET['id']."' ";
    $q=mysql_query($sql)or die(mysql_error().$sql);
    if($q)
    {
        echo "<script>alert('Page Delete Succesfully');";
        window.location='index.php?p=viewpage';</script>";
    }
}
?>
<div class="container-fluid main-content">
    <div class="row">
        <div class="col-lg-12">

```

```

<div class="widget-container fluid-height clearfix">
    <div class="heading">
        <i class="fa fa-table"></i>View Product
    </div>
    <div class="widget-content padded clearfix">
        <div id="dataTable1_wrapper" class="dataTables_wrapper role="grid">
            <div class="dataTables_filter" id="dataTable1_filter">
            </div>
            <table class="table table-bordered table-striped dataTable"
id="dataTable1" aria-describedby="dataTable1_info">
                <thead>
                    <tr role="row"><th class="check-header hidden-xs
sorting_disabled" role="columnheader" rowspan="1" colspan="1" aria-label="
" style="width: 17.77777671813965px;">
                        <label><input id="checkAll" name="checkAll"
type="checkbox"><span></span></label>
                    </th><th class="sorting" role="columnheader" tabindex="0"
aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Id: activate to sort
column ascending" style="width: 143.7777767181396px;">
                        Id
                    </th><th class="sorting" role="columnheader" tabindex="0"
aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Image: activate to sort
column ascending" style="width: 141.7777767181396px;">
                        Image
                    </th><th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-
label="Product_Name: activate to sort column ascending" style="width:
247.7777767181396px;">
                        Page_Name
                    </th><th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Date
Added: activate to sort column ascending" style="width: 154.7777767181396px;">
                        Place
                    </th><th class="hidden-xs sorting" role="columnheader"
tabindex="0" aria-controls="dataTable1" rowspan="1" colspan="1" aria-label="Status:
activate to sort column ascending" style="width: 153.7777767181396px;">
                        Title
                    </th><th class="sorting_disabled" role="columnheader"
rowspan="1" colspan="1" aria-label="" style="width:
71.7777767181396px;"></th></tr></thead>
        <tbody role="alert" aria-live="polite" aria-relevant="all">
            <?php
                $sql = "select * from page ";
                $q = mysql_query($sql) or die(mysql_error() . $sql);
                while($r= mysql_fetch_assoc($q))
                {
                ?>
            <tr class="odd">
                <td class="check hidden-xs sorting_1">
                    <label><input name="optionsRadios1" type="checkbox"
value="option1"><span></span></label>
                </td>
                <td class=" ">
                    <?php echo $r['id']; ?>
                </td>
                <td class="">
                    <?php if($r['image']&& file_exists($adminpath.$r['image'])){
```

```

?>
        

        <?php }
else
{
?>

<?php
}
?>
</td>
<td class="hidden-xs ">
    <?php echo $r['name']; ?>
</td>
<td class="hidden-xs ">
    <?php echo $r['place']; ?>
</td>
<td class="hidden-xs ">
    <?php echo $r['title']; ?>
</td>
<td class="actions ">
    <div class="action-buttons">
        <a class="table-actions" href=""><i class="fa fa-eye"></i></a><a class="table-actions" href="index.php?p=editpage&id=<?php echo $r['id'] ?>"><i class="fa fa-pencil"></i></a>
        <a class="table-actions"
href="index.php?p=viewpage&del=Yes&id=<?php echo $r['id']; ?>" onclick="return confirm('Are you sure?')"><i class="fa fa-trash-o"></i></a>
    </div>
    </td>
</tr>
<?php } ?>
</tbody></table>
</div>
</div>
</div>
</div>
</div>
</div>

```

[15] Account Setting: ~

```

<?php
if(isset($_POST['update']))
{
    $sql="update login set username='". $_POST['username']."' ,
password='". $_POST['password']."' ";
    $q=mysql_query($sql)or die(mysql_error().$sql);
    if($q)

```

```

{
    echo '<script>alert("Username & Password Changed
Successfully");window.location="index.php";</script>';
}
}

$sql="select * from login where id =".$_SESSION['udata']['id']."'";

$q= mysql_query($sql)or die(mysql_error().$sql);
$r= mysql_fetch_assoc($q);
?>
<div class="container-fluid main-content">

<div class="row">
    <div class="col-lg-12">
        <div class="widget-container fluid-height clearfix">
            <div class="heading">
                <i class="fa fa-table"></i>Account Setting
            </div>

            <div class="widget-content padded">
                <form action="#" class="form-horizontal" method="post">

                    <div class="form-group">
                        <label class="control-label col-md-2">Username </label>
                        <div class="col-md-7">
                            <div class="input-group">
                                <span class="input-group-addon">@</span><input class="form-control"
type="text" name="username" value=<?php echo $r['username']; ?>" />
                            </div>
                        </div>
                    </div>

                    <div class="form-group">
                        <label class="control-label col-md-2">Password</label>
                        <div class="col-md-7">
                            <div class="input-group">
                                <span class="input-group-addon">$</span><input class="form-control"
type="password" name="password" value=<?php echo $r['password']; ?>" />
                            </div>
                        </div>
                    </div>


                    <div class="form-group">
                        <div class="col-md-7" style="text-align: right;">
                            <button class="btn btn-primary" type="submit"
name="update">Change</button><button class="btn btn-default-outline">Cancel
</button>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>
<!-- end DataTables Example -->
</div>

```

PRINT SCREEN


❖ Admin Side:-

[1] Login: ~



- This is help to administrator can login and open admin panel.
- If user name and password is not match then it will not open admin panel.

[2] Admin Home: ~



- This is administrator home page in admin panel.
- Admin can see all the different different functionality for different different purpose.
- Admin want to add any new news then go news tab and click on it and add it and it can also edit and view also.it is same like other functions.

[3] Add Image: ~

The screenshot shows a web browser window with three tabs open. The active tab is titled 'News Portal-Bluetech'. The URL in the address bar is 'localhost/news/bluetech/index.php?p=addtodayimage'. The page content is a form for adding a new image to a gallery. The form fields include:

- Title:** INDIA
- Sort Description:** Small Information About India
- Image Upload:** A preview image titled 'REASONS TO BE PROUD OF INDIA' is displayed. The image features the word 'INDIA' in large green letters and includes text about the country's religious diversity and its largest employer.
- Status:** Two radio buttons are present: one labeled 'Active' (which is selected) and one labeled 'Hidden'.
- Buttons:** 'Submit' (in blue) and 'Cancel'.

The browser's toolbar and status bar are visible at the bottom, showing various icons and the time '12:59 PM'.

- This page is used to upload a new image in gallery.
- When admin adds a new image in gallery then it will specify image title, sort description, image and its status.
- If Status is active then it will display in client side otherwise it will display when user clicks view all option in client side.


[4] View & Edit Image: ~

The screenshot shows a web browser window titled "News Portal-Bluetech" with the URL "localhost/news/bluetech/index.php?p=viewtodayimage". The page displays a table titled "View Today Images" showing eight entries. The columns are: Id, Image, Title, Short Description, and Status. Each row includes a checkbox, the ID, a thumbnail image, the title, a short description, and a status button (Active). On the right side of each row are three icons: a blue eye (View), a blue pencil (Edit), and a blue trash can (Delete). The bottom of the screen shows a taskbar with various application icons and a system tray indicating the date and time as 1:01 PM.

	Id	Image	Title	Short Description	Status	
<input type="checkbox"/>	3		football	olampica	Active	
<input type="checkbox"/>	4		football	football	Active	
<input type="checkbox"/>	5		football	football	Active	
<input type="checkbox"/>	6		football	football	Active	
<input type="checkbox"/>	7		football	football	Active	
<input type="checkbox"/>	8		INDIA	Small Information About India	Active	

- This page is view the uploaded gallery image.
- If admin wants to update or delete the image then it will do here with the help of right side available option.

[5] Update Uploaded Image: ~



- This page is used to update the gallery image if the admin wants it.
- It will display past uploaded image as well as its title and description.
- If the admin wants to change title, sort description and image then it can be done here.

[6] Add News: ~

The screenshot shows a web browser window with multiple tabs open. The active tab is titled "News Portal-Bluetech" and displays a form for adding a news article. The form includes fields for "Select Category" (Sports), "Sub Type" (Football), "Headlines" (Indian football needs a superstar: John Helm), "Select Date" (10/29/2014), and a "Detail" section containing a text box with a long quote from John Helm. Below the detail section is an "Image Upload" field showing a team photo of Indian football players, with "Change" and "Remove" buttons. At the bottom, there are "News Status" options ("Active" is selected) and "Submit" and "Cancel" buttons.

NEWS PORTAL X localhost / 127.0.0... X News Portal-Bluetech X Marwadi Education X Indian football needs a... X + - X

localhost/news/bluetech/index.php?p=addnews Google

Dashboard Today Images News Banner Pages

Select Category: Sports

Sub Type: Football

Headlines: Indian football needs a superstar: John Helm

Select Date: 10/29/2014

Detail: PANAJI: For someone who has been as immersed in football as John Helm, having been a commentator for more than 50 years now, it is fascinating that the beautiful game continues to sweep him off his feet.
The moment didn't come at the recent World Cup 2014 in Brazil, where he was a commentator for the host broadcaster, but here in India in the Indian Super League.
"I was in Guwahati the other day and the atmosphere was absolutely terrific. I have seen football all over the world and I can compare that kind of fanaticism to what we see in Turkey. I think it's an extraordinary compliment," said John, one of the world's most recognizable voices.

Image Upload: John Helm, who works closely with Fifa now.

Change Remove

News Status: Active

Hidden

Submit Cancel

- This page is used by admin to upload new news.
- It will also upload news related image also.
- Admin can also specify the status of the news or other more field.

[7] View & Edit News: ~

The screenshot shows a web application interface for managing news. At the top, there are three tabs: 'localhost / 127.0.0.1 | php...', 'NEWS PORTAL', and 'News Portal-Bluetech'. The 'News Portal-Bluetech' tab is active. Below the tabs, the URL 'localhost/news/bluetech/index.php?p=viewnews' is visible. On the right side of the header, there is a user profile icon for 'Admin'.

The main content area is titled 'View News'. It includes a search bar and a table with 50 entries. The table has columns for 'Id', 'Image', 'News Heading', 'Date Added', and 'Status'. Each news item has a small thumbnail image, a heading, a date, and a status indicator ('Active'). To the right of each row are three icons: a magnifying glass (view), a pencil (edit), and a trash can (delete).

<input type="checkbox"/>	Id	Image	News Heading	Date Added	Status	
<input type="checkbox"/>	5		Mumbai To Host Deheradun Trophy		Active	
<input type="checkbox"/>	6		Atlantico de Kolkata Vs Kerala Blaster FC		Active	
<input type="checkbox"/>	7		Hil appoints Kaushik as Central Zone's High Performance Manager		Active	
<input type="checkbox"/>	8		JSPL top loser on Nifty; stock slips nearly 15% in October		Active	
<input type="checkbox"/>	9		Investors can save on tax with ELSS, create wealth by using market volatility: Experts		Active	
<input type="checkbox"/>	10		HSBC buys duplex for Rs 60 crore in South Mumbai locality		Active	
<input type="checkbox"/>	11		Winter session of Parliament to begin on 24 November, end on December 23		Active	
<input type="checkbox"/>	12		On either path he takes, Uddhav can gain some, lose some		Active	
<input type="checkbox"/>	14		Modi-Shah think beyond caste-region in making state picks		Active	
<input type="checkbox"/>	16		Rajnikanth up Comming Movie		Active	
<input type="checkbox"/>	17		Are Sidharth and Alia more than just good friends?		Active	
<input type="checkbox"/>	19		Amitabh Bachchan looking forward to shooting Piku in Kolkata		Active	
<input type="checkbox"/>	20		TCS sees digital services as over \$5 bn opportunity		Active	
<input type="checkbox"/>	21		IBM struggles to reinvent itself in an age of cloud		Active	
<input type="checkbox"/>	22		Google cuts Cloud Compute Engine prices by 10%		Active	


- This page is used to display uploaded news.
- If users want to update or delete any news then it will be done with the help of right side option.

[8] Update News: ~

The screenshot shows a web browser window titled "Edit News" for a news item. The news type is set to "Sports" and the sub-type to "cricket". The headline is "Mumbai To Host Deheradun Trophy". The detail text area contains a snippet about the Deodhar Trophy inter-zonal One-Day domestic tournament. An image of a cricket ball is uploaded under "Image Upload". The news status is set to "Active". At the bottom, there are "Update" and "Cancel" buttons.

- This page is used by admin to update the uploaded news.
- It also changes any detail about news or adds news content in the news then it is possible here.

[9] Add New Banner: ~



- This page is used to add new banner.
- When admin upload any new banner then its require to specify banner name, banner title, banner image and status.
- If status is active then it will display otherwise it will not display.

[10] Update Banner: ~

The screenshot shows a web browser window with multiple tabs open. The active tab is titled "localhost / 127.0.0... X" and displays a form for editing a banner. The form includes fields for Name (narendramodi), Title (Start new service), and Status (Active). An image of a bus is uploaded and visible. At the bottom right of the form are "Update" and "Cancel" buttons.

NEWS PORTAL | localhost / 127.0.0... | News Portal-Bluet... | Marwadi Education | indian hockey tea... | + - ⌂ X

localhost/news/bluetech/index.php?p=editbanner&id=9 Google Admin

Dashboard Today Images News Banner Pages

Edit Home Page banner


Name: narendramodi

Title: Start new service

Image Upload: Delete


Status: Active Hidden

Update Cancel




- This page is used to update the uploaded banner.
- When admin want to update banner then it will done by here.

[11] Add New Page: ~



- This page is use to add a new page dynamically in client side.
- When admin add a new page dynamically then specify page name in name field and select page link and more important is write html code in detail field which you want to add news page.

[12] Change Account setting: ~



- This page is used to change the admin username and password.

❖ Client Side: ~

[1] Home: ~

The screenshot shows a web browser window titled "NEWS PORTAL" with the URL "localhost/news/" in the address bar. The page displays a large banner image of a decorated bus and a political event. Below the banner are several news thumbnails, including one for "THE TIMES OF INDIA DAILY NEWS" and another for "INDIAN POLITICAL SYSTEM". On the right side, there is a "Get In Touch" form with fields for name, phone number, email, and message, along with "Send" and "Clear" buttons. Another section titled "Today's Image" shows a grid of small images related to sports and technology. At the bottom, there is a footer with developer information and a navigation menu.

NEWS PORTAL

Tuesday, 28 November 2014, 17:52 PM

Home | About Us | Daily News | Sports | Business | Politics | Entertainment | Technology & Science | Contact

jayesh
9909791997
jm_sonagra@gmail.com
how can i contact you?

Send Clear

View All

Developed by : Shailesh , Dharmendra , Vivek, Kunal
Submitted to : Marwadi Education Foundation Group of Institutions.

Home About Us Daily News Bussiness Contact Us Sitemap

- This page is home page and all other link available here.
- User can jump all other page from here.

[2] About Us: ~

The screenshot shows a web browser window with the title bar "NEWS PORTAL" and the URL "localhost / 127.0.0.1 | php...". The main content area features a banner with two globes and the word "information". Below the banner is a navigation menu with links: Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. To the right of the menu is a timestamp: "Tuesday, 28 November 2014, 10:05 PM". On the left side of the page, there is a section titled "About Us :-" containing several paragraphs of text. On the right side, there are two boxes: one for "Get In Touch" with fields for Name, Mobile No, Email Address, and a message area, and another for "Today's Image" showing a collage of sports-related images.

About Us :-

The News Publishing portal provides an easy way to professionally publish an online news publication, corporate press releases, or manage other content without technical expertise. It is most often used as an online newspaper.

Our News Publishing system provides flexible, easy-to-use content management focused on minimizing. It combines content creation, graphics, and publication controls.

Design a website with wide range of custom modules like top stories section, breaking news section, advance search option, photo gallery, video uploading services etc.

Authorized contributing writers can submit stories for editorial review and publication.

Unlimited category tree system for adding news stories and special features. Unlimited number of dynamic news sections.

Publishes a photo gallery with a story.

Features and Importance :-

To design a website that has multimedia features to display the current affairs and information about the hot topics. The site should contain features that would help people to surf through important news and also news related to their interests.

website design with unlimited number of feature categories like top stories section, breaking news section, advance search option, photo gallery, video uploads etc.

Old news are automatically removed from the site automatically.

Interactive website design offering extensive usability and functionality.

It contains other more features like :-

Top Stories Section:-
Features the hottest news articles in this module.

Breaking News-

This column on the website features the breaking news section revealing the top most news to the site visitors.

Advertisement-

Advertisement module can be controlled from admin section and display flash and static images, adding onto the revenue of the client.

Photo Gallery-

Photo gallery can be managed by admin section and can be categorize into different sections like on sport section photo gallery related to sport will be displayed and so on.

Video-

Video can be uploaded in news stories, interviews, photo gallery & advertisement. For example, in Food & Drinks section, video related to f&b will be displayed. Video can be embedded from You Tube or uploaded as flv.

Our Media partner



Developed by : Shailesh , Dharmendra , Vivek, Kuntal
Submitted to : Marwadi Education Foundation Group of Institutions.

[Home](#) [About Us](#) [Daily News](#) [Business](#) [Contact Us](#)
[Sitemap](#)



- This page is display all the description or information about this web site.
- It can also display the web site's media partner.

[3] Daily News: ~

The screenshot shows a web browser window displaying a news portal. The title bar reads "NEWS PORTAL" and "localhost / 127.0.0.1 | php...". The main header features a "NEWS PORTAL" logo, a search bar, and a date/time stamp "Tuesday, 28 November 2014, 18:15 PM". Below the header is a navigation menu with links: Home, About Us, Daily News (which is highlighted in red), Sports, Business, Politics, Entertainment, Technology & Science, and Contact. The main content area has a large banner image of a globe. Below the banner, there are four news cards:

- Google cuts Cloud Compute Engine prices by 10%**
Google has cut cloud compute prices by 10% effective immediately, the company said. The move represents an opportunity for Google to edge itself into the cloud leadership position ahead of competitors Amazon and Microsoft. The announcement applies to all Google Compute Engine instances.
- IBM struggles to reinvent itself in an age of cloud**
WASHINGTON: When IBM Corp CEO Ginni Rometty was asked recently for her tips on how to transform companies, she spoke of "relentless reinvention" and not protecting the past. Applying those precepts to IBM is proving particularly tricky as many of the company's old-line businesses have already...
- TCS sees digital services as over \$5 bn opportunity**
NEW DELHI: Country's largest IT services firm Tata Consultancy Services (TCS) expects digital platforms like cloud, Big Data and mobility solutions to bring in cumulative revenues of over \$5 billion in next few years. Earlier, the Mumbai-based firm had said that it expects to do \$5 billion cumulative...
- Amitabh Bachchan looking forward to shooting Piku in Kolkata**
Megastar Amitabh Bachchan is excited to visit Kolkata for the second shooting schedule of director ... Always," Bachchan posted on his. Continue Reading »

On the right side, there is a "Get In Touch" form with fields for Name, Mobile No, Email Address, and a message area. Below that is a "Today's Image" section showing a collage of sports-related images.

At the bottom, the footer contains developer information: "Developed by : Shailesh , Dharmendra , Vivek, Kunal" and "Submitted to : Marwadi Education Foundation Group of Institutions". It also includes a navigation menu: Home, About Us, Daily News, Business, Contact Us, and Sitemap. The status bar at the bottom right shows "6:17 PM".

- It will display all general news.
- Other is it will display all type of news in single page
- When user want to show more new then up-down arrow is display when user click on it then it will show more news.

[4] Sport News: ~

The screenshot shows a web browser window displaying a news portal. The title bar indicates the page is 'localhost / 127.0.0.1 / news...'. The main header features a globe graphic and the text 'information plus' over a background of a swimming pool. The navigation menu includes Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. The date 'Tuesday, 28 November 2014, 18:30 PM' is shown in the top right. The left sidebar lists news categories: 'Category : News', 'Hockey India Appoints Kaushik as Central Zone's High Performance Manager', 'Atlantico de Kolkata Vs Kerala Blaster FC', and 'Mumbai To Host Deheradun Trophy'. Each news item has a thumbnail image and a 'Read More' link. The right sidebar contains a 'Get In Touch' form with fields for Name, Mobile No, Email Address, and a message area, along with 'Send' and 'Clear' buttons. Below it is a 'Today's Image' section showing a collage of football-related images.

NEWS PORTAL

Tuesday, 28 November 2014, 18:30 PM

Home | About Us | Daily News | Sports | Business | Politics | Entertainment | Technology & Science | Contact |

Category : News

HI appoints Kaushik as Central Zone's High Performance Manager

NEW DELHI: Hockey India on Monday appointed former India coach MK Kaushik as the High Performance Manager for the Central Zone. "Mr. Kaushik, who was the coach of the Indian Men Hockey team that won Gold medal at the recently concluded 17th Asian Gamesj

[Read More](#)

Atlantico de Kolkata Vs Kerala Blaster FC

Kerala Blasters FC's Iain Hume attacks against Atlético de Kolkata during their Indian Super League match at the Salt Lake Stadium in Kolkata. (TOI Photo)

[Read More](#)

Mumbai To Host Deheradun Trophy

Mumbai: Mumbai would play host to the Deodhar Trophy inter-zonal One-Day domestic tournament from November 29 to December 3, as per the calendar chalked out by the BCCI. South Zone would take on Central Zone in the first game on November 29 with the winnej

[Read More](#)

Developed by : Shailesh , Dharmendra , Vivek, Kuntal
Submitted to : Marwadi Education Foundation Group of Institutions.

Home | About Us | Daily News | Bussiness | Contact Us | Sitemap

6:32 PM

- This page will display sport's related news.
- It is display more description when user click on read more option.

[5] Business News: ~

The screenshot shows a web browser window displaying a news portal. The header includes a logo, a search bar, and a date/time stamp (Tuesday, 28 November 2014, 18:37 PM). The main navigation menu lists Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. Below the menu is a large banner for "eyewitness ten NEWS". The main content area displays three news articles:

- HSBC buys duplex for Rs 60 crore in South Mumbai locality**
MUMBAI: HSBC has bought a luxury duplex apartment overlooking the Arabian Sea in south Mumbai's Mahalaxmi locality for around Rs 60 crore, said two persons familiar with the development, making it one of the most expensive such purchases in the country. [Read More](#)
- Investors can save on tax with ELSS, create wealth by using market volatility: Experts**
MUMBAI: Come December, the finance department of your company may start pushing you to submit proof for tax-saving investments. But, you need not wait till the last day to invest in a tax-saving instrument. With markets off their highs and many on Dalal St
[Read More](#)
- JSPL top loser on Nifty; stock slips nearly 15% in October**
The probe is for alleged irregularities in granting clearance to JSPL for diversion of Saranda forest land in Jharkhand for mining purposes.
[Read More](#)

Get In Touch

Name
Mobile No
Email Address
Type Your Message Here.....

Today's Image

[View All](#)

Developed by : Shailesh , Dharmendra , Vivek, Kunal
Submitted to : Marwadi Education Foundation Group of Institutions.

Home About Us Daily News Bussiness Contact Us
Sitemap

6:39 PM

- This page display business related news.
- It is display financial, marketing or other news also can be display with its image so viewer can easily understand it.

[6] Political News: ~

The screenshot shows a web browser window with three tabs: 'NEWS PORTAL' (active), 'localhost / 127.0.0.1 / news...', and 'News Portal-Bluetech'. The main content area features a dark blue background with a network graph of countries and their connections. The graph includes labels for Australia, England, New Zealand, France, Sweden, Argentina, Bulgaria, Canada, Russia, Portugal, Denmark, USA, Taiwan, Korea, Japan, China, Thailand, Greece, and others. Below the graph, there are three news articles with images and titles:

- Modi-Shah think beyond caste-region in making state picks**
Choice of Khattar, Fadnavis suggests new premium on hard work and organisational ability.
- On either path he takes, Uddhav can gain some, lose some**
The Shiv Sena is at possibly the most uncertain stage of its 48-year history as it debates whether it should join the BJP-led government. Party insiders say the top leadership and the circle around Uddhav Thackeray are keen to join, but many among the ranj
- Winter session of Parliament to begin on 24 November, end on December 23**
A meeting of Cabinet Committee on Parliamentary Affairs on Monday recommended that the winter session of Parliament to begin on November 24 and will be concluded on December 23. The winter session will have 22 sittings. There are 67 bills pending bj

On the right side, there is a 'Get In Touch' form with fields for Name, Mobile No, Email Address, and a message area, along with Send and Clear buttons. Below that is a 'Today's Image' section showing a collage of football-related images.

At the bottom, the footer contains developer information and links to Home, About Us, Daily News, Business, Contact Us, and Sitemap. The status bar shows system icons and the time 6:32 PM.

- It is display all political news.
- It is as well as it can display sort decription and its related image so viewer can easily understand.

[7] Entertainment News: ~

The screenshot shows a news portal interface. At the top, there's a navigation bar with links for Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. The main banner features a globe and the word "information". Below the banner, there are three news articles:

- Amitabh Bachchan looking forward to shooting Piku in Kolkata**: A photo of Amitabh Bachchan is shown. The text says he is excited to visit Kolkata for the second shooting schedule of director ... Always," Bachchan posted on his.j
- Are Sidharth and Alia more than just good friends?**: A photo of Sidharth Malhotra and Alia Bhatt is shown. The text discusses their close friendship.
- Rajnikanth up Comming Movie**: A photo of the movie poster for Lingaa is shown. The text provides details about the film, directed by K. S. Ravikumar.

On the right side, there's a "Get In Touch" form with fields for Name, Mobile No, Email Address, and a message area. Below it is a "Today's Image" section featuring various sports and entertainment logos.

At the bottom, the footer includes developer information (Shailendra, Dharmendra, Vivek, Kunal, Marwadi Education Foundation Group of Institutions), navigation links (Home, About Us, Daily News, Business, Contact Us, Sitemap), and a system status bar showing the date and time (Tuesday, 28 November 2014, 10:46 PM) and system icons.

- It is display all entertainment related news.
- Entertainment like which new filem comming soon, other filem shows, all actors stories etc.

[8] Science & Technology News: ~

The screenshot shows a web browser window displaying a news portal. The title bar includes tabs for 'NEWS PORTAL', 'localhost / 127.0.0.1 / news...', and 'News Portal-Bluetech'. The main content area features a large banner with a globe and the text 'NEWS PORTAL'. Below the banner is a navigation menu with links to Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. A search bar is also present. The main content area displays three news articles:

- Google cuts Cloud Compute Engine prices by 10%**
Google has cut cloud compute prices by 10% effective immediately, the company said. The move represents an opportunity for Google to edge itself into the cloud leadership position ahead of competitors Amazon and Microsoft. The announcement applies to all Google Compute Engine instances across all regions. Earlier this year, Google announced its cloud strategy, GCP.
[Read More](#)
- IBM struggles to reinvent itself in an age of cloud**
WASHINGTON: When IBM Corp CEO Ginni Rometty was asked recently for her tips on how to transform companies, she spoke of "relentless reinvention" and not protecting the past. Applying those precepts to IBM is proving particularly tricky as many of the company's old-line businesses have already been shut down or sold, while the units that are connected to much future growth...
[Read More](#)
- TCS sees digital services as over \$5 bn opportunity**
NEW DELHI: Country's largest IT services firm Tata Consultancy Services (TCS) expects digital platforms like cloud, Big Data and mobility solutions to bring in cumulative revenues of over \$5 billion in next few years. Earlier, the Mumbai-based firm had said that it expects to do \$5 billion cumulative business over the next three to four years from the "digital opportunity". The move to look...
[Read More](#)

On the right side, there is a 'Get In Touch' form with fields for Name, Mobile No, Email Address, and a message area, along with Send and Clear buttons. Below this is a 'Today's Image' section featuring a collage of images related to technology and sports.

At the bottom, a footer provides developer information and links to various site sections. The taskbar at the very bottom shows several open application icons.

- This page is display all science and new technology related news.
- Means which new technology is come market and new invention etc.

[9] Read More Detail News: ~

The screenshot shows a news portal interface. At the top, there's a navigation bar with links for Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. Below the navigation is a large banner featuring a globe and a search bar. The main content area displays a news article titled "Google cuts Cloud Compute Engine prices by 10%". The article includes a large image of the Google logo on a screen, a brief summary, and a detailed paragraph about Google's price reduction. To the right of the article is a "Get In Touch" form with fields for Name, Mobile No, Email Address, and a message area, along with Send and Clear buttons. Below that is a "Today's Image" section showing various thumbnails related to sports and technology. The footer contains developer information, site links (Home, About Us, Daily News, Business, Contact Us, Sitemap), and a copyright notice. The bottom of the screen shows the Windows taskbar with several pinned icons.

- This page is display whole description which type of news viewer click.
- It means when user show sort description and he/she want to show more detail then they need to click 'read more' option then that news related whole description will be open.

[10] Gallery: ~

The screenshot shows a web browser window displaying a news portal. The title bar includes tabs for 'NEWS PORTAL', 'localhost / 127.0.0.1 / news...', and 'News Portal-Bluetech'. The address bar shows 'localhost/news/index.php?p=gallery'. The main content area features a large banner with a globe and navigation arrows, followed by a grid of smaller images related to sports, specifically football. To the right, there are two sidebar boxes: 'Get In Touch' with input fields for Name, Mobile No, Email Address, and a message area, along with 'Send' and 'Clear' buttons; and 'Today's Image' showing a collage of football-related images. At the bottom, a footer provides developer information and links to various site sections.

NEWS PORTAL

Tuesday, 28 November 2014, 19:06 PM

Home | About Us | Daily News | Sports | Business | Politics | Entertainment | Technology & Science | Contact

Our Photo Gallery

Get In Touch

Name _____
Mobile No _____
Email Address _____
Type Your Message Here.....

Send Clear

Today's Image

View All

Developed by : Shailesh , Dharmendra , Vivek, Kuntal
Submitted to : Marwadi Education Foundation Group of Institutions.

Home About Us Daily News Bussiness Contact Us
Sitemap

localhost/news/bluetech/files/1414461549-uploaded_image (7).jpg

- This page will display all the today images.
- When user click on 'view all' option then it will open.

[11] Contact: ~

The screenshot shows a web browser window displaying a news portal's contact page. The header includes a logo, the text "NEWS PORTAL", and a search bar. The date "Tuesday, 28 November 2014, 18:58 PM" is shown. Below the header is a navigation menu with links: Home, About Us, Daily News, Sports, Business, Politics, Entertainment, Technology & Science, and Contact. A large banner image at the top right shows a group of people, including a man in a white dhoti, standing next to a decorated bus. Below the banner, there are two columns of contact information for students:

Student Name	Contact Information
Shailesh K. Limbadiya MCA SEM-5 th (2014-15) 7698861788 Software & Web Developer & Network Security. sk.limbadiyashalesh.1010@gmail.com	Dharmendra D. Meniya MCA SEM-5 th (2014-15) 9913878203 Software & Web Developer. sk.limbadiyashalesh.1010@gmail.com
Vivek S. Mishra MCA SEM-5 th (2014-15) 9427441500 Software & Web Developer & Network Security. vivmishra47@gmail.com	Kuntal H. Vagadiya MCA SEM-5 th (2014-15) 9016753065 Web Designing. sk.limbadiyashalesh.1010@gmail.com

To the right of the student profiles is a "Get In Touch" form with fields for Name, Mobile No, Email Address, and a message area. Buttons for Send and Clear are present. Below this is a "Today's Image" section featuring a collage of images related to sports and technology, including the Samsung logo and Arsenal FC.

At the bottom of the page, a footer contains the text "Developed by : Shailesh , Dharmendra , Vivek, Kuntal
Submitted to : Marwadi Education Foundation Group of
Institutions.", along with links to Home, About Us, Daily News, Bussiness, Contact Us, and Sitemap. The footer also shows the system time as 7:01 PM and various system icons.

- This page is display contact list.
- When client or viewer have some query then it can send message also and directly contact to us.

CONCLUSION

Finally a NewsPortal.com is designed and developed just for end user and their connections with their friends. We provide different facilities from which user can get their mind fresh from their busy life and gets opportunity to read online news with their friends, watch and post important information.

Bibliography

- **BOOKS**

1. The php4.
2. The complete reference web design.
3. The complete reference HTML.
4. The www using HTML
5. Learn php & HTML

- **WEB SITES**

1. www.timesofindia.com
2. www.sandesh.com
3. www.indiatoday.com