


square of squares (square-square)


Object A = reference (base 0°, sub-shapes 0°) (S001) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S002)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S003)

Which is more similar to A?


A



B



C




square of squares (square-square)


Object A = reference (base 0°, sub-shapes 0°) (S001) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S002)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S004)

Which is more similar to A?


A



B



C




square of squares (square-square)


Object A = reference (base 0°, sub-shapes 0°) (S001) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S003)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S004)

Which is more similar to A?


A



B



C




square of squares (square-square)


Object A = reference (base 0°, sub-shapes 45°) (S002) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 90°) (S005)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 90°) (S006)

Which is more similar to A?


A



B



C




square of squares (square-square)


Object A = reference (base 0°, sub-shapes 45°) (S002) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 90°) (S005)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 45°) (S003)

Which is more similar to A?


A



B



C




square of squares (square-square)


Object A = reference (base 0°, sub-shapes 45°) (S002) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 90°) (S006) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 45°) (S003)

Which is more similar to A?


A



B




C



square of squares (square-square)

Object A = reference (base 45°, sub-shapes 0°) (S004) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 45°) (S003) · **Object C** = whole object rotated 45° (base 90°, sub-shapes 45°) (S007)


Which is more similar to A?



square of squares (square-square)

Object A = reference (base 45°, sub-shapes 0°) (S004) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 45°) (S003) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 0°) (S008)

Which is more similar to A?




square of squares (square-square)


Object A = reference (base 45°, sub-shapes 0°) (S004) · **Object B** = whole object rotated 45° (base 90°, sub-shapes 45°) (S007) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 0°) (S008)

Which is more similar to A?


A



B




C



square of squares (square-square)

Object A = reference (base 45°, sub-shapes 45°) (S003) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 90°) (S006) · **Object C** = whole object rotated 45° (base 90°, sub-shapes 90°) (S009)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.18 × 34.18 mm in a 41.33 mm image. **Object B**: figure 33.08 × 33.08 mm in a 41.33 mm image. **Object C**: figure 24.17 × 24.17 mm in a 41.33 mm image.

square of squares (square-square)

Object A = reference (base 45°, sub-shapes 45°) (S003) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 90°) (S006) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 45°) (S007)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.18 × 34.18 mm in a 41.33 mm image. **Object B**: figure 33.08 × 33.08 mm in a 41.33 mm image. **Object C**: figure 25.27 × 25.27 mm in a 41.33 mm image.


square of squares (square-square)

Object A = reference (base 45°, sub-shapes 45°) (S003) · **Object B** = whole object rotated 45° (base 90°, sub-shapes 90°) (S009) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 45°) (S007)


Which is more similar to A?



B



C




square of triangles (square-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S010) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S011) ·
Object C = whole object rotated 45° (base 45°, sub-shapes 45°) (S012)

Which is more similar to A?


A



B



C




square of triangles (square-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S010) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S011) ·
Object C = base shape rotated 45° (base 45°, sub-shapes 0°) (S013)

Which is more similar to A?


A



B



C




square of triangles (square-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S010) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S012)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S013)

Which is more similar to A?


A



B




C



diamond of triangles (diamond-triangle)

Object A = reference (base 0°, sub-shapes 0°) (S014) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S015) ·
Object C = whole object rotated 45° (base 45°, sub-shapes 45°) (S016)

Which is more similar to A?




When printed at 100% on A4. **Object A:** figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B:** figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C:** figure 25.11 × 25.11 mm in a 41.33 mm image.

diamond of triangles (diamond-triangle)

Object A = reference (base 0°, sub-shapes 0°) (S014) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S015) ·
Object C = base shape rotated 45° (base 45°, sub-shapes 0°) (S017)

Which is more similar to A?




When printed at 100% on A4. **Object A:** figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B:** figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C:** figure 25.23 × 24.73 mm in a 41.33 mm image.

diamond of triangles (diamond-triangle)

Object A = reference (base 0°, sub-shapes 0°) (S014) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S016)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S017)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 25.11 × 25.11 mm in a 41.33 mm image. **Object C**: figure 25.23 × 24.73 mm in a 41.33 mm image.

square of triangles (square-triangle)


Object A = reference (base 0°, sub-shapes 180°) (S018) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S019) · **Object C** = whole object rotated 45° (base 45°, sub-shapes 225°) (S020)

Which is more similar to A?


A



B



C




square of triangles (square-triangle)


Object A = reference (base 0°, sub-shapes 180°) (S018) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S019) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S021)

Which is more similar to A?


A



B



C




square of triangles (square-triangle)


Object A = reference (base 0°, sub-shapes 180°) (S018) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 225°) (S020) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S021)

Which is more similar to A?


A



B




C



diamond of triangles (diamond-triangle)

Object A = reference (base 0°, sub-shapes 180°) (S022) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S023) · **Object C** = whole object rotated 45° (base 45°, sub-shapes 225°) (S024)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C**: figure 25.11 × 25.11 mm in a 41.33 mm image.

diamond of triangles (diamond-triangle)

Object A = reference (base 0°, sub-shapes 180°) (S022) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S023) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S025)


Which is more similar to A?



diamond of triangles (diamond-triangle)

Object A = reference (base 0°, sub-shapes 180°) (S022) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 225°) (S024) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S025)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 25.11 × 25.11 mm in a 41.33 mm image. **Object C**: figure 25.23 × 24.73 mm in a 41.33 mm image.

up-triangle of down-triangles (up-triangle-down-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S026) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S027)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S028)

Which is more similar to A?


A



B






C



up-triangle of down-triangles (up-triangle-down-triangle)

Object A = reference (base 0°, sub-shapes 0°) (S026) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S027)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S029)

Which is more similar to A?




up-triangle of down-triangles (up-triangle-down-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S026) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S028) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S029)

Which is more similar to A?


A



B



C




up-triangle of up-triangles (up-triangle-up-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S030) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S031)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S032)

Which is more similar to A?


A



B



C




up-triangle of up-triangles (up-triangle-up-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S030) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S031)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S033)

Which is more similar to A?


A



B



C




up-triangle of up-triangles (up-triangle-up-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S030) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S032) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S033)

Which is more similar to A?


A



B



C




down-triangle of down-triangles (down-triangle-down-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S034) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S035)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S036)

Which is more similar to A?


A



B



C




down-triangle of down-triangles (down-triangle-down-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S034) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S035)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S037)

Which is more similar to A?


A



B



C




down-triangle of down-triangles (down-triangle-down-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S034) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S036) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S037)

Which is more similar to A?


A



B



C




down-triangle of up-triangles (down-triangle-up-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S038) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S039)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S040)

Which is more similar to A?


A



B



C




down-triangle of up-triangles (down-triangle-up-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S038) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S039)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S041)

Which is more similar to A?


A



B



C




down-triangle of up-triangles (down-triangle-up-triangle)


Object A = reference (base 0°, sub-shapes 0°) (S038) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S040) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S041)

Which is more similar to A?


A



B



C




up-triangle of squares (up-triangle-square)


Object A = reference (base 0°, sub-shapes 0°) (S042) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S043)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S044)

Which is more similar to A?


A



B



C




up-triangle of squares (up-triangle-square)


Object A = reference (base 0°, sub-shapes 0°) (S042) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S043)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S045)

Which is more similar to A?


A



B



C




up-triangle of squares (up-triangle-square)


Object A = reference (base 0°, sub-shapes 0°) (S042) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S044) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S045)

Which is more similar to A?


A



B



C




down-triangle of squares (down-triangle-square)


Object A = reference (base 0°, sub-shapes 0°) (S046) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S047)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S048)

Which is more similar to A?


A



B



C




down-triangle of squares (down-triangle-square)


Object A = reference (base 0°, sub-shapes 0°) (S046) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S047)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S049)

Which is more similar to A?


A



B



C




down-triangle of squares (down-triangle-square)


Object A = reference (base 0° , sub-shapes 0°) (S046) · **Object B** = whole object rotated 45° (base 45° , sub-shapes 45°) (S048) · **Object C** = base shape rotated 45° (base 45° , sub-shapes 0°) (S049)

Which is more similar to A?


A



B



C




up-triangle of diamonds (up-triangle-diamond)


Object A = reference (base 0°, sub-shapes 0°) (S050) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S051) ·
Object C = whole object rotated 45° (base 45°, sub-shapes 45°) (S052)

Which is more similar to A?


A



B



C




up-triangle of diamonds (up-triangle-diamond)


Object A = reference (base 0°, sub-shapes 0°) (S050) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S051) ·
Object C = base shape rotated 45° (base 45°, sub-shapes 0°) (S053)

Which is more similar to A?


A



B



C




up-triangle of diamonds (up-triangle-diamond)


Object A = reference (base 0°, sub-shapes 0°) (S050) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S052) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S053)

Which is more similar to A?


A



B



C




down-triangle of diamonds (down-triangle-diamond)


Object A = reference (base 0°, sub-shapes 0°) (S054) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S055)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S056)

Which is more similar to A?


A



B



C




down-triangle of diamonds (down-triangle-diamond)


Object A = reference (base 0°, sub-shapes 0°) (S054) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S055)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S057)

Which is more similar to A?


A



B



C




down-triangle of diamonds (down-triangle-diamond)


Object A = reference (base 0°, sub-shapes 0°) (S054) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S056) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S057)

Which is more similar to A?

A



B



C

