


Square of squares (squares and diamonds)


Object A = reference (base 0°, sub-shapes 0°) (S001) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S002)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S003)

Which is more similar to A?


A



B



C




Square of squares (squares and diamonds)


Object A = reference (base 0°, sub-shapes 0°) (S001) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S002)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S004)

Which is more similar to A?


A



B



C




Square of squares (squares and diamonds)


Object A = reference (base 0°, sub-shapes 0°) (S001) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S003)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S004)

Which is more similar to A?


A



B



C




Square of diamonds (squares and diamonds)


Object A = reference (base 0°, sub-shapes 45°) (S002) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 90°) (S005)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 90°) (S006)

Which is more similar to A?


A



B



C




Square of diamonds (squares and diamonds)


Object A = reference (base 0°, sub-shapes 45°) (S002) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 90°) (S005)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 45°) (S003)

Which is more similar to A?


A



B



C




Square of diamonds (squares and diamonds)


Object A = reference (base 0°, sub-shapes 45°) (S002) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 90°) (S006) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 45°) (S003)

Which is more similar to A?


A



B




C



Diamond of diamonds (squares and diamonds)

Object A = reference (base 45°, sub-shapes 45°) (S003) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 90°) (S006) · **Object C** = whole object rotated 45° (base 90°, sub-shapes 90°) (S009)


Which is more similar to A?



Diamond of diamonds (squares and diamonds)

Object A = reference (base 45°, sub-shapes 45°) (S003) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 90°) (S006) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 45°) (S007)

Which is more similar to A?




When printed at 100% on A4. **Object A:** figure 34.18 × 34.18 mm in a 41.33 mm image. **Object B:** figure 33.08 × 33.08 mm in a 41.33 mm image. **Object C:** figure 25.27 × 25.27 mm in a 41.33 mm image.

Diamond of diamonds (squares and diamonds)

Object A = reference (base 45°, sub-shapes 45°) (S003) · **Object B** = whole object rotated 45° (base 90°, sub-shapes 90°) (S009) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 45°) (S007)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.18 × 34.18 mm in a 41.33 mm image. **Object B**: figure 24.17 × 24.17 mm in a 41.33 mm image. **Object C**: figure 25.27 × 25.27 mm in a 41.33 mm image.

Diamond of squares (squares and diamonds)

Object A = reference (base 45°, sub-shapes 0°) (S004) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 45°) (S003) · **Object C** = whole object rotated 45° (base 90°, sub-shapes 45°) (S007)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 33.08 × 33.08 mm in a 41.33 mm image. **Object B**: figure 34.18 × 34.18 mm in a 41.33 mm image. **Object C**: figure 25.27 × 25.27 mm in a 41.33 mm image.

Diamond of squares (squares and diamonds)

Object A = reference (base 45°, sub-shapes 0°) (S004) · **Object B** = sub-shapes rotated 45° (base 45°, sub-shapes 45°) (S003) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 0°) (S008)


Which is more similar to A?




Diamond of squares (squares and diamonds)

Object A = reference (base 45°, sub-shapes 0°) (S004) · **Object B** = whole object rotated 45° (base 90°, sub-shapes 45°) (S007) · **Object C** = base shape rotated 45° (base 90°, sub-shapes 0°) (S008)


Which is more similar to A?



B



C




Upward pointing triangle of upward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S030) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S031)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S032)

Which is more similar to A?


A



B



C




Upward pointing triangle of upward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S030) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S031)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S033)

Which is more similar to A?


A



B



C




Upward pointing triangle of upward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S030) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S032) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S033)

Which is more similar to A?


A



B






C



Upward pointing triangle of downward pointing triangles (triangles)

Object A = reference (base 0°, sub-shapes 0°) (S026) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S027)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S028)




Which is more similar to A?



Upward pointing triangle of downward pointing triangles (triangles)

Object A = reference (base 0°, sub-shapes 0°) (S026) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S027)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S029)




Which is more similar to A?



Upward pointing triangle of downward pointing triangles (triangles)

Object A = reference (base 0°, sub-shapes 0°) (S026) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S028) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S029)

Which is more similar to A?




Downward pointing triangle of downward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S034) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S035)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S036)

Which is more similar to A?


A



B



C




Downward pointing triangle of downward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S034) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S035)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S037)

Which is more similar to A?


A



B



C




Downward pointing triangle of downward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S034) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S036) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S037)

Which is more similar to A?


A



B



C




Downward pointing triangle of upward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S038) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S039)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S040)

Which is more similar to A?


A



B



C




Downward pointing triangle of upward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S038) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S039)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S041)

Which is more similar to A?


A



B



C




Downward pointing triangle of upward pointing triangles (triangles)


Object A = reference (base 0°, sub-shapes 0°) (S038) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S040) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S041)

Which is more similar to A?


A



B



C




Square of upward pointing triangles (squares and triangles)

Object A = reference (base 0°, sub-shapes 0°) (S010) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S011) ·


Object C = whole object rotated 45° (base 45°, sub-shapes 45°) (S012)

Which is more similar to A?


A



B



C




Square of upward pointing triangles (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S010) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S011) ·
Object C = base shape rotated 45° (base 45°, sub-shapes 0°) (S013)

Which is more similar to A?


A



B



C




Square of upward pointing triangles (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S010) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S012)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S013)

Which is more similar to A?


A



B



C




Square of downward pointing triangles (squares and triangles)


Object A = reference (base 0°, sub-shapes 180°) (S018) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S019) · **Object C** = whole object rotated 45° (base 45°, sub-shapes 225°) (S020)

Which is more similar to A?


A



B



C




Square of downward pointing triangles (squares and triangles)


Object A = reference (base 0°, sub-shapes 180°) (S018) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S019) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S021)

Which is more similar to A?


A



B



C




Square of downward pointing triangles (squares and triangles)


Object A = reference (base 0°, sub-shapes 180°) (S018) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 225°) (S020) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S021)

Which is more similar to A?


A



B



C




Upward pointing triangle of squares (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S042) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S043)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S044)

Which is more similar to A?


A



B



C




Upward pointing triangle of squares (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S042) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S043)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S045)

Which is more similar to A?


A



B



C




Upward pointing triangle of squares (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S042) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S044) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S045)

Which is more similar to A?


A



B



C




Downward pointing triangle of squares (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S046) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S047)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S048)

Which is more similar to A?


A



B



C




Downward pointing triangle of squares (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S046) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S047)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S049)

Which is more similar to A?


A



B



C




Downward pointing triangle of squares (squares and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S046) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S048) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S049)

Which is more similar to A?


A



B




C



Diamond of upward pointing triangles (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 0°) (S014) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S015) ·
Object C = whole object rotated 45° (base 45°, sub-shapes 45°) (S016)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C**: figure 25.11 × 25.11 mm in a 41.33 mm image.

Diamond of upward pointing triangles (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 0°) (S014) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S015) ·
Object C = base shape rotated 45° (base 45°, sub-shapes 0°) (S017)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C**: figure 25.23 × 24.73 mm in a 41.33 mm image.

Diamond of upward pointing triangles (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 0°) (S014) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S016)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S017)


Which is more similar to A?



Diamond of downward pointing triangles (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 180°) (S022) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S023) · **Object C** = whole object rotated 45° (base 45°, sub-shapes 225°) (S024)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C**: figure 25.11 × 25.11 mm in a 41.33 mm image.

Diamond of downward pointing triangles (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 180°) (S022) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 225°) (S023) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S025)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 34.01 × 34.01 mm in a 41.33 mm image. **Object C**: figure 25.23 × 24.73 mm in a 41.33 mm image.

Diamond of downward pointing triangles (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 180°) (S022) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 225°) (S024) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 180°) (S025)

Which is more similar to A?






When printed at 100% on A4. **Object A**: figure 34.14 × 33.64 mm in a 41.33 mm image. **Object B**: figure 25.11 × 25.11 mm in a 41.33 mm image. **Object C**: figure 25.23 × 24.73 mm in a 41.33 mm image.

Upward pointing triangle of diamonds (diamonds and triangles)

Object A = reference (base 0°, sub-shapes 0°) (S050) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S051) ·
Object C = whole object rotated 45° (base 45°, sub-shapes 45°) (S052)

Which is more similar to A?




When printed at 100% on A4. **Object A**: figure 30.29 × 26.76 mm in a 41.33 mm image. **Object B**: figure 29.14 × 25.61 mm in a 41.33 mm image. **Object C**: figure 28.24 × 28.24 mm in a 41.33 mm image.

Upward pointing triangle of diamonds (diamonds and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S050) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S051) ·
Object C = base shape rotated 45° (base 45°, sub-shapes 0°) (S053)

Which is more similar to A?


A



B



C




Upward pointing triangle of diamonds (diamonds and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S050) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S052) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S053)

Which is more similar to A?


A



B



C




Downward pointing triangle of diamonds (diamonds and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S054) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S055)
· **Object C** = whole object rotated 45° (base 45°, sub-shapes 45°) (S056)

Which is more similar to A?


A



B



C




Downward pointing triangle of diamonds (diamonds and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S054) · **Object B** = sub-shapes rotated 45° (base 0°, sub-shapes 45°) (S055)
· **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S057)

Which is more similar to A?


A



B



C




Downward pointing triangle of diamonds (diamonds and triangles)


Object A = reference (base 0°, sub-shapes 0°) (S054) · **Object B** = whole object rotated 45° (base 45°, sub-shapes 45°) (S056) · **Object C** = base shape rotated 45° (base 45°, sub-shapes 0°) (S057)

Which is more similar to A?

A



B



C

