

Plain line (Control)

Object A = B · **Object B** = Bext · **Object C** = Benl

Which is more similar to A?


A



B



C




When printed at 100% on A4. **Object A**: body 40×1 mm (length $\times$ thickness), no edges. **Object B**: body 80×1 mm (length $\times$ thickness), no edges. **Object C**: body 80×2 mm (length $\times$ thickness), no edges.

Double-headed arrow (Bi-directional)

Object A = B E · **Object B** = B Eenl · **Object C** = Bext E

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 9×9 mm. **Object C**: body 72×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm.

Double-headed arrow (Bi-directional)

Object A = B E · **Object B** = B Eenl · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 9×9 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 9×9 mm.

Double-headed arrow (Bi-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 72×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 9×9 mm.

Circles at both ends (Bi-directional)

Object A = B E · **Object B** = B Eenl · **Object C** = Bext E

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 9×9 mm. **Object C**: body 72×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm.

Circles at both ends (Bi-directional)

Object A = B E · **Object B** = B Eenl · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 9×9 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 9×9 mm.

Circles at both ends (Bi-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?



When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 72×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 9×9 mm.

Colored end segments (Bi-directional)

Object A = B E · **Object B** = B Eext · **Object C** = Bext E

Which is more similar to A?

A



B



C



When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 1.8×0.9 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 3.6×0.9 mm. **Object C**: body 72×0.9 mm (length $\times$ thickness), edges 1.8×0.9 mm.

Colored end segments (Bi-directional)

Object A = B E · **Object B** = B Eext · **Object C** = Benl Eenl

Which is more similar to A?

A



B



C



When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 1.8×0.9 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 3.6×0.9 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 3.6×1.8 mm.

Colored end segments (Bi-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?

A



B



C






When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 1.8×0.9 mm. **Object B**: body 72×0.9 mm (length $\times$ thickness), edges 1.8×0.9 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 3.6×1.8 mm.

Short vertical end lines (Bi-directional)

Object A = B E · **Object B** = B Eext · **Object C** = Bext E

Which is more similar to A?






When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 0.9×3.6 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 0.9×7.2 mm. **Object C**: body 72×0.9 mm (length $\times$ thickness), edges 0.9×3.6 mm.

Short vertical end lines (Bi-directional)

Object A = B E · **Object B** = B Eext · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 0.9×3.6 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 0.9×7.2 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 1.8×7.2 mm.

Short vertical end lines (Bi-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 0.9×3.6 mm. **Object B**: body 72×0.9 mm (length $\times$ thickness), edges 0.9×3.6 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 1.8×7.2 mm.

One abstract right end (Uni-directional)

Object A = B E · **Object B** = B Eenl · **Object C** = Bext E

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 9×9 mm. **Object C**: body 72×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm.

One abstract right end (Uni-directional)

Object A = B E · **Object B** = B Eenl · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 36×0.9 mm (length $\times$ thickness), edges 9×9 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 9×9 mm.

One abstract right end (Uni-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?




When printed at 100% on A4. **Object A**: body 36×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object B**: body 72×0.9 mm (length $\times$ thickness), edges 4.5×4.5 mm. **Object C**: body 72×1.8 mm (length $\times$ thickness), edges 9×9 mm.

Snake (Uni-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?



When printed at 100% on A4. **Object A**: body 36×1.8 mm (length $\times$ thickness), edges 7.2×5.4 mm. **Object B**: body 72×1.8 mm (length $\times$ thickness), edges 7.2×5.4 mm. **Object C**: body 72×3.6 mm (length $\times$ thickness), edges 14.4×10.8 mm.

Train (Uni-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?

A



B



C




When printed at 100% on A4. **Object A**: body NaN × NaN mm (length × thickness), edges 42 × 4.2 mm. **Object B**: body NaN × NaN mm (length × thickness), edges 84 × 4.2 mm. **Object C**: body NaN × NaN mm (length × thickness), edges 84 × 8.4 mm.

Lamp (Uni-directional)

Object A = B E · **Object B** = Bext E · **Object C** = Benl Eenl

Which is more similar to A?



When printed at 100% on A4. **Object A**: body 30 × 0.75 mm (length × thickness), edges 6 × 7.5 mm. **Object B**: body 60 × 0.75 mm (length × thickness), edges 6 × 7.5 mm. **Object C**: body 60 × 1.5 mm (length × thickness), edges 12 × 15 mm.