

Cucumber Report

03-Mar-2024, 3:41:16 pm

Start : Mar 03, 3:41:09.833 pm

End : Mar 03, 3:41:09.901 pm

Duration : 0.068 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Learn API Testing Using Rest Assured</u>	0.068 s	1	0	1	0	3	0	1	2

#	Feature Name	Scenario Name
1	<u>Learn API Testing Using Rest Assured</u>	<u>Get Number of Books</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag1api	1	0	1	0	1	0	1	0
@tagAPI	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Learn API Testing Using Rest Assured</u>	1	0	1	0	0.068 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Learn API Testing Using Rest Assured</u>	<u>Get Number of Books</u>	3	0	1	2	0.061 s

Learn API Testing Using Rest Assured

FAILED	DURATION - 0.068 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:41:09.833 pm // 3:41:09.901 pm /					

Get Number of Books

FAILED	DURATION - 0.061 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:41:09.840 pm // 3:41:09.901 pm /				
Learn API Testing Using Rest Assured				
@tag1api @tagAPI				

#	Step / Hook Details	Status	Duration
1	Given I have an API	FAILED	0.002 s
	Step undefined		
2	When I want to Post	SKIPPED	0.001 s
3	Then Chain pass bID to other request with {string}	SKIPPED	0.002 s