

# Cucumber Report

02-Mar-2024, 5:39:00 pm

Start : Mar 02, 5:38:57.860 pm

End : Mar 02, 5:38:58.031 pm

Duration : 0.171 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Learn API Testing Using Rest Assured</u>	0.171 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Learn API Testing Using Rest Assured</u>	<u>Get Number of Books</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag1api	1	0	1	0	1	0	1	0
@tagAPI	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Learn API Testing Using Rest Assured</u>	1	0	1	0	0.171 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Learn API Testing Using Rest Assured</u>	<u>Get Number of Books</u>	4	0	1	3	0.163 s

## Learn API Testing Using Rest Assured

<b>FAILED</b>	DURATION - 0.171 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 5:38:57.860 pm // 5:38:58.031 pm /					

## Get Number of Books

<div>FAILED</div> <div>DURATION - 0.163 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 5:38:57.868 pm // 5:38:58.031 pm /</div>				
<div>Learn API Testing Using Rest Assured</div>				
<div>@tag1api @tagAPI</div>				

#	Step / Hook Details	Status	Duration
1	Given I have an API	FAILED	0.001 s
	Step undefined		
2	And visit that	SKIPPED	0.008 s
3	When I want to get number of books	SKIPPED	0.002 s
4	Then I get total number of books available	SKIPPED	0.005 s