

Cucumber Report

02-Mar-2024, 5:36:43 pm

Start : Mar 02, 5:36:40.217 pm

End : Mar 02, 5:36:40.348 pm

Duration : 0.131 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Learn API Testing Using Rest Assured</u>	0.131 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Learn API Testing Using Rest Assured</u>	<u>Get Number of Books</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag1api	1	0	1	0	1	0	1	0
@tagAPI	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Learn API Testing Using Rest Assured</u>	1	0	1	0	0.131 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Learn API Testing Using Rest Assured</u>	<u>Get Number of Books</u>	4	0	1	3	0.121 s

Learn API Testing Using Rest Assured

FAILED	DURATION - 0.131 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 5:36:40.217 pm // 5:36:40.348 pm /					

Get Number of Books

<div>FAILED</div> <div>DURATION - 0.121 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 5:36:40.227 pm // 5:36:40.348 pm /				
Learn API Testing Using Rest Assured				
@tag1api @tagAPI				

#	Step / Hook Details	Status	Duration
1	Given I have an API	FAILED	0.004 s
	Step undefined		
2	And visit that	SKIPPED	0.001 s
3	When I want to get number of books	SKIPPED	0.001 s
4	Then I get total number of books available	SKIPPED	0.001 s