

SmartTech AI Support Platform

API Documentation

Version: 2.4

Base URL: <https://api.smarttech-ai.com/v1>

Authentication

All API requests require a Bearer Token.

Header:

Authorization: Bearer <ACCESS_TOKEN>

Content-Type: application/json

Tokens expire after 60 minutes.

Refresh tokens may be used to obtain a new access token.

Login Endpoint

POST /auth/login

Request:

```
{
  "email": "john@example.com",
  "password": "Password123!"
}
```

Response:

```
{
  "access_token": "...",
  "token_type": "Bearer",
  "expires_in": 3600
}
```

User API

GET /users/me

Returns the authenticated user profile.

PUT /users/me

Updates user profile.

POST /users/change-password

Changes the account password.

Ticket API

POST /tickets

Create a new support ticket.

GET /tickets/{ticket_id}

Retrieve ticket details.

PUT /tickets/{ticket_id}/close

Close a ticket.

PUT /tickets/{ticket_id}/reopen

Reopen a closed ticket.

Orders API

GET /orders/{order_id}

Retrieve order details.

GET /orders/{order_id}/tracking

Retrieve shipment status.

POST /orders/{order_id}/cancel

Cancel an order before shipment.

AI API

POST /ai/chat

Chat with the AI assistant.

POST /ai/summarize

Summarize conversations.

POST /ai/translate

Translate messages.

POST /ai/email

Generate customer emails.

Knowledge Base API

POST /knowledge/upload

Upload PDF, DOCX, TXT, HTML, CSV, JSON, XML and Markdown documents.

POST /knowledge/search

Search indexed documents.

DELETE /knowledge/{document_id}
Delete an indexed document.

Rate Limits

Starter: 100 requests/minute

Professional: 500 requests/minute

Enterprise: Unlimited

HTTP Status Codes

200 OK

201 Created

400 Bad Request

401 Unauthorized

403 Forbidden

404 Not Found

429 Too Many Requests

500 Internal Server Error

Error Codes

ST-101 Missing Authentication

ST-102 Invalid Token

ST-201 Ticket Not Found

ST-301 Order Not Found

ST-401 Upload Failed

ST-402 File Too Large

ST-403 Unsupported File Type

ST-501 AI Service Unavailable

ST-502 Knowledge Base Empty

ST-503 AI Timeout

Best Practices

Always use HTTPS.

Validate request payloads.

Store API keys securely.

Handle HTTP errors.

Retry transient failures.

Use pagination for large datasets.

Log request IDs for debugging.