

Query 1 x

◀ ▶ | I? ⚡ I? | Jump to

Limit to 10

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

```
51      customer_name,  
52      amount,  
53      payment_mode,  
54      payment_date,  
55      status  
56 FROM Payment  
57 ORDER BY payment id;
```

Result Grid   Filter Rows:

	payment_id	customer_name	amount	paymer
▶	1	Arun Kumar	55000.00	Credit C
	2	Priya	25000.00	UPI
	3	Karthik	2000.00	Debit Ca
	4	Divya	3500.00	UPI
	5	Rahul	1000.00	Net Bank
✱	NULL	NULL	NULL	NULL

Payment 6 x

Apply

Revert

[Context Help](#)

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	22:23:52	SELECT * FROM Payment LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
6	22:24:38	SELECT * FROM Payment WHERE status = 'Successful' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	22:25:04	SELECT * FROM Payment WHERE status = 'Failed' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
8	22:25:24	SELECT payment_mode, COUNT(*) AS total_transactions, SUM(...	4 row(s) returned	0.015 sec / 0.000 sec



Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1 x



```
1 • CREATE DATABASE Payment_db;
2 • USE Payment_db;
3
4 • CREATE TABLE Payment (
5     payment_id INT PRIMARY KEY AUTO_INCRE
6     customer_name VARCHAR(100) NOT NULL,
7     amount DECIMAL(10,2) NOT NULL,
8     payment_mode VARCHAR(50) NOT NULL,
9     payment_date DATE NOT NULL,
10    status VARCHAR(20) NOT NULL
11 );
12 • INSERT INTO Payment
13 (customer_name, amount, payment_mode, pay
14 VALUES
15 ('Arun Kumar', 55000.00, 'Credit Card', '
16 ('Priya', 25000.00, 'UPI', '2026-08-21',
```

SQLAdditions



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 5	22:23:52	SELECT * FROM Payment LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 6	22:24:38	SELECT * FROM Payment WHERE status = 'Successful' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✓ 7	22:25:04	SELECT * FROM Payment WHERE status = 'Failed' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 8	22:25:24	SELECT payment_mode, COUNT(*) AS total_transactions, SUM(...	4 row(s) returned	0.015 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected



```
16 ('Priya', 25000.00, 'UPI', '2026-08-21',
17 ('Karthik', 2000.00, 'Debit Card', '2026-
18 ('Divya', 3500.00, 'UPI', '2026-08-23', '
19 ('Rahul', 1000.00, 'Net Banking', '2026-0
20
21 • SELECT * FROM Payment;
22 • SELECT *
23 FROM Payment
24 WHERE status = 'Successful';
25 • SELECT *
26 FROM Payment
27 WHERE status = 'Failed';
28 • SELECT
29     payment_mode,
30     COUNT(*) AS total_transactions,
31     SUM(amount) AS total_amount
```



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

	#	Time	Action	Message	Duration / Fetch
✓	5	22:23:52	SELECT * FROM Payment LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓	6	22:24:38	SELECT * FROM Payment WHERE status = 'Successful' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✓	7	22:25:04	SELECT * FROM Payment WHERE status = 'Failed' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓	8	22:25:24	SELECT payment_mode, COUNT(*) AS total_transactions, SUM(...	4 row(s) returned	0.015 sec / 0.000 sec



Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1 x

Limit to 10

```
32 FROM Payment
33 GROUP BY payment_mode;
34 • SELECT
35     payment_id,
36     customer_name,
37     amount,
38     payment_mode,
39     payment_date,
40     status
41 FROM Payment
42 ORDER BY payment_date;
43 • SELECT
44     status,
45     COUNT(*) AS total_transactions,
46     SUM(amount) AS total_amount
47 FROM Payment
```

SQLAdditions

< > | I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	22:23:52	SELECT * FROM Payment LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
6	22:24:38	SELECT * FROM Payment WHERE status = 'Successful' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	22:25:04	SELECT * FROM Payment WHERE status = 'Failed' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
8	22:25:24	SELECT payment_mode, COUNT(*) AS total_transactions, SUM(...	4 row(s) returned	0.015 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
42 ORDER BY payment_date;
43 • SELECT
44     status,
45     COUNT(*) AS total_transactions,
46     SUM(amount) AS total_amount
47 FROM Payment
48 GROUP BY status;
49 • SELECT
50     payment_id,
51     customer_name,
52     amount,
53     payment_mode,
54     payment_date,
55     status
56 FROM Payment
57 ORDER BY payment_id;
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Action Output					
#	Time	Action	Message	Duration / Fetch	
✓ 5	22:23:52	SELECT * FROM Payment LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec	
✓ 6	22:24:38	SELECT * FROM Payment WHERE status = 'Successful' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec	
✓ 7	22:25:04	SELECT * FROM Payment WHERE status = 'Failed' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec	
✓ 8	22:25:24	SELECT payment_mode, COUNT(*) AS total_transactions, SUM(...	4 row(s) returned	0.015 sec / 0.000 sec	