



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1 x



```
1 CREATE DATABASE OrderManagement_db;
2
3 • USE OrderManagement_db;
4 • CREATE TABLE Customer (
5     customer_id INT PRIMARY KEY AUTO_INCR
6     customer_name VARCHAR(100) NOT NULL,
7     email VARCHAR(100) UNIQUE,
8     phone VARCHAR(15),
9     address VARCHAR(255)
10 );
11 • CREATE TABLE Product (
12     product_id INT PRIMARY KEY AUTO_INCRE
13     product_name VARCHAR(150) NOT NULL,
14     price DECIMAL(10,2) NOT NULL
15 );
16 • CREATE TABLE Orders (
```

SQLAdditions

< > | I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 16	21:51:14	SELECT * FROM Order_Details LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
16 CREATE TABLE Orders (  
17     order_id INT PRIMARY KEY AUTO_INCREMENT  
18     customer_id INT NOT NULL,  
19     order_date DATE NOT NULL,  
20     total_amount DECIMAL(10,2) NOT NULL  
21  
22     FOREIGN KEY (customer_id)  
23         REFERENCES Customer(customer_id)  
24         ON UPDATE CASCADE  
25         ON DELETE RESTRICT  
26 );  
27 CREATE TABLE Order_Details (  
28     order_detail_id INT PRIMARY KEY AUTO_INCREMENT  
29     order_id INT NOT NULL,  
30     product_id INT NOT NULL,  
31     quantity INT NOT NULL,
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

	#	Time	Action	Message	Duration / Fetch
✓	16	21:51:14	SELECT * FROM Order_Details LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓	17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓	18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓	19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected



```
31 quantity INT NOT NULL,  
32 amount DECIMAL(10,2) NOT NULL,  
33  
34 FOREIGN KEY (order_id)  
35 REFERENCES Orders(order_id)  
36 ON UPDATE CASCADE  
37 ON DELETE CASCADE,  
38  
39 FOREIGN KEY (product_id)  
40 REFERENCES Product(product_id)  
41 ON UPDATE CASCADE  
42 ON DELETE RESTRICT  
43 );  
44 • INSERT INTO Customer  
45 (customer_name, email, phone, address)  
46 VALUES
```



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

#	Time	Action	Message	Duration / Fetch
✓ 16	21:51:14	SELECT * FROM Order_Details LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

No object selected



```
47 ('Arun Kumar', 'arun@gmail.com', '9876543
48 ('Priya', 'priya@gmail.com', '9876501234'
49 ('Karthik', 'karthik@gmail.com', '9876512
50
51 • INSERT INTO Product
52 (product_name, price)
53 VALUES
54 ('Laptop', 55000.00),
55 ('Smartphone', 25000.00),
56 ('Headphones', 2000.00),
57 ('Wireless Mouse', 1000.00);
58
59 • INSERT INTO Orders
60 (customer_id, order_date, total_amount)
61 VALUES
62 (1, '2026-08-20', 57000.00),
```



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

#	Time	Action	Message	Duration / Fetch
✓ 16	21:51:14	SELECT * FROM Order_Details LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

No object selected



```
59 • INSERT INTO Orders
60 (customer_id, order_date, total_amount)
61 VALUES
62 (1, '2026-08-20', 57000.00),
63 (2, '2026-08-21', 25000.00),
64 (3, '2026-08-22', 3000.00);
65
66 • INSERT INTO Order_Details
67 (order_id, product_id, quantity, amount)
68 VALUES
69 (1, 1, 1, 55000.00),
70 (1, 3, 1, 2000.00),
71 (2, 2, 1, 25000.00),
72 (3, 3, 1, 2000.00),
73 (3, 4, 1, 1000.00);
74
```



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

#	Time	Action	Message	Duration / Fetch
✓ 16	21:51:14	SELECT * FROM Order_Details LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec



Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1

Limit to 10

```
75 • SHOW TABLES;
76
77 • SELECT * FROM Customer;
78
79 • SELECT * FROM Product;
80
81 • SELECT * FROM Orders;
82
83 • SELECT * FROM Order_Details;
84
85 • UPDATE Orders
86   SET total_amount = 27000.00
87   WHERE order_id = 2;
88
89 • SELECT * FROM Orders;
90
```

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 16	21:51:14	SELECT * FROM Order_Details LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec



- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- Administration Schemas
- Information

No object selected

```
66 • INSERT INTO Order_Details
67 (order_id, product_id, quantity, amount)
68 VALUES
69 (1, 1, 1, 55000.00),
70 (1, 3, 1, 2000.00),
71 (2, 2, 1, 25000.00),
72 (3, 3, 1, 2000.00),
73 (3, 4, 1, 1000.00);
74
75 • SHOW TABLES;
76
77 • SELECT * FROM Customer;
78
79 • SELECT * FROM Product;
80
81 • SELECT * FROM Orders;
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Action Output					
#	Time	Action	Message	Duration / Fetch	
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec	
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec	
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec	
✓ 20	21:54:40	SELECT c.customer_name, COUNT(DISTINCT o.order_id) AS total...	3 row(s) returned	0.000 sec / 0.000 sec	



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected



```
84
85 • UPDATE Orders
86   SET total_amount = 27000.00
87   WHERE order_id = 2;
88
89 • SELECT * FROM Orders;
90
91 • SELECT
92     c.customer_id,
93     c.customer_name,
94     o.order_id,
95     o.order_date,
96     p.product_name,
97     od.quantity,
98     p.price,
99     od.amount,
```



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

#	Time	Action	Message	Duration / Fetch
✓ 17	21:52:07	UPDATE Orders SET total_amount = 27000.00 WHERE order_id = 2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
✓ 18	21:52:27	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 19	21:53:07	SELECT c.customer_id, c.customer_name, o.order_id, o.order_...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 20	21:54:40	SELECT c.customer_name, COUNT(DISTINCT o.order_id) AS total...	3 row(s) returned	0.000 sec / 0.000 sec