



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1 x

SQLAdditions

```
1 • CREATE DATABASE ProductReview_db;
2 • USE ProductReview_db;
3
4 • CREATE TABLE Customer (
5     customer_id INT PRIMARY KEY AUTO_INCR
6     customer_name VARCHAR(100) NOT NULL,
7     email VARCHAR(100) UNIQUE
8 );
9 • CREATE TABLE Product (
10     product_id INT PRIMARY KEY AUTO_INCRE
11     product_name VARCHAR(150) NOT NULL,
12     price DECIMAL(10,2) NOT NULL
13 );
14 • CREATE TABLE Review (
15     review_id INT PRIMARY KEY AUTO_INCREP
16     customer_id INT NOT NULL,
```

Limit to 10

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5),...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
✓ 16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec

```

30 );
31 • CREATE TABLE Rating (
32     rating_id INT PRIMARY KEY AUTO_INCREMENT,
33     customer_id INT NOT NULL,
34     product_id INT NOT NULL,
35     rating INT NOT NULL,
36
37     FOREIGN KEY (customer_id)
38         REFERENCES Customer(customer_id)
39         ON UPDATE CASCADE
40         ON DELETE RESTRICT,
41
42     FOREIGN KEY (product_id)
43         REFERENCES Product(product_id)
44         ON UPDATE CASCADE
45         ON DELETE RESTRICT

```

```

36
37 FOREIGN KEY (customer_id)
38 REFERENCES Customer(customer_id)
39 ON UPDATE CASCADE
40 ON DELETE RESTRICT,
41
42 FOREIGN KEY (product_id)
43 REFERENCES Product(product_id)
44 ON UPDATE CASCADE
45 ON DELETE RESTRICT

```

```
40         ON DELETE RESTRICT,
41
42     FOREIGN KEY (product_id)
43         REFERENCES Product(product_id)
44         ON UPDATE CASCADE
45         ON DELETE RESTRICT
```

```
41
42     FOREIGN KEY (product_id)
43     REFERENCES Product(product_id)
44     ON UPDATE CASCADE
45     ON DELETE RESTRICT
```

```
43 REFERENCES Product(product_id)
44 ON UPDATE CASCADE
45 ON DELETE RESTRICT
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

 Action Output

#	Time	Action	Message	Duration / Fetch
15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5),...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec
17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec
18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
49 • INSERT INTO Customer
50 (customer_name, email)
51 VALUES
52 ('Arun Kumar', 'arun@gmail.com'),
53 ('Priya', 'priya@gmail.com'),
54 ('Karthik', 'karthik@gmail.com'),
55 ('Divya', 'divya@gmail.com'),
56 ('Rahul', 'rahul@gmail.com');
57
58 • INSERT INTO Product
59 (product_name, price)
60 VALUES
61 ('Laptop', 55000.00),
62 ('Smartphone', 25000.00),
63 ('Headphones', 2000.00),
64 ('Wireless Mouse', 1000.00),
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5)...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
✓ 16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1 x



```
64 ('Wireless Mouse', 1000.00),
65 ('Bluetooth Speaker', 3500.00);
66
67 • INSERT INTO Review
68 (customer_id, product_id, review_text, re
69 VALUES
70 (1, 1, 'Excellent laptop with good perfor
71 (2, 2, 'Very good smartphone and camera',
72 (3, 3, 'Good sound quality', '2026-06-22'
73 (4, 4, 'Smooth and comfortable mouse', '2
74 (5, 5, 'Good speaker with clear sound', '
75
76 • INSERT INTO Rating
77 (customer_id, product_id, rating)
78 VALUES
79 (1, 1, 5),
```

SQLAdditions



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5)...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
✓ 16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Product Review and Rating M... x

File Edit View Query Database Server Tools Scripting Help

SQL

SQL

Limit to 10

SQLAdditions

Jump to

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

Administration Schemas

Information

No object selected

Query 1 x

82

(4, 4, 4),

83

(5, 5, 5),

84

(2, 1, 4),

85

(3, 2, 5),

86

(4, 3, 3),

87

(5, 4, 4),

88

(1, 5, 5);

89

90

SELECT

91

r.review_id,

92

c.customer_name,

93

p.product_name,

94

r.review_text,

95

r.review_date

96

FROM Review r

97

JOIN Customer c

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5)...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec
17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec
18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec



- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore

- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File

Administration Schemas

Information

No object selected

```
100 ON r.product_id = p.product_id;
101 SELECT
102     p.product_id,
103     p.product_name,
104     ROUND(AVG(r.rating), 2) AS average_ra
105 FROM Product p
106 JOIN Rating r
107     ON p.product_id = r.product_id
108 GROUP BY p.product_id, p.product_name;
109 SELECT
110     p.product_name,
111     ROUND(AVG(r.rating), 2) AS average_ra
112 FROM Product p
113 JOIN Rating r
114     ON p.product_id = r.product_id
115 GROUP BY p.product_id, p.product_name
```

Limit to 10 | ? | ? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Action Output					
#	Time	Action	Message	Duration / Fetch	
✓ 15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5);...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec	
✓ 16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec	
✓ 17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec	
✓ 18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec	



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Query 1



SQLAdditions

Limit to 10

Jump to

```
118 • SELECT
119     p.product_name,
120     c.customer_name,
121     r.review_text,
122     rt.rating,
123     r.review_date
124 FROM Review r
125 JOIN Customer c
126     ON r.customer_id = c.customer_id
127 JOIN Product p
128     ON r.product_id = p.product_id
129 JOIN Rating rt
130     ON rt.customer_id = r.customer_id
131     AND rt.product_id = r.product_id
132 ORDER BY p.product_id;
133
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	12:10:22	INSERT INTO Rating (customer_id, product_id, rating) VALUES (1, 1, 5)...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
✓ 16	12:10:44	SELECT r.review_id, c.customer_name, p.product_name, r.revi...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 17	12:11:11	SELECT p.product_id, p.product_name, ROUND(AVG(r.rating), 2)...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 18	12:11:35	SELECT p.product_name, ROUND(AVG(r.rating), 2) AS average_rat...	3 row(s) returned	0.000 sec / 0.000 sec