

nimCSO: A Nim package for Compositional Space Optimization

Adam M. Krajewski¹ and Zi-Kui Liu¹

¹ Department of Materials Science and Engineering, The Pennsylvania State University, USA
Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

The Compositionally Complex Materials (CCMs), and their metal-focused subset of High Entropy Alloys (HEAs), belong to a rapidly emerging class of materials, first proposed by (Cantor et al., 2004) and (Yeh et al., 2004). Contrary to more traditional materials, they contain a large number of chemical elements, typically 4-9 in similar proportions, in hope to thermodynamically stabilize the material by increasing its configurational entropy, by up to $\Delta S_{conf} = -\sum_i^N x_i \ln x_i$ for ideally random mixing of N elements with fractions x_i .

Statement of Need

Statement of need

Methods and Performance

Methods and Performance

Acknowledgements

Acknowledge: - Jonathan Siegel at TAMU

References

- Cantor, B., Chang, I. T. H., Knight, P., & Vincent, A. J. B. (2004). Microstructural development in equiatomic multicomponent alloys. *Materials Science and Engineering A*, 375-377, 213-218. <https://doi.org/10.1016/j.msea.2003.10.257>
- Yeh, J. W., Chen, S. K., Lin, S. J., Gan, J. Y., Chin, T. S., Shun, T. T., Tsau, C. H., & Chang, S. Y. (2004). Nanostructured high-entropy alloys with multiple principal elements: Novel alloy design concepts and outcomes. *Advanced Engineering Materials*, 6, 299-303. <https://doi.org/10.1002/adem.200300567>