

Lab 7

1. Perform the above code with 8 Number of processes by randomly setting the arrival time and burst time and priority.
 - (a) Use Round Robin Algorithm
 - (b) Use Priority Based Algorithm

ROUND ROBIN:

```
=====
====
PID   | Arrival | Burst | Exit | Wait | TAT
-----
-----
1     | 3       | 8     | 44   | 33   | 41
2     | 1       | 4     | 14   | 9    | 13
3     | 6       | 9     | 50   | 35   | 44
4     | 4       | 10    | 54   | 40   | 50
5     | 2       | 5     | 22   | 15   | 20
6     | 5       | 5     | 36   | 26   | 31
7     | 10      | 12    | 57   | 35   | 47
8     | 8       | 3     | 25   | 14   | 17
=====
====
Average Waiting Time: 25.88ms
Average Turnaround Time: 32.88ms
```

PRIORITY BASED:

PID	Arrival	Burst	Priority	Start	Exit	TAT	WT
1	0	8	3	0	8	8	0
2	1	4	1	8	12	11	7
6	5	1	1	12	13	8	7
4	3	5	2	13	18	15	10
8	8	3	2	18	21	13	10
7	6	6	3	21	27	21	15
3	2	9	4	27	36	34	25
5	4	2	5	36	38	34	32
Average Waiting Time: 13.25							
Average Turnaround Time: 18.00							

- 1. Perform the above code with 10 Number of processes by randomly setting the arrival time and burst time and priority.
- (a) Use Round Robin Algorithm
- (b) Use Priority Based Algorithm

ROUND ROBIN:

PID	Arrival	Burst	Exit	Wait	TAT
1	2	4	11	5	9
2	1	3	7	3	6
3	3	6	40	31	37
4	8	2	33	23	25
5	5	11	62	46	57
6	6	7	51	38	45
7	7	9	63	47	56
8	9	13	68	46	59
9	0	12	44	32	44
10	10	1	38	27	28
Average Waiting Time: 29.80ms					
Average Turnaround Time: 36.60ms					

PRIORITY BASED:

PID	Arrival	Burst	Priority	Start	Exit	TAT	WT
1	0	10	4	0	10	10	0
4	2	1	1	10	11	9	8
3	1	2	2	11	13	12	10
6	4	3	2	13	16	12	9
8	16	4	1	16	20	4	0
5	3	5	3	20	25	22	17
9	17	2	3	25	27	10	8
7	15	7	4	27	34	19	12
2	1	1	5	34	35	34	33
10	18	6	5	35	41	23	17
Average Waiting Time: 11.40							
Average Turnaround Time: 15.50							