

Cadral Skills - Kahan Se Aayin aur Kya Karti Hain

Har skill **.claude/skills/** mein hai aur folders **.claude/skill-folders/** mein. Dera dashboard mein same folder naam category hain. "Kya karti hai" skill ki apni description se liya gaya hai.

Folder	Sources	Skills
Workflow aur Cadral (code folder)	12	67
App Development	19	290
WordPress	2	22
Video	4	23
Research	1	13
Writing	3	5
Productivity	1	13
Total		433

Workflow aur Cadral (code folder)

obra/superpowers (15)

Skill	Kya karti hai
brainstorming	You MUST use this before any creative work - creating features, building components, adding functionality, or modifying behavior.
diagnosing-superpowers	Use when a superpowers session went wrong and your human partner wants to know why repeated work, ignored plans, stumbles, poor results, a skill that didn't fire, "it took too long", "why is it so expensive", "what is it doing" or wants ...
dispatching-parallel-agents	Use when facing 2+ independent tasks that can be worked on without shared state or sequential dependencies
executing-plans	Use when executing an implementation plan in the current session as the implementer yourself your human partner chose inline execution, or no subagent tool is available
finishing-a-development-branch	Use when implementation is complete, all tests pass, and you need to decide how to integrate the work
receiving-code-review	Use when receiving code review feedback, before implementing suggestions, especially if feedback seems unclear or technically questionable - requires technical rigor and verification, not performative agreement or blind implementation
requesting-code-review	Use when completing tasks, implementing major features, or before merging to verify work meets requirements
subagent-driven-development	Use when executing implementation plans with independent tasks in the current session
systematic-debugging	Use when encountering any bug, test failure, or unexpected behavior, before proposing fixes
test-driven-development	Use when implementing any feature or bugfix, before writing implementation code
using-git-worktrees	Use when starting feature work that needs isolation from current workspace or before executing implementation plans - ensures an isolated workspace exists via native tools or git worktree fallback
using-superpowers	Use when starting any conversation - establishes how to find and use skills, requiring skill invocation before ANY response including clarifying questions
verification-before-completion	Use when about to claim work is complete, fixed, or passing, before committing or creating PRs - requires running verification commands and confirming output before making any success claims; evidence before assertions always
writing-plans	Use when you have a spec or requirements for a multi-step task, before touching code
writing-skills	Use when creating new skills, editing existing skills, or verifying skills work before deployment

Cadral - khud likhi gayi (4)

Skill	Kya karti hai
tools	Any task. It searches the whole stack (the Stack Console), picks the best current tool for each step and runs it.
ask-audit	Before handing work over - checks that every ask the user made in the conversation made it into the result.
newproject	Starting a project - sets up the standard Cadral folder structure, CLAUDE.md, and skills so every project starts the same way.
system-forge	Turning a project into an engine - adds agents, rules, checks, tests and memory so the project runs reliably with Claude.

anthropics/skills (1)

Skill	Kya karti hai
skill-creator	Create new skills, modify and improve existing skills, and measure skill performance.

codejunkie99/graph-engineering (1)

Skill	Kya karti hai
graph-engineering	Teaches an agent graph engineering both halves. Knowledge graphs (ontology design, entity/relation/event extraction, fusion, GraphRAG/memory serving; distilled and translated from Southeast University's graduate Knowledge Graph course, n...

affaan-m/ECC (1)

Skill	Kya karti hai
loop-design-check	Design a goal-oriented agent loop or review one for failure modes: spinning, Goodhart-gaming the verifier, or running a wrong answer to completion.

thedomack/claude-mem (1)

Skill	Kya karti hai
mem-search	Search claude-mem's persistent cross-session memory database.

DietrichGebert/ponytail (6)

Skill	Kya karti hai
ponytail	Forces the laziest solution that actually works, simplest, shortest, most minimal.
ponytail-audit	Whole-repo audit for over-engineering. Like ponytail-review, but scans the entire codebase instead of a diff: a ranked list of what to delete, simplify, or replace with stdlib/native equivalents.
ponytail-debt	Harvest every `ponytail:` comment in the codebase into a debt ledger, so the deliberate shortcuts and deferrals ponytail leaves behind get tracked instead of rotting into "later means never".
ponytail-gain	Show ponytail's measured impact as a compact scoreboard: less code, less cost, more speed, from the benchmark medians.
ponytail-help	Quick-reference card for all ponytail modes, skills, and commands.
ponytail-review	Code review focused exclusively on over-engineering. Finds what to delete: reinvented standard library, unneeded dependencies, speculative abstractions, dead flexibility.

JuliusBrussee/caveman (20)

Skill	Kya karti hai
cavecrew	When to delegate to `cavecrew-investigator` (locate code), `cavecrew-builder` (1-2 file edit) or `cavecrew-reviewer` (diff review) instead of working inline or using `Explore`.
caveman	Ultra-compressed communication mode that cuts output tokens while keeping technical accuracy.
caveman-commit	Write a Conventional Commits message compressed to intent only.
caveman-compress	Compress a memory file such as CLAUDE.md or a todo list into caveman format to save input tokens, keeping a readable backup.
caveman-discover	Find and label every LLM workflow in the repository so Caveman Cloud groups spend by workflow instead of one bucket.
caveman-evidence-review	Read-only review of Caveman Cloud evidence: cost, Cave Score, workflows, traces, latency, errors, routing, savings.
caveman-explore	Read-only repository explorer for cold-start orientation, broad cross-file localization, or when a direct search failed.
caveman-help	Quick-reference card for caveman modes, skills and commands.
caveman-learn	Act on a Caveman learn report - review the ranked token sinks, apply cost-lowering fixes with per-edit consent, and report what those fixes returned.
caveman-manage	Inspect Caveman Cloud's experiment lifecycle and block unsafe execution.

Skill	Kya karti hai
caveman-optimize	Turn a Caveman optimization observation into an operator-chosen candidate with a paired baseline evaluation.
caveman-review	Compressed code review - one line per finding with location, problem and fix.
caveman-setup	Wire a repository through the Caveman Cloud gateway so every LLM request is measured, with no behavior change.
caveman-stats	Show recorded output and cache-read token usage and mode attribution for the current Claude Code session, or locate the host's native usage report.
investigate-first	Diagnose ambiguous failures before editing. Use for unknown causes, intermittent behavior, performance regressions, or investigations needing evidence-ranked hypotheses.
lean-build	Build feature work with high overbuilding risk. Use for new behavior, product slices, or integrations where repository reuse, strict scope, and an explicit stop condition matter.
migration	Implement reversible compatibility-safe transitions. Use for schema, data, API, protocol, configuration, or dependency migrations requiring rollback and preservation proof.
safe-refactor	Restructure code while preserving behavior. Use for extraction, consolidation, ownership moves, or cleanup where verification must bracket structural edits.
surgical-patch	Fix bugs and small behavior changes at the narrowest responsible layer.
verify-and-stop	Prove existing work meets acceptance conditions without expanding scope.

Egonex-AI/Understand-Anything (9)

Skill	Kya karti hai
understand	Analyze a codebase to produce an interactive knowledge graph for understanding architecture, components, and relationships
understand-chat	Use when you need to ask questions about a codebase or understand code using a knowledge graph
understand-dashboard	Launch the interactive web dashboard to visualize a codebase's knowledge graph
understand-diff	Use when you need to analyze git diffs or pull requests to understand what changed, affected components, and risks
understand-domain	Extract business domain knowledge from a codebase and generate an interactive domain flow graph.
understand-explain	Use when you need a deep-dive explanation of a specific file, function, or module in the codebase
understand-figma	Analyze a Figma file via the Figma REST API and generate an interactive design knowledge graph (pages, screens, components, component sets, instances, design tokens) with a kind:"design" dashboard.
understand-knowledge	Analyze a Karpathy-pattern LLM wiki knowledge base and generate an interactive knowledge graph with entity extraction, implicit relationships, and topic clustering.
understand-onboard	Use when you need to generate an onboarding guide for new team members joining a project

tt-a1i/archify (2)

Skill	Kya karti hai
archify	Create polished, validated architecture, workflow, sequence, data-flow, and lifecycle/state diagrams as explorable standalone HTML with inline SVG, dark/light themes, optional trace motion, and PNG/JPEG/WebP/SVG/WebM export.
archify-review	Review Archify issues, PRs, or code through value, cost, and impact to support evidence-based maintenance decisions.

ComposioHQ/awesome-claude-skills (6)

Skill	Kya karti hai
changelog-generator	Automatically creates user-facing changelogs from git commits by analyzing commit history, categorizing changes, and transforming technical commits into clear, customer-friendly release notes.
mcp-builder	Guide for creating high-quality MCP (Model Context Protocol) servers that enable LLMs to interact with external services through well-designed tools.
webapp-testing	Toolkit for interacting with and testing local web applications using Playwright.
langsmith-fetch	Debug LangChain and LangGraph agents by fetching execution traces from LangSmith Studio.
developer-growth-analysis	Analyzes your recent Claude Code chat history to identify coding patterns, development gaps, and areas for improvement, curates relevant learning resources from HackerNews, and automatically sends a personalized growth report to your Sla...
artifacts-builder	Suite of tools for creating elaborate, multi-component claude.ai HTML artifacts using modern frontend web technologies (React, Tailwind CSS, shadcn/ui).

Graphify-Labs/graphify (1)

Skill	Kya karti hai
graphify	Use for any question about a codebase, its architecture, file relationships, or project content especially when graphify-out/ exists, where the question should be treated as a graphify query first.

App Development

wshobson/agents (83)

Skill	Kya karti hai
accessibility-compliance	Implement WCAG 2.2 compliant interfaces with mobile accessibility, inclusive design patterns, and assistive technology support.
angular-migration	Migrate from AngularJS to Angular using hybrid mode, incremental component rewriting, and dependency injection updates.
api-design-principles	Master REST and GraphQL API design principles to build intuitive, scalable, and maintainable APIs that delight developers.
architecture-patterns	Implement proven backend architecture patterns including Clean Architecture, Hexagonal Architecture, and Domain-Driven Design.
async-python-patterns	Master Python asyncio, concurrent programming, and async/await patterns for high-performance applications.
attack-tree-construction	Build comprehensive attack trees to visualize threat paths. Use when mapping attack scenarios, identifying defense gaps, or communicating security risks to stakeholders.
billing-automation	Build automated billing systems for recurring payments, invoicing, subscription lifecycle, and dunning management.
brand-landingpage	Brand-first landing page designer runs a brand-identity interview (colors, typography, shape language), then generates and iterates on a polished landing page via Stitch with deployment-ready HTML.
competitive-landscape	Analyze competition, identify differentiation opportunities, and develop winning market positioning strategies using Porter's Five Forces, Blue Ocean Strategy, and positioning maps.
cqrs-implementation	Implement Command Query Responsibility Segregation for scalable architectures.
database-migration	Execute database migrations across ORMs and platforms with zero-downtime strategies, data transformation, and rollback procedures.
dependency-upgrade	Manage major dependency version upgrades with compatibility analysis, staged rollout, and comprehensive testing.
deployment-pipeline-design	Design multi-stage CI/CD pipelines with approval gates, security checks, and deployment orchestration.
design-system-patterns	Build scalable design systems with design tokens, theming infrastructure, and component architecture patterns.
distributed-tracing	Implement distributed tracing with Jaeger and Tempo to track requests across microservices and identify performance bottlenecks.
embedding-strategies	Select and optimize embedding models for semantic search and RAG applications.
event-store-design	Design and implement event stores for event-sourced systems.
fastapi-templates	Create production-ready FastAPI projects with async patterns, dependency injection, and comprehensive error handling.
github-actions-templates	Create production-ready GitHub Actions workflows for automated testing, building, and deploying applications.
gitlab-ci-patterns	Build GitLab CI/CD pipelines with multi-stage workflows, caching, and distributed runners for scalable automation.
godot-gdscript-patterns	Master Godot 4 GDScript patterns including signals, scenes, state machines, and optimization.
grafana-dashboards	Create and manage production Grafana dashboards for real-time visualization of system and application metrics.
hybrid-search-implementation	Combine vector and keyword search for improved retrieval. Use when implementing RAG systems, building search engines, or when neither approach alone provides sufficient recall.

Skill	Kya karti hai
interaction-design	Design and implement microinteractions, motion design, transitions, and user feedback patterns.
javascript-testing-patterns	Implement comprehensive testing strategies using Jest, Vitest, and Testing Library for unit tests, integration tests, and end-to-end testing with mocking, fixtures, and test-driven development.
langchain-architecture	Design LLM applications using LangChain 1.x and LangGraph for agents, memory, and tool integration.
llm-evaluation	Implement comprehensive evaluation strategies for LLM applications using automated metrics, human feedback, and benchmarking.
market-sizing-analysis	Calculate TAM/SAM/SOM for market opportunities using top-down, bottom-up, and value theory methodologies.
microservices-patterns	Design microservices architectures with service boundaries, event-driven communication, and resilience patterns.
mobile-android-design	Master Material Design 3 and Jetpack Compose patterns for building native Android apps.
mobile-ios-design	Master iOS Human Interface Guidelines and SwiftUI patterns for building native iOS apps.
modern-javascript-patterns	Master ES6+ features including async/await, destructuring, spread operators, arrow functions, promises, modules, iterators, generators, and functional programming patterns for writing clean, efficient JavaScript code.
nextjs-app-router-patterns	Master Next.js 14+ App Router with Server Components, streaming, parallel routes, and advanced data fetching.
nodejs-backend-patterns	Build production-ready Node.js backend services with Express/Fastify, implementing middleware patterns, error handling, authentication, database integration, and API design best practices.
paypal-integration	Integrate PayPal payment processing with support for express checkout, subscriptions, and refund management.
pci-compliance	Implement PCI DSS compliance requirements for secure handling of payment card data and payment systems.
postgresql-table-design	Use this skill when designing or reviewing a PostgreSQL-specific schema.
projection-patterns	Build read models and projections from event streams. Use when implementing CQRS read sides, building materialized views, or optimizing query performance in event-sourced systems.
prometheus-configuration	Set up Prometheus for comprehensive metric collection, storage, and monitoring of infrastructure and applications.
prompt-engineering-patterns	- This skill should be used when the user asks to "optimize a prompt", "improve prompt performance", "design a prompt template", "write better prompts", "debug prompt issues", "use chain-of-thought", "structured prompting", "few-shot pro...
python-anti-patterns	Use this skill when reviewing Python code for common anti-patterns to avoid.
python-background-jobs	Python background job patterns including task queues, workers, and event-driven architecture.
python-code-style	Python code style, linting, formatting, naming conventions, and documentation standards.
python-configuration	Python configuration management via environment variables and typed settings.
python-design-patterns	Python design patterns including KISS, Separation of Concerns, Single Responsibility, and composition over inheritance.
python-error-handling	Python error handling patterns including input validation, exception hierarchies, and partial failure handling.
python-observability	Python observability patterns including structured logging, metrics, and distributed tracing.
python-packaging	Create distributable Python packages with proper project structure, setup.py/pyproject.toml, and publishing to PyPI.
python-performance-optimization	Profile and optimize Python code using cProfile, memory profilers, and performance best practices.

Skill	Kya karti hai
python-project-structure	Python project organization, module architecture, and public API design.
python-resilience	Python resilience patterns including automatic retries, exponential backoff, timeouts, and fault-tolerant decorators.
python-resource-management	Python resource management with context managers, cleanup patterns, and streaming.
python-testing-patterns	Implement comprehensive testing strategies with pytest, fixtures, mocking, and test-driven development.
python-type-safety	Python type safety with type hints, generics, protocols, and strict type checking.
rag-implementation	Build Retrieval-Augmented Generation (RAG) systems for LLM applications with vector databases and semantic search.
react-modernization	Upgrade React applications to latest versions, migrate from class components to hooks, and adopt concurrent features.
react-native-architecture	Build production React Native apps with Expo, navigation, native modules, offline sync, and cross-platform patterns.
react-native-design	Master React Native styling, navigation, and Reanimated animations for cross-platform mobile development.
react-state-management	Master modern React state management with Redux Toolkit, Zustand, Jotai, and React Query.
responsive-design	Implement modern responsive layouts using container queries, fluid typography, CSS Grid, and mobile-first breakpoint strategies.
saga-orchestration	Implement saga patterns for distributed transactions and cross-aggregate workflows.
sast-configuration	Configure Static Application Security Testing (SAST) tools for automated vulnerability detection in application code.
screen-reader-testing	Test web applications with screen readers including VoiceOver, NVDA, and JAWS.
secrets-management	Implement secure secrets management for CI/CD pipelines using Vault, AWS Secrets Manager, or native platform solutions.
security-requirement-extraction	Derive security requirements from threat models and business context.
similarity-search-patterns	Implement efficient similarity search with vector databases.
slo-implementation	Define and implement Service Level Indicators (SLIs) and Service Level Objectives (SLOs) with error budgets and alerting.
startup-financial-modeling	Build comprehensive 3-5 year financial models with revenue projections, cost structures, cash flow analysis, and scenario planning for early-stage startups.
startup-metrics-framework	Track, calculate, and optimize key performance metrics for SaaS, marketplace, consumer, and B2B startups from seed through Series A, including unit economics, growth efficiency, and cash management.
stride-analysis-patterns	Apply STRIDE methodology to systematically identify threats.
stripe-integration	Implement Stripe payment processing for robust, PCI-compliant payment flows including checkout, subscriptions, and webhooks.
tailwind-design-system	Build scalable design systems with Tailwind CSS v4, design tokens, component libraries, and responsive patterns.
team-composition-analysis	Design optimal team structures, hiring plans, compensation strategies, and equity allocation for early-stage startups from pre-seed through Series A.
temporal-python-testing	Test Temporal workflows with pytest, time-skipping, and mocking strategies.
threat-mitigation-mapping	Map identified threats to appropriate security controls and mitigations.
typescript-advanced-types	Master TypeScript's advanced type system including generics, conditional types, mapped types, template literals, and utility types for building type-safe applications.
unity-ecs-patterns	Master Unity ECS (Entity Component System) with DOTS, Jobs, and Burst for high-performance game development.
uv-package-manager	Master the uv package manager for fast Python dependency management, virtual environments, and modern Python project workflows.

Skill	Kya karti hai
vector-index-tuning	Optimize vector index performance for latency, recall, and memory.
visual-design-foundations	Apply typography, color theory, spacing systems, and iconography principles to create cohesive visual designs.
wcag-audit-patterns	Conduct WCAG 2.2 accessibility audits with automated testing, manual verification, and remediation guidance.
web-component-design	Master React, Vue, and Svelte component patterns including CSS-in-JS, composition strategies, and reusable component architecture.
workflow-orchestration-patterns	Design durable workflows with Temporal for distributed systems.

evanca/flutter-ai-rules (37)

Skill	Kya karti hai
accessibility	Use when working on accessibility, a11y, WCAG, ARIA, screen readers, keyboard nav, focus order, contrast, alt text, captions, reduced motion, or target sizes; not language/culture/device (see inclusive-design).
architecture-feature-first	Use when creating a feature, designing folder structure, adding repositories/services/view models, wiring dependency injection, or deciding which layer owns logic.
bloc	Use when creating a Cubit or Bloc, modeling state with sealed classes or status enums, wiring BlocBuilder/BlocListener/BlocProvider, writing bloc tests, or choosing between Cubit and Bloc.
code-review	Use when asked to review a PR, MR, branch, or diff, audit changed files, or check code quality.
dart-3-updates	Use when writing switch statements, refactoring if-else chains, creating data classes, choosing records vs classes, destructuring values, or modernizing pre-Dart-3 code.
developing-genkit-dart	Use when building AI agents in Dart, implementing Genkit flows or tools, integrating LLMs into Dart or Flutter applications, or using Genkit Dart plugins.
effective-dart	Use when writing Dart code, reviewing for style, refactoring naming, adding doc comments, structuring imports, or enforcing type annotations.
firebase-ai	Use when setting up firebase_ai, generating text/chat with Gemini, streaming AI output, building multimodal prompts, or handling AI errors.
firebase-analytics	Use when logging analytics events, setting user properties, configuring default event parameters, building funnels, or adding screen-view tracking.
firebase-app-check	Use when implementing app attestation, configuring App Check providers, setting up debug tokens, enabling backend enforcement, or managing token refresh.
firebase-auth	Use when setting up auth, managing auth state, implementing email/password or social sign-in, handling auth errors, or managing users.
firebase-cloud-firestore	Use when setting up Firestore, designing schemas, doing CRUD, creating listeners, paginating queries, configuring indexes, enabling offline persistence, or writing security rules.
firebase-cloud-functions	Use when calling callable functions (httpsCallable), passing data to server-side logic, handling function errors/timeouts, configuring regions, or testing with the Emulator Suite.
firebase-crashlytics	Use when implementing crash reporting, capturing fatal/non-fatal errors, recording isolate/async exceptions, customizing reports, or uploading obfuscated symbols.
firebase-data-connect	Use when setting up Data Connect, writing GraphQL queries/mutations, configuring generated SDKs, handling offline, or applying security rules.
firebase-database	Use when syncing real-time data, structuring JSON trees, reading/writing, creating listeners, enabling offline persistence, managing presence, sharding, or writing security rules.
firebase-in-app-messaging	Use when running in-app message campaigns, triggering/suppressing messages, configuring opt-in data collection, testing on specific devices, or handling message callbacks.

Skill	Kya karti hai
firebase-messaging	Use when setting up Firebase Cloud Messaging, managing permissions and tokens, handling background/foreground notification taps, or dispatching messages server-side (HTTP v1).
firebase-remote-config	Use when implementing feature flags, running A/B tests, setting parameter defaults, fetching/activating config, or enabling real-time config updates.
firebase-storage	Use when setting up Storage, uploading/downloading files, managing metadata, handling errors, or applying security rules.
flutter-app-architecture	Use when scaffolding a project, refactoring into layers, creating view models/repositories, configuring dependency injection, or implementing unidirectional data flow (MVVM).
flutter-best-practices	Use when writing, reviewing, refactoring, or planning Flutter/Dart code screens, features, project structure, state management, folders, widgets, cubits/blocs, repositories, services, or tests.
flutter-change-notifier	Use when setting up ChangeNotifier models, providing them to the widget tree, consuming state with Consumer or Provider.of, or optimizing rebuilds.
flutter-errors	Use when hitting layout errors (RenderFlex overflow, unbounded constraints, RenderBox not laid out), scroll errors, or setState-during-build errors.
flutter-pre-caching	Use when preloading fonts, asset/network images, Lottie/Rive animations, local JSON/config, warming initial API data, or optimizing Flutter Web startup.
flutter-use-column-row-first	Use when building any Flutter screen or component to choose responsive Row, Column, Expanded, Flexible, and Spacer layouts before fixed-size or coordinate-based alternatives.
flutterfire-configure	Use when adding Firebase to a Flutter project, running flutterfire configure, initializing Firebase in main.dart, or configuring multiple flavors.
generate-images-with-firebase-ai	Use when generating or editing images from Flutter/Dart with Firebase AI Logic and a Gemini image model (Nano Banana), making the first call work, choosing Gemini Developer API vs Vertex AI, hitting quota, billing or App Check failures, ...
inclusive-design	Use when working on inclusion, i18n/localization, global name/address forms, low-end devices, slow/metered networks, affordability, or first-time/low-confidence users; not WCAG/screen readers (see accessibility).
mockito	Use when generating mocks, stubbing methods, verifying interactions, capturing arguments, or choosing between mocks, fakes, and real objects (Mockito).
mocktail	Use when creating mocks, stubbing methods, verifying interactions, registering fallback values, or choosing between mocks, fakes, and real objects (Mocktail).
patrol-e2e-testing	Use when writing E2E/integration tests, testing native interactions like permissions or system dialogs, capturing UI regressions, or validating cross-platform behavior (Patrol 4.x).
provider	Use when setting up providers, consuming state, optimizing rebuilds, using ProxyProvider, or migrating from deprecated providers (Provider package).
revenuecat-testing	Use when testing RevenueCat purchases/subscriptions, setting up sandbox testing, debugging a purchase/restore/trial, verifying entitlements or events, or writing an IAP QA plan.
riverpod	Use when setting up providers, combining requests, managing state disposal, passing arguments, performing side effects, or testing providers (Riverpod).
store-listing-assets	Use when writing store copy to character limits (name, subtitle, descriptions, keywords) or preparing listing images (icon, feature graphic, screenshots, preview video).
testing	Use when writing or reviewing Flutter/Dart tests (unit, widget, golden), fixing flaky tests, adding coverage, or choosing between unit and widget tests.

mattpocock/skills (35)

Skill	Kya karti hai
ask-matt	Ask which skill or flow fits your situation. A router over the skills in this repo.
claude-handoff	Hand the current conversation off to a fresh background agent that picks up the work immediately.

Skill	Kya karti hai
codebase-design	Shared vocabulary for designing deep modules. Use when the user wants to design or improve a module's interface, find deepening opportunities, decide where a seam goes, make code more testable or AI-navigable, or when another skill needs...
diagnosing-bugs	Diagnosis loop for hard bugs and performance regressions. Use when the user says "diagnose"/"debug this", or reports something broken/throwing/failing/slow.
domain-modeling	Build and sharpen a project's domain model. Use when discussing codebase terminology, writing or editing a GLOSSARY.md, or recording or editing an ADR.
git-guardrails-claude-code	Set up Claude Code hooks to block dangerous git commands (push, reset --hard, clean, branch -D, etc.) before they execute.
grill-me	A relentless interview to sharpen a plan or design.
grill-with-docs	A relentless interview to sharpen a plan or design, which also creates docs (ADR's and glossary) as we go.
grilling	Grill the user relentlessly about a plan, decision, or idea.
handoff	Compact the current conversation into a handoff document for another agent to pick up.
implement	Implement a piece of work based on a spec or set of tickets.
implement-spec	Implement the result of /to-spec and /to-tickets in code.
improve-codebase-architecture	Scan a codebase for deepening opportunities, present them as a visual HTML report, then grill through whichever one you pick.
loop-me	Grill me about specs for the workflows I want to build, within this workspace.
migrate-to-shoehorn	Migrate test files from `as` type assertions to @total-typescript/shoehorn.
pr	Use when writing a PR body.
research	Investigate a question against high-trust primary sources and capture the findings as a Markdown file in the repo.
retro	Conduct a retrospective on a coding session.
scaffold-exercises	Create exercise directory structures with sections, problems, solutions, and explainers that pass linting.
setup-matt-pocock-skills	Configure this repo for the engineering skills: set up its issue tracker, triage label vocabulary, and domain doc layout.
setup-pre-commit	Set up Husky pre-commit hooks with lint-staged (Prettier), type checking, and tests in the current repo.
setup-ts-deep-modules	Wire dependency-cruiser into a TypeScript repo so each package is a deep module, with implementation hidden in subfolders and reachable only through its entry-point files.
tdd	Test-driven development. Use when the user wants to build features or fix bugs test-first, mentions "red-green-refactor", or wants integration tests.
teach	Teach the user a new skill or concept, within this workspace.
to-questionnaire	Turn a decision you can't fully answer into a questionnaire for someone else to fill in.
to-spec	Turn the current conversation into a spec and publish it to the project issue tracker: no interview, just synthesis of what you've already discussed.
to-tickets	Break a plan, spec, or the current conversation into a set of tracer-bullet tickets, each declaring its blocking edges, published to the configured tracker (edges as text in one file per ticket locally, or native blocking links on a real...
triage	Move issues and external PRs through a state machine of triage roles, categorise, verify, grill if needed, and write agent-ready briefs.
wait-what	Stop. That last message did not land: re-pitch it.
wayfinder	Plan a huge chunk of work (more than one agent session can hold) as a shared map of decision tickets on your issue tracker, and resolve them one at a time until the way to the destination is clear.
wizard	Generate an interactive bash wizard that walks a human through steps only they can perform.

Skill	Kya karti hai
writing-beats	Writing, exploit; assemble raw material into a journey of beats, grounding each term before a beat leans on it.
writing-for-agents	Writing documents for agents. Use when creating or editing skills, or modifying AGENTS.md or CLAUDE.md.
writing-fragments	Writing, explore: mine raw fragments, no structure yet.
writing-shape	Writing, exploit: shape raw material into an article, paragraph by paragraph.

expo/skills (26)

Skill	Kya karti hai
eas-app-stores	EAS service (paid). Build and submit iOS and Android apps with EAS to TestFlight, the App Store, or Google Play.
eas-hosting	EAS service (paid). Deploy Expo websites and Expo Router API routes to EAS Hosting - export the web bundle, run eas deploy for production and PR preview URLs, manage environment secrets and custom domains, and work within the Cloudflare ...
eas-observe	EAS service (paid). Use for anything related to EAS Observe - adding `expo-observe` to an Expo project (AppMetricsRoot/ObserveRoot HOC, markInteractive and ObserveInteractiveMarker, the useObserve hook, the Expo Router / React Navigation...
eas-simulator	EAS service (paid). Run and control a user's app on a remote iOS/Android simulator hosted on EAS cloud.
eas-update	EAS service (paid). Configure and use EAS Update for over-the-air JavaScript and asset updates with expo-updates and EAS CLI.
eas-update-insights	EAS service (paid). Check the health of published EAS Update: crash rates, install/launch counts, unique users, payload size, and the split between embedded and OTA users per channel.
eas-workflows	EAS service (paid). Helps understand and write EAS workflow YAML files for Expo projects.
expo-animation	Framework (OSS). Build animations in React Native and Expo, making the decisions in the order that determines whether they feel right should it animate, which thread it runs on, which properties, spring or timing, how the gesture hands o...
expo-app-clip	Framework (OSS). Add an iOS App Clip target to an Expo app.
expo-brownfield	Framework (OSS). Integrate Expo and React Native into an existing native iOS or Android app.
expo-data-fetching	Framework (OSS). Use when implementing or debugging ANY network request, API call, or data fetching.
expo-design-system	Framework (OSS). Build and maintain a design system inside an Expo app - a reusable theme of design tokens (color, spacing, typography, radius, shadow, motion), reusable component structure with variant/size/state prop conventions, and r...
expo-dev-client	Framework (OSS). Build and distribute Expo development clients locally or via TestFlight for internal testing.
expo-dom	Framework (OSS). Use Expo DOM components to run web code in a webview on native and as-is on web.
expo-examples	Framework (OSS). Expo's official example projects - the expo/examples repo of ~70 `with-*` integrations (Stripe, Clerk, Supabase, OpenAI, maps, Reanimated, SQLite, Skia, NativeWind, and more).
expo-migrate-module	Framework (OSS). Migrate an existing Apple/Swift Expo native module from the Expo Modules API 1.0 definition DSL to the 2.0 macro API (sometimes called v2) while preserving its JavaScript and TypeScript contract.
expo-module	Framework (OSS). Guide for creating and writing Expo native modules and views using the Expo Modules API (Swift, Kotlin, TypeScript).
expo-native-ui	Framework (OSS). Build beautiful, native-feeling Expo screens.
expo-overview	Framework (OSS). Entry point and router for every Expo or EAS task.

Skill	Kya karti hai
expo-project-structure	Framework (OSS). Folder structure for a new Expo app.
expo-router	Framework (OSS). Navigation and routing for Expo Router.
expo-skill-eval	Evaluate Expo skills in this repo end-to-end - trigger accuracy, generated code quality, and runtime screenshots on iOS simulator and Android emulator via Expo Go (web optional).
expo-skill-feedback	Submit feedback on an Expo skill or Expo itself and control bundled anonymous usage telemetry (off by default / opt-in).
expo-ui	Framework (OSS). Build native UI with the @expo/ui package: real SwiftUI on iOS and Jetpack Compose on Android.
expo-upgrade	Framework (OSS). Guidelines for upgrading Expo SDK versions and fixing dependency issues
expo-web-to-native	Framework (OSS). Migrate an existing web React app to a native iOS/Android app with Expo.

addyosmani/agent-skills (24)

Skill	Kya karti hai
api-and-interface-design	Guides stable API and interface design. Use when designing APIs, module boundaries, or any public interface.
browser-testing-with-devtools	Tests in real browsers via Chrome DevTools MCP. Use when building or debugging anything that runs in a browser.
ci-cd-and-automation	Automates CI/CD pipeline setup. Use when setting up or modifying build and deployment pipelines.
code-review-and-quality	Conducts multi-axis code review. Use before merging any change.
code-simplification	Simplifies code for clarity. Use when refactoring code for clarity without changing behavior.
constraint-driven-development	Establishes a project's quality bar as a written contract and stops agents quietly lowering it.
context-engineering	Optimizes agent context setup. Use when starting a new session, when agent output quality degrades, when switching between tasks, or when you need to configure rules files and context for a project.
debugging-and-error-recovery	Guides systematic root-cause debugging. Use when tests fail, builds break, something that worked yesterday broke, behavior doesn't match expectations, or you encounter any unexpected error.
deprecation-and-migration	Manages deprecation and migration. Use when removing old systems, APIs, or features.
documentation-and-adrs	Records decisions and documentation. Use when you need to document an architecture decision (ADR) or the reasoning behind a design choice, when changing public APIs, shipping features, or when you need to record context that future engin...
doubt-driven-development	Subjects every non-trivial decision to a fresh-context adversarial review before it stands.
frontend-ui-engineering	Builds production-quality, accessible, responsive user-facing UIs.
git-workflow-and-versioning	Structures git workflow practices. Use when making any code change.
idea-refine	Refines raw ideas into sharp, actionable concepts through structured divergent and convergent thinking.
incremental-implementation	Delivers changes incrementally in thin, verifiable slices. Use when implementing any feature or change that touches more than one file, or when picking up the next task from a plan.
interview-me	Extracts what the user actually wants instead of what they think they should want.
observability-and-instrumentation	Instruments code so production behavior is visible and diagnosable.
performance-optimization	Optimizes application performance across frontend, backend, queries, and databases.
planning-and-task-breakdown	Breaks work into ordered tasks. Use when you have a spec or clear requirements and need to break work into implementable tasks.

Skill	Kya karti hai
security-and-hardening	Hardens code against vulnerabilities. Use when auditing an input handler for vulnerabilities, when handling user input, authentication, data storage, or external integrations, or when checking a login flow is safe against the OWASP Top Ten.
shipping-and-launch	Prepares production launches. Use when preparing to deploy to production, or when asking what needs to be in place before shipping.
source-driven-development	Grounds every implementation decision in official documentation.
spec-driven-development	Creates specs before coding. Use when starting a new project, feature, or significant change and no specification exists yet.
using-agent-skills	Discovers and invokes agent skills. Use when starting a session, or when you need to decide which skill or workflow applies to the piece of work at hand.

plugin87/ux-ui-agent-skills (17)

Skill	Kya karti hai
a11y-audit	Audit a UI or design against WCAG 2.2 AA/AAA and ARIA patterns, returning criterion-referenced findings with severity and specific fixes.
apply-aesthetic	Apply a visual direction an archetype (high-end agency, editorial minimal, brutalist, soft-SaaS, dark-tech) or one of 138 named design systems (apple, linear-app, stripe, vercel, notion, material, shadcn, spotify, tesla) by resolving it...
data-dashboard	Build a dense, data-heavy screen - an analytics console or a trading terminal - with real charts drawn from tokens: candlestick, volume, depth, stacked area, waterfall, scatter, correlation matrix, donut, gauge, sparklines, heatmaps and ...
design-code	Generate production-ready, accessible, token-driven component code for ANY framework React+Tailwind, Next.js, SwiftUI, Vue, Svelte, Angular, Solid, Web Components/Lit, React Native, Flutter, Jetpack Compose, vanilla CSS, or CSS-in-JS.
design-component	Design a UI component spec to the house quality bar anatomy, variants, sizes, the 8 states, token mapping, and accessibility.
design-doctrine	The house rules for ANY design or UI work - the verification protocol (run the gate, never claim a number), the absolute no-emoji rule, token by intent, one shared theme, the eight states, one thing leads, and output completeness.
design-qa	Set up or run design QA gates token + hardcoded-value lint, automated a11y (axe), contrast, visual regression across variants/states/themes/RTL, and the manual a11y checklist.
design-review	Review or audit a design/UI across 6 weighted dimensions with Nielsen's 10 heuristics and a prioritized findings table.
design-tokens	Generate, extend, or audit design tokens in DTCG format with the 3-tier architecture (primitive semantic component).
figma-integration	Keep Figma and code in sync map the 3-tier DTCG tokens to Figma Variables (collections + modes), sync in either direction, use the Figma MCP when connected, and verify component parity (variants/states).
governance	Govern how the design system evolves SemVer for tokens/components, the contribution workflow, deprecation policy, and change communication.
migrate-design-system	Map this token system to or from any external design system (Material Design 3, Apple HIG, Fluent, Carbon, Ant, shadcn/ui, Radix, Chakra, Mantine, Bootstrap) adopt their look, build on their stack, or migrate between systems.
performance	Optimize UI performance against Core Web Vitals LCP, INP, CLS with loading/code-split strategy, layout-shift prevention, and animation performance rules.
prototype	Move an idea up the fidelity ladder (content-first wireframe low-fi high-fi code) with a validation plan at each level, plus user-journey mapping and usability-testing scripts.
redesign	Upgrade an existing website or app to premium quality without breaking functionality audit the current design, identify generic/AI tells, then apply taste and system rules surgically.

Skill	Kya karti hai
token-build	Set up or run the token build pipeline transform the DTCG tokens/*.json (source of truth) into platform artifacts (CSS variables, Tailwind @theme, JS/TS, iOS Asset Catalog, Android, Compose) with Style Dictionary / Tokens Studio / W3C DT...
ux-writing	Write or review UI copy buttons, errors, empty states, microcopy, notifications, labels using the voice & tone system (clear, concise, useful, human, honest) with the what why how error formula and inclusive-language rules.

LeonxInx/taste-skill (13)

Skill	Kya karti hai
brandkit	Premium brand-kit image generation skill for creating high-end brand-guidelines boards, logo systems, identity decks, and visual-world presentations.
design-taste-frontend	Anti-slop frontend skill for landing pages, portfolios, and redesigns.
design-taste-frontend-v1	The original v1 taste-skill, preserved for projects depending on its exact behavior.
full-output-enforcement	Overrides default LLM truncation behavior. Enforces complete code generation, bans placeholder patterns, and handles token-limit splits cleanly.
gpt-taste	Elite UX/UI & Advanced GSAP Motion Engineer. Enforces Python-driven true randomization for layout variance, strict AIDA page structure, wide editorial typography (bans 6-line wraps), gapless bento grids, strict GSAP ScrollTriggers (pinni...
high-end-visual-design	Teaches the AI to design like a high-end agency. Defines the exact fonts, spacing, shadows, card structures, and animations that make a website feel expensive.
image-to-code	Elite website image-to-code skill for Codex. For visually important web tasks, it must first generate the design image(s) itself, deeply analyze them, then implement the website to match them as closely as possible.
imagegen-frontend-mobile	Elite mobile app image-generation skill for creating premium, app-native screen concepts and flows.
imagegen-frontend-web	Elite frontend image-direction skill for generating premium, conversion-aware website design references.
industrial-brutalist-ui	Raw mechanical interfaces fusing Swiss typographic print with military terminal aesthetics.
minimalist-ui	Clean editorial-style interfaces. Warm monochrome palette, typographic contrast, flat bento grids, muted pastels.
redesign-existing-projects	Upgrades existing websites and apps to premium quality. Audits current design, identifies generic AI patterns, and applies high-end design standards without breaking functionality.
stitch-design-taste	Semantic Design System Skill for Google Stitch. Generates agent-friendly DESIGN.md files that enforce premium, anti-generic UI standards strict typography, calibrated color, asymmetric layouts, perpetual micro-motion, and hardware-accele...

callstackincubator/agent-skills (13)

Skill	Kya karti hai
agent-device	Automates interactions for Apple-platform apps (iOS, tvOS, macOS) and Android devices.
assess-react-native-migration	Assesses whether and how an existing mobile product should migrate to React Native.
create-react-native-library	Scaffolds React Native libraries with create-react-native-library for standalone libraries or local native modules and views.
dogfood	Systematically explore and test a mobile app on iOS/Android with agent-device to find bugs, UX issues, and other problems.
github-actions	GitHub Actions workflow patterns for React Native iOS simulator and Android emulator cloud builds with downloadable artifacts.
react-native-best-practices	Provides React Native performance optimization guidelines for FPS, TTI, bundle size, memory leaks, re-renders, and animations.
react-native-brownfield-migration	Implements an accepted incremental brownfield migration from native iOS or Android to React Native or Expo using @callstack/react-native-brownfield.

Skill	Kya karti hai
react-native-testing	Write tests using React Native Testing Library (RNTL) v13 and v14 (<code>@testing-library/react-native</code>).
react-native-tv-best-practices	Reviews React Native TV apps for focus/D-pad navigation, 10-foot UI layout, TV playback/DRM integration, low-memory TV performance, and TV accessibility.
react-navigation	Provides React Navigation UI patterns for stacks, tabs, drawers etc.
upgrading-react-native	Upgrades React Native apps to newer versions by applying rn-diff-purge template diffs, updating package.json dependencies, migrating native iOS and Android configuration, resolving CocoaPods and Gradle changes, and handling breaking API ...
validate-skills	Validates skills in this repo against agentskills.io spec and Claude Code best practices.
writing-user-docs	House style for user-facing documentation voice, scope, structure, and what to leave out.

treylom/prompt-engineering-skills (10)

Skill	Kya karti hai
claude-4-7-prompt-strategies	Use when the user explicitly targets Claude Opus 4.7 or earlier (first-class) legacy Claude .
expert-domain-priming	Use when a prompt needs an expert role assignment AI (/prompt) .
gemini-3-1-prompt-strategies	Use when composing or optimizing prompts targeting Google Gemini models (Gemini 3 Pro/Flash, 3.1) Google + Gemini .
gems-prompt-generator	Use when needing Google Gems . Gems .
gpt-5-6-prompt-enhancement	Use when composing prompts targeting GPT-6 Sol (GPT), GPT-6 Astra, GPT-6 Luna, GPT-5.6 Sol (), legacy GPT-5.5/5.4/5.2 lean outcome-first 7 + LEGACY (XML) GPT .
image-prompt-guide	Use when generating AI image prompts = v4(gpt-image-2 A/B jsonl , skills/image-prompt-kit/ vendor) .
prompt	Use when the user asks to create, refine, or optimize a prompt (' / / ') AI .
prompt-engineering-guide	Use when generating research/factcheck/image/video/slide prompts that need base templates (IFCN StructuredResearch) AI .
prompt-variation-guide	Use when needing AI . .
research-prompt-guide	Use when composing factcheck or research prompts IFCN . = references/full.md.

vercel-labs/agent-skills (9)

Skill	Kya karti hai
deploy-to-vercel	Deploy applications and websites to Vercel. Use when the user requests deployment actions like "deploy my app", "deploy and give me the link", "push this live", or "create a preview deployment".
vercel-cli-with-tokens	Deploy and manage projects on Vercel using token-based authentication.
vercel-composition-patterns	React composition patterns that scale. Use when refactoring components with boolean prop proliferation, building flexible component libraries, or designing reusable APIs.
vercel-optimize	Use for Vercel cost and performance optimization on deployed projects, especially Next.js, SvelteKit, Nuxt, and limited Astro apps.
vercel-react-best-practices	React and Next.js performance optimization guidelines from Vercel Engineering.
vercel-react-native-skills	React Native and Expo best practices for building performant mobile apps.
vercel-react-view-transitions	Guide for implementing smooth, native-feeling animations using React's View Transition API (<code><ViewTransition></code> component, <code>addTransitionType</code> , and CSS view transition pseudo-elements).
web-design-guidelines	Review UI code for Web Interface Guidelines compliance. Use when asked to "review my UI", "check accessibility", "audit design", "review UX", or "check my site against best practices".

Skill	Kya karti hai
writing-guidelines	Review docs/prose for Writing Guidelines compliance. Use when asked to "review my docs", "check writing style", "audit prose", "review docs voice and tone", or "check this page against the writing handbook".

nextlevelbuilder/ui-ux-pro-max-skill (7)

Skill	Kya karti hai
banner-design	Design banners for social media, ads, website heroes, creative assets, and print.
brand	Brand voice, visual identity, messaging frameworks, asset management, brand consistency.
design	Comprehensive design skill: brand identity, design tokens, UI styling, logo generation (55 styles, Gemini, Atlas Cloud, or MuAPI AI), corporate identity program (50 deliverables, CIP mockups), HTML presentations (Chart.js), banner design...
design-system	Token architecture, component specifications, and slide generation.
slides	Create strategic HTML presentations with Chart.js, design tokens, responsive layouts, copywriting formulas, and contextual slide strategies.
ui-styling	Create beautiful, accessible user interfaces with shadcn/ui components (built on Radix UI + Tailwind), Tailwind CSS utility-first styling, and canvas-based visual designs.
ui-ux-pro-max	UI/UX design intelligence for web, mobile, and desktop. This skill should be used when designing, building, reviewing, or fixing interfaces, including pages, components, design systems, accessibility, interaction, responsive layout, typo...

Jakubantalik/transitions.dev (4)

Skill	Kya karti hai
refine-live	In-chat fallback for the Timeline Inspector Refine agent. Use when the user runs `/refine live`, asks to "refine live", "go live", or answer refine jobs but ONLY when no persistent agent is wired (no `npx transitions-refine live`).
transitions-agent	Scan a codebase for missing, janky, or inconsistent UI motion and fix it with transitions.dev recipes.
transitions-dev	Production-ready CSS transitions for web apps. Use when implementing notification badges, dropdowns, modals, panel reveals, page transitions, card resizes, number pop-ins, text swaps, icon swaps, success checks, avatar group hovers, erro...
transitions-polish	Polish and refine existing motion against the transitions.dev motion-token scale duration, distance, scale, blur, and easing plus the rules for WHEN each token applies (open/close asymmetry, hover-in vs hover-out, stagger offsets, and in...

Code-with-Beto/skills (4)

Skill	Kya karti hai
app-icon	Generate app icons for your React Native Expo app with iOS 26 support
local-build	Build a release APK and a simulator .app file locally for a React Native Expo app using gradlew and xcodebuild.
ship	Scaffold production-ready React Native apps using the @codewithbeto/ship CLI.
theming	Scaffold a unified, cross-platform color theme system into an Expo Router app.

Appllama/appllama-skills (2)

Skill	Kya karti hai
appllama-app-design-skill	Build native-feeling, benchmark-quality mobile app screens (Expo / React Native).
appllama-usage	Use the Appllama MCP (mcp.appllama.io) well research real top-grossing mobile apps, their screens, flows, and UI elements, then build from what you learn.

AvdLee/SwiftUI-Agent-Skill (2)

Skill	Kya karti hai
swiftui-expert-skill	Use when writing, reviewing, or refactoring SwiftUI code for iOS or macOS, including state and `@Observable` data flow, view composition, resizable layouts, safe areas, display scale, performance, lists, environment, localization, animat...
update-swiftui-apis	Scan Apple's SwiftUI documentation for deprecated APIs and update the SwiftUI Expert Skill with modern replacements.

skydashnet/material-design-3-ui-skill (1)

Skill	Kya karti hai
material-design-3-ui	Design, redesign, review, or implement user interfaces using Google Material Design 3 (M3), Material You, and optional Material 3 Expressive principles.

designrique/ai-graphic-design-skill (1)

Skill	Kya karti hai
ai-graphic-design	Guide for creating logos, brand identities, and visual assets using AI tools covers tool selection, prompt engineering, vectorization pipelines, mockups, automation, and IP safety.

nolangz/pixel2motion (1)

Skill	Kya karti hai
pixel2motion	Turn a raster logo (PNG/JPG/WebP/screenshot) into a clean minimal SVG with edge smoothness as the primary hard gate and IoU optimized as high as reasonably possible without a fixed global threshold, then into a choreographed logo animati...

Cadral - khud likhi gayi (1)

Skill	Kya karti hai
splash-screen	Design and implement an app's splash / launch screen for iOS, Android, Expo, React Native or Flutter - brand assets, sizes, dark mode, animated handoff to the first screen, and store-compliant launch behavior.

WordPress

WordPress/agent-skills (official) (19)

Skill	Kya karti hai
blueprint	Use when the deliverable is WordPress Playground Blueprint JSON or a Blueprint bundle, including creating, editing, reviewing, validating schema keys, choosing steps/resources, and debugging Blueprint files.
wordpress-router	Use when the user asks about WordPress codebases (plugins, themes, block themes, Gutenberg blocks, WP core checkouts) and you need to quickly classify the repo and route to the correct workflow/skill (blocks, theme.json, REST API, WP-CLI...
wp-abilities-api	Use when working with the WordPress Abilities API (<code>wp_register_ability</code> , <code>wp_register_ability_category</code> , <code>/wp-json/wp-abilities/v1/*</code> , <code>@wordpress/abilities</code>) including defining abilities, categories, meta, REST exposure, and permissions checks...
wp-abilities-audit	Audit a WordPress plugin's REST surface and produce a standardized audit document proposing Abilities API registrations.
wp-abilities-verify	Verify a WordPress plugin's Abilities API registrations: enumerate abilities, check that callback behavior matches each annotation's claim (the adversarial readonly-but-writes detection), validate permissions and schemas, and validate au...
wp-block-development	Use when developing WordPress (Gutenberg) blocks: <code>block.json</code> metadata, <code>register_block_type_from_metadata</code> , attributes/serialization, supports, dynamic rendering (<code>render.php/render_callback</code>), deprecations/migrations, <code>viewScript</code> vs <code>viewSc...</code>
wp-block-themes	Use when developing WordPress block themes: <code>theme.json</code> (global settings/styles), templates and template parts, patterns, style variations, and Site Editor troubleshooting (style hierarchy, overrides, caching).
wp-env	Use when setting up, configuring, or troubleshooting local WordPress development environments with <code>@wordpress/env</code> (<code>wp-env</code>).
wp-interactivity-api	Use when building or debugging WordPress Interactivity API features (<code>data-wp-*</code> directives, <code>@wordpress/interactivity</code> store/state/actions, block <code>viewScriptModule</code> integration, <code>wp_interactivity_*</code> ()) including performance, hydration, and dire...
wp-patterns	Pattern: create or update WordPress block patterns (starter pages, templates, template parts, Query Loop layouts), review pattern registration, block markup, categories, accessibility, or i18n/escaping, or improve pattern design quality.
wp-performance	Use when investigating or improving WordPress performance (backend-only agent): profiling and measurement (WP-CLI <code>profile/doctor</code> , Server-Timing, Query Monitor via REST headers), database/query optimization, autoloaded options, object cac...
wp-phpstan	Use when configuring, running, or fixing PHPStan static analysis in WordPress projects (plugins/themes/sites): <code>phpstan.neon</code> setup, baselines, WordPress-specific typing, and handling third-party plugin classes.
wp-playground	Use as the WordPress Playground routing wrapper for ambiguous Playground work, local CLI runs with <code>@wp-playground/cli</code> , <code>playground.wordpress.net</code> share links, browser previews, WebMCP site tools, snapshots, mounts, version switching, and X...
wp-plugin-development	Use when developing WordPress plugins: architecture and hooks, activation/deactivation/uninstall, admin UI and Settings API, data storage, cron/tasks, security (nonces/capabilities/sanitization/escaping), and release packaging.
wp-plugin-directory-guidelines	Use when reviewing WordPress plugins for GPL compliance, checking license headers or compatibility, evaluating upsell/freemium/trialware patterns, validating plugin naming or trademark rules, checking plugin slugs, understanding why a pl...
wp-project-triage	Use when you need a deterministic inspection of a WordPress repository (plugin/theme/block theme/WP core/Gutenberg/full site) including tooling/tests/version hints, and a structured JSON report to guide workflows and guardrails.
wp-rest-api	Use when building, extending, or debugging WordPress REST API endpoints/routes: <code>register_rest_route</code> , <code>WP_REST_Controller/controller</code> classes, schema/argument validation, <code>permission_callback/authentication</code> , response shaping, <code>register_rest_f...</code>

Skill	Kya karti hai
wp-wpcli-and-ops	Use when working with WP-CLI (wp) for WordPress operations: safe search-replace, db export/import, plugin/theme/user/content management, cron, cache flushing, multisite, and scripting/automation with wp-cli.yml.
wpds	Use when building UIs leveraging the WordPress Design System (WPDS) and its components, tokens, patterns, etc.

Automattic/wordpress-agent-skills (3)

Skill	Kya karti hai
design-systems	Bold aesthetic direction guidance for web design. Use when making creative decisions about typography, color, motion, spatial composition, and overall visual style.
site-specification	Extract comprehensive site specifications from simple descriptions.
wordpress-block-theming	WordPress Full Site Editing (FSE) theme architecture. Use when generating theme.json, block templates, template parts, patterns, and functions.php for WordPress block themes.

Video

ComposioHQ/awesome-claude-skills (1)

Skill	Kya karti hai
youtube-downloader	Download YouTube videos with customizable quality and format options.

hypit-ai/hypit (1)

Skill	Kya karti hai
hypit	Direct and produce videos with Hypit, primarily through generated media and authored components while incorporating briefs, references or supplied material; includes SVML/SVS/SVRun authoring and Runtime or credential setup.

heygen-com/hyperframes (9)

Skill	Kya karti hai
hyperframes	Mandatory entry point: read this first for any request to make, create, edit, animate, or render a video, animation, or motion graphic, including a promo, explainer, captioned clip, title card, overlay, slideshow or interactive deck, Rem...
hyperframes-animation	All animation knowledge for HyperFrames atomic motion rules, multi-phase scene blueprints, scene transitions, broader motion-design techniques, AND the seven runtime adapters (GSAP default, plus Lottie, Three.js, Anime.js, CSS keyframes,...
hyperframes-audio	Use when audio already placed in a HyperFrames composition needs to be mixed: fade-in/fade-out, crossfade, track gain or volume, volume automation, ducking, a music bed that fights a voiceover (voiceover carve), effects on a track (EQ, c...
hyperframes-cli	Use the HyperFrames CLI development loop: init, add, catalog, capture, lint, check, snapshot, compare, grade-compare, preview, play, present, beats, keyframes, single or batch render, publish, cloud, cloudrun, feedback, lambda, doctor, b...
hyperframes-core	The HyperFrames composition contract build one renderable project.
hyperframes-creative	Non-animation creative direction for HyperFrames videos. Use for design spec (frame.md / design.md) handling, palettes, typography, narration, beat planning, audio-reactive visuals, composition patterns, and brand / style decisions.
hyperframes-keyframes	Use when a HyperFrames composition needs a punch-in, punch-out, zoom, reframe, Ken Burns treatment, camera move, visual match/whip handoff, or other seek-safe 2D/3D keyframes; also for GSAP, CSS keyframes, Anime.js, WAAP, FLIP, paths, m...
hyperframes-registry	Search, install, and wire registry blocks and components into HyperFrames compositions.
hyperframes-studio	Use when working with a person on a HyperFrames project in Studio: first, whether their message asks for a change at all (questions, loose ideas and "don't change anything" get an answer and a plan, not an edit); for a new film, the plan...

remotion-dev/skills (12)

Skill	Kya karti hai
remotion-best-practices	Router for all Remotion skills
remotion-captions	Transcribing, displaying and animating captions
remotion-create	Create a new Remotion video
remotion-docs	Search Remotion documentation
remotion-interactivity	Structure Remotion markup for interactivity
remotion-maps	Remotion Map animation knowledge
remotion-markup	Content, animation and effects best practices
remotion-multimedia	Interacting with Mediabunny
remotion-render	Export a Remotion video

Skill	Kya karti hai
remotion-saas	Build an app with Remotion
remotion-studio	Preview a Remotion video
remotion-upgrade	Upgrade Remotion, and related packages

Research

firecrawl/cli (13)

Skill	Kya karti hai
firecrawl	Any live-web task via the Firecrawl CLI including ordinary web research: searching the web, reading or extracting pages, gathering sources, discovering site URLs, bulk extraction, downloading a site, change alerts, or pages needing click...
firecrawl-agent	Autonomously navigate websites and extract structured data across pages.
firecrawl-alexandria	Find a direct path to structured data through ready-made workflows, data APIs, and indexes.
firecrawl-crawl	Bulk-extract many pages from one site or section. Use for "crawl", "everything under /docs", or content spanning linked pages.
firecrawl-developer-index	Search an index of public repositories, GitHub issues, merged pull requests, repository READMEs, and curated documentation sites.
firecrawl-download	Save a site or section as local files (markdown, screenshots).
firecrawl-interact	Drive a live browser on a scraped page: click, fill forms, log in, paginate, infinite-scroll.
firecrawl-map	Discover and list a site's URLs, with search filtering. Use for "map the site" or "find the URL for" requests when the user knows the site but not the exact page, or wants site structure.
firecrawl-monitor	Alert by webhook/email on web changes use for "monitor/watch/track/alert me when": recurring checks on known URLs (prefer over repeated one-off scrapes) or web-wide watches for new results (queries + goal).
firecrawl-parse	Convert a local file (PDF, DOCX, XLSX, HTML,) to markdown, or answer questions about its content.
firecrawl-research-index	Find the papers that answer a research query in Firecrawl's research paper index a corpus of paper abstracts whose largest share is biomedical and life-science literature (PubMed, bioRxiv, medRxiv), alongside arXiv preprints in CS, physi...
firecrawl-scrape	Read a known webpage or execute a discovered workflow or data-provider capability.
firecrawl-search	Find web sources with query-relevant page excerpts and optional full-page content, and discover workflows, data APIs, and indexes.

Writing

coreyhaines31/marketingskills (1)

Skill	Kya karti hai
copywriting	When the user wants to write, rewrite, or improve marketing copy for any page including homepage, landing pages, pricing pages, feature pages, about pages, or product pages.

conorbronsdon/avoid-ai-writing (1)

Skill	Kya karti hai
avoid-ai-writing	Audit and rewrite content to remove AI writing patterns ("AI-isms").

ComposioHQ/awesome-claude-skills (3)

Skill	Kya karti hai
content-research-writer	Assists in writing high-quality content by conducting research, adding citations, improving hooks, iterating on outlines, and providing real-time feedback on each section.
internal-comms	A set of resources to help me write all kinds of internal communications, using the formats that my company likes to use.
twitter-algorithm-optimizer	Analyze and optimize tweets for maximum reach using Twitter's open-source algorithm insights.

Productivity

ComposioHQ/awesome-claude-skills (13)

Skill	Kya karti hai
lead-research-assistant	Identifies high-quality leads for your product or service by analyzing your business, searching for target companies, and providing actionable contact strategies.
invoice-organizer	Automatically organizes invoices and receipts for tax preparation by reading messy files, extracting key information, renaming them consistently, and sorting them into logical folders.
meeting-insights-analyzer	Analyzes meeting transcripts and recordings to uncover behavioral patterns, communication insights, and actionable feedback.
tailored-resume-generator	Analyzes job descriptions and generates tailored resumes that highlight relevant experience, skills, and achievements to maximize interview chances
raffle-winner-picker	Picks random winners from lists, spreadsheets, or Google Sheets for giveaways, raffles, and contests.
domain-name-brainstormer	Generates creative domain name ideas for your project and checks availability across multiple TLDs (.com, .io, .dev, .ai, etc.).
file-organizer	Intelligently organizes your files and folders across your computer by understanding context, finding duplicates, suggesting better structures, and automating cleanup tasks.
competitive-ads-extractor	Extracts and analyzes competitors' ads from ad libraries (Facebook, LinkedIn, etc.) to understand what messaging, problems, and creative approaches are working.
canvas-design	Create beautiful visual art in .png and .pdf documents using design philosophy.
theme-factory	Toolkit for styling artifacts with a theme. These artifacts can be slides, docs, reportings, HTML landing pages, etc.
brand-guidelines	Applies Anthropic's official brand colors and typography to any sort of artifact that may benefit from having Anthropic's look-and-feel.
slack-gif-creator	Toolkit for creating animated GIFs optimized for Slack, with validators for size constraints and composable animation primitives.
image-enhancer	Improves the quality of images, especially screenshots, by enhancing resolution, sharpness, and clarity.