

Example 12 – Basic Form:

```
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Bootstrap CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <script src="js/bootstrap.bundle.min.js"></script>
    <title></title>
  </head>
  <body>
    <h1>Basic Form</h1>
    <form role = "form">
      <div class = "form-group">
        <label for = "name">Name</label>
        <input type = "text" class = "form-control" id = "name" placeholder = "Enter Name">
      </div>
      <div class = "form-group">
        <label for = "inputfile">File input</label>
        <input type = "file" id = "inputfile">
        <p class = "help-block">Example block-level help text here.</p>
      </div>
      <div class = "checkbox">
        <label><input type = "checkbox"> Check me out</label>
      </div>
      <button type = "submit" class = "btn btn">Submit</button>
    </form>
  </body>
</html>
```

Example 12 – Inline Form:

```
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Bootstrap CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <script src="js/bootstrap.bundle.min.js"></script>
  </head>
  <body>
    <h2>Inline Forms</h2>
    <p>If you want your form elements to appear side by side, use .row and .col:</p>
    <form>
      <div class="row">
        <div class="col">
          <input type="text" class="form-control" placeholder="Enter email" name="email">
        </div>
        <div class="col">
          <input type="password" class="form-control" placeholder="Enter password"
name="pswd">
```

```
</div>
<div class="col">
  <label class="sr-only" for="inputfile">File input</label>
  <input type="file" id="inputfile">
</div>
<div class="col">
  <label><input type="checkbox"> Check me out</label>
</div>
</div>
</form>
</body>
</html>
```

Example 12 – Stacked / Vertical form Form:

```
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Bootstrap CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <script src="js/bootstrap.bundle.min.js"></script>
    <title></title>
  </head>
  <body>
<h2>Stacked / Vertical form</h2>
<form action="/action_page.php">
  <div class="mb-3 mt-3">
    <label for="email">Email:</label>
    <input type="email" class="form-control" id="email" placeholder="Enter email"
name="email">
  </div>
  <div class="mb-3">
    <label for="pwd">Password:</label>
    <input type="password" class="form-control" id="pwd" placeholder="Enter password"
name="pswd">
  </div>
  <div class="form-check mb-3">
    <label class="form-check-label">
      <input class="form-check-input" type="checkbox" name="remember"> Remember me
    </label>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
</body>
</html>
```

Example 13 – List Groups:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Bootstrap CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <script src="js/bootstrap.bundle.min.js"></script>
    <title>List Group</title>
  </head>
  <body>
    <h1>List Group</h1>
    <h2>Basic List Group</h2>
    <div class="container">
      <h2>Basic List Group</h2>
      <ul class="list-group">
        <li class="list-group-item">First item</li>
        <li class="list-group-item">Second item</li>
        <li class="list-group-item">Third item</li>
      </ul>
    </div>
    <h2>Active State</h2>
    <div class="container">
      <ul class="list-group">
        <li class="list-group-item active">Active item</li>
        <li class="list-group-item">Second item</li>
        <li class="list-group-item">Third item</li>
      </ul>
    </div>
    <h2>List Group With Linked Items</h2>
    <div class="list-group">
      <a href="#" class="list-group-item list-group-item-action">First item</a>
      <a href="#" class="list-group-item list-group-item-action">Second item</a>
      <a href="#" class="list-group-item list-group-item-action">Third item</a>
    </div>
    <h2>Disabled Items</h2>
    <div class="list-group">
      <a href="#" class="list-group-item disabled">Disabled item</a>
      <a href="#" class="list-group-item disabled">Disabled item</a>
      <a href="#" class="list-group-item">Third item</a>
    </div>
    <h2>Flush / Remove Borders</h2>
    <ul class="list-group list-group-flush">
      <li class="list-group-item">First item</li>
      <li class="list-group-item">Second item</li>
      <li class="list-group-item">Third item</li>
      <li class="list-group-item">Fourth item</li>
    </ul>
    <h2>Horizontal List Groups</h2>
    <ul class="list-group list-group-horizontal">
      <li class="list-group-item">First item</li>
      <li class="list-group-item">Second item</li>
      <li class="list-group-item">Third item</li>
    </ul>
```


[illegible]