

1-1 Comparison of running times

For each function $f(n)$ and time t in the following table, determine the largest size n of a problem that can be solved in time t , assuming that the algorithm to solve the problem takes $f(n)$ microseconds.

	1 second	1 minute	1 hour	1 day	1 month	1 year	1 century
$\lg n$							
\sqrt{n}							
n							
$n \lg n$							
n^2							
n^3							
2^n							
$n!$							

We assume a 30 day month and 365 day year.

	1 Second	1 Minute	1 Hour	1 Day	1 Month	1 Year	1 Century
$\lg n$	$2^{1 \times 10^6}$	$2^{6 \times 10^7}$	$2^{3.6 \times 10^9}$	$2^{8.64 \times 10^{10}}$	$2^{2.592 \times 10^{12}}$	$2^{3.1536 \times 10^{13}}$	$2^{3.15576 \times 10^{15}}$
\sqrt{n}	1×10^{12}	3.6×10^{15}	1.29×10^{19}	7.46×10^{21}	6.72×10^{24}	9.95×10^{26}	9.96×10^{30}
n	1×10^6	6×10^7	3.6×10^9	8.64×10^{10}	2.59×10^{12}	3.15×10^{13}	3.16×10^{15}
$n \lg n$	62746	2801417	133378058	2755147513	71870856404	797633893349	6.86×10^{13}
n^2	1000	7745	60000	293938	1609968	5615692	56176151
n^3	100	391	1532	4420	13736	31593	146679
2^n	19	25	31	36	41	44	51
$n!$	9	11	12	13	15	16	17