



ESTATE AGENT SYSTEM – IMPN

Auctioneers Project

Tim Casey



C00313241- Ismael Charaf Megrini

C00313475 - Oyindamola Olaosun

C00313510 - Ammar Salah

C00312883 - Joseph Lalor

Project Overview

Our project was an Auctioneers. This helped us to understand how to work in a group and the website development fundamentals. It was a property auctioneers, simulating a mid-size business with realistic needs and goals for us to achieve. We had to make pages for the management of a database with tables of clients and three types of properties. These types were residential property, office property, and land property. We had to make pages for the adding and deleting of these properties and clients. We also had a special page for all of these, an “amend/view” page, where we displayed the details of the client/property and had a button to allow editing of the details of these. We also made a report on each of these. The report contained a list of details and was sortable and provided a clean view to analyse the data. We split up the screens/reports according to our project allocations, with Ismael taking on the clients and the land property report, Ammar handling the land properties and the residential property report, Joseph handling the residential properties and the office property report, and Oyindamola taking charge of the office properties and the bid report. We used a total of four programming languages, those being: HTML, CSS, JavaScript, and PHP. HTML we used to achieve the overall content and text of our screen; CSS we used to style, format, and positioning; JavaScript we used to check for errors, validate user input, and to verify values; and PHP we used to input data into the database and include repeated elements.

Table of Contents

Project Overview	2
User Interface.....	5
Screens.....	5
1.Add Screens	5
2. Delete Screens	5
3. Amend/View Screens	6
4. Report Screens.....	6
ER Diagram First Level	7
ER Diagram Second Level.....	8
System Flowchart Diagram	9
Data Base Tables.....	10
Groupwork:	11
Main screens	29
Ammar Salah – Screens.....	31
Add Land Screen.....	33
Delete Land Screen.....	38
Residential Report Screen	55
Live Screens.....	61
AI Disclosure Files.....	66
Oyindamola Oloosun – Screens.....	74
Add Office Screen	74
Amend/View Office Screen.....	82
Delete Office Screen.....	90
Report Screen	98
AI Disclosure	102
Joseph Lalor – Screens	105
Shared Files.....	105
Add Residential Property	120
Delete Residential Property	131
Amend/View Residential Property	143

Office Property Report.....	157
AI Disclosure Forms	165
Client Maintenance (Ismael Charaf Megrini)	173
Add Client:	173
Amend View:	181
Delete Client:.....	192
Land Property Report:.....	202
Screens:	222
AI Disclosure Forms	225

User Interface

The opening screen presents a welcome message along with an overview of the system, including information about our system and the services we provide.

A structured side navigation menu is displayed on the left-hand side, providing users with quick and intuitive access to the system's main modules, including Home, Bid Management, Sales Management, Client Maintenance, Property Maintenance, and Reports.

This layout ensures a user-friendly experience by combining essential information with clear navigation, enabling users to efficiently explore and utilize the system's features.

Screens

1.Add Screens

Each system module includes an **Add Screen** for entering new data into the database. The screen contains a form with validation and confirmation features to ensure accurate input, along with a side menu for easy navigation. A consistent design is used across all screens for better usability. The system validates input, generates a unique ID, displays it on the screen, and saves the new record to the table.

2. Delete Screens

Every system's module has a delete screen where it is used to delete records from the database tables. These screens have a list box where firstly we select an option and later is shown some details to verify and delete the right option. Each screen has a

same design done by CSS that makes the experience more enjoyable and easier to use.

3. Amend/View Screens


For every property type (residential, office, and land) and for the clients, we needed a page to view our data and potentially edit these details. As such we made a screen for the amending and viewing of these details. The way these worked is that when the user loads up the page, a list box is displayed and a form with empty disabled fields is shown. An amend button is displayed above the form. This list box allows the user to select a record from its name/ID, and immediately the empty disabled fields are populated with the details from the appropriate database table. Pressing the amend button allows editing of the form, and any edits can then be saved and passed down to the database. Pressing the amend button again disables the fields and re-enters view mode.

4. Report Screens


Each entity in the system (e.g., bids, sales, properties) has a **Report Screen** that displays detailed information in a clear table format, including relationships between records.

An additional *Client Information* button allows users to view more detailed client data. Sorting buttons are also provided, enabling users to organise the table based on different fields as required.

ER Diagram First Level




ER Diagram Second Level



System Flowchart Diagram

IMPN Auctioneer Flowchart Diagram



Data Base Tables

Client Table:

ClientID	Address	Email	Phone	ClientType	Name	Eircode
1	10 River Road, Dublin	john.murphy@email.com	0851234567	Buyer	John Murphy	D02XY12
2	22 Lake View, Cork	sarah.lee@email.com	0862345678	Seller	Sarah Lee	C01AB34
3	5 Hill Street, Galway	michael.ohanlon@email.com	0873456789	Buyer	Michael O'Hanlon	G02CD56
4	18 Green Park, Limerick	emma.walsh@email.com	0854567890	Seller	Emma Walsh	L03EF78
5	7 Sunset Drive, Waterford	david.byrne@email.com	0865678901	Buyer	David Byrne	W04GH90

Land Table:

LandID	Status	Address	AskingPrice	Location	ViewingTime	Eircode	NumberOfAcres	Notes	ResidenceDetails	Quotas	BuildingsAndoutOffices	ClientID	Dflag
1	For Sale	114 Green Rd. Co. Carlow, Ireland	750000	Carlow	thursday	R42 NY45	12	Excellent road frontage with high-quality fertile ...	Traditional 2-bedroom farmhouse on site requiring ...	7	3-bay hay shed, cattle handling yard, storage barn...	1	1
2	Sold	45 Ballymore Lane Kilkenny Road Adjacent to River ...	375000	Carlow	weekend	R93 X2K4	15	Prime agricultural land with excellent drainage an...	Well-maintained 3-bedroom farmhouse with kitchen, ...	10	Modern agricultural shed, 3-bay hay shed, cattle h...	2	1
3	For Sale	18 Meadow View Old Dublin Road Opposite local prim...	295000	Dublin	wednesday	R93 T8L2	11	Well-located parcel of land with strong developmen...	Derelict 2-bedroom cottage with redevelopment pote...	6	Steel-framed storage shed, livestock pen, small ha...	3	0
4	For Sale	72 Oakridge Farm Leighlin Road 5km outside Carlow...	520000	Carlow	friday	R93 P6F7	22	High-quality agricultural land with excellent graz...	Spacious 4-bedroom farmhouse in good condition wit...	14	Large machinery shed, 4-bay hay shed, cattle handl...	4	0
5	For Sale	6 Riverside Cottage Tullow Road Beside River Slane...	215000	Kilkeeny	tuesday	R93 K7M3	5	Scenic riverside location with peaceful surroundin...	Charming 2-bedroom cottage in fair condition; incl...	3	Small storage shed, hay barn, fenced paddock	3	0

Office Table:

OfficeID	Status	Address	AskingPrice	Location	ViewingTime	Eircode	Internet	OwnershipType	Reception	Area	Floor	Layout	TelephoneServices	Access	ClientID	Security	Canteen	DFlag
1	For Sale	Croke Park, Dublin 3	23000	Front Part	wednesday	R93FH68	wireless	freehold	receptionDesk	45	3	Divided Section	0872380847	open	1	netwatch	hygiene	0
2	For Sale	Bagel Street,Leighlinbridge,Carlow	12000	Basement	monday	X98EJ64	wireless	freehold	receptionMeeting	50	2	Open plan	0872572837	open	2	Security Patrols	rest	1
3	For Sale	Dideoulu Plot, Lagosu	23500	Middle Part	thursday	G1345G2	wireless	freehold	receptionWaitingArea	60	5	Wide range	0871273458	closed	3	Security Patrols	rest	0
4	For Sale	Bikini Bottom, Isle Ireland	45000	Front Part	wednesday	R93EH64	wireless	freehold	receptionWaitingArea	54	2	Divided Section	0808524418	open	5	Security Patrols	hygiene	1
5	For Sale	State Street, Base 2, Kilkeny	40000	Rear Wing	wednesday	R93DF34	wired	long lease	receptionDesk	57	3	Large open side	08084248435	open	4	Security Patrols	hygiene	0

Residential Table:

ResidentialID	Status	Address	AskingPrice	Location	ViewingTime	Eircode	NumBathrooms	NumBedrooms	Site	Notes	Area	Type	HeatingType	NumLevels	NumReception	ClientID	Dflag
13	For Sale	13 Greenbrook Av, Carlow	100000	On the left after red house	monday	R98C9X3	3		Large garage, 3 medium garden	Older house, built 1905	100	semidetached	SFCH	2	1	1	1
14	For Sale	12 Bollingbroke Road, Carlow	200000	Large metal grate out front	weekend	R45T67Z	3		Medium size garden	Beside the river	70	terraced	other	1	1	2	1
15	For Sale	6 Sandhills, Carlow Apt 32	100000	Third level in apartment blocks	wednesday	R56TY89	1		Small balcony	Fully furnished	40	apartment	GFCH	1	0	3	0
16	For Sale	3 Manor Hill, Myshall	2000000	South of woodlands	thursday	R66GR45	10		Large stately home with 8 12 acres of associated far...	Exceptional property from 1769	300	detached	none	3	2	3	0
17	For Sale	26 Greyhound Row, Carlow	50000	Grey house	friday	R99TK55	3		3 No garden	Fully attached	100	mews	OFCH	2	1	4	0
18	For Sale	33 Thomson Hill, Ballina	25000	Behind bushes in a field	tuesday	R56K7T5	1		3 Located in field	Derelict property, possibly applicable for Derelict...	75	detached	none	2	0	5	0

Groupwork:

Home:

```
home.html X
home.html > ...
1  <!--
2  | Group Work - Auctioneers Project - IMPN 2026
3  | Page: Home
4  | Description: Main homepage with system overview and navigation menu.
5  -->
6
7  <!doctype html>
8  <html lang="en">
9  <head>
10
11  <!-- Basic setup -->
12  <meta charset="utf-8" />
13  <meta name="viewport" content="width=device-width,initial-scale=1" />
14
15  <!-- Page title -->
16  <title>Home | Project</title>
17
18  <!-- Main CSS -->
19  <link rel="stylesheet" href="style.css" />
20
21  <!-- Icons -->
22  <link rel="stylesheet"
23  | | href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
24 </head>
25
26 <body>
27
28 <!-- Outer container -->
29 <div class="card">
30
31 <!-- Top header -->
32 <div class="content_top">
33 | <h2>Welcome to IMPN Estates</h2>
34 </div>
35
36 <!-- Page layout -->
```

```

home.html > ...
8   <html lang="en">
26  <body>
29    <div class="card">
35      <!-- Page layout -->
36      <div class="layout">
38        <!-- Sidebar menu -->
39        <aside class="sidebar">
41          <!-- Logo -->
42          <div class="brand-side">
43            
44          </div>
45          <!-- Menu title -->
46          <div class="side-title">Menu</div>
47          <!-- Navigation links -->
48          <nav>
49            <ul class="side-menu">
50              <!-- Home -->
51              <li>
52                <a class="side-menu__link is-active" href="home.html">
53                  <i class="fa-solid fa-house"></i>
54                  <span>Home</span>
55                </a>
56              </li>
57              <!-- Bids -->
58              <li>
59                <a class="side-menu__link" href="bids.html">
60                  <i class="fa-solid fa-gavel"></i>
61                  <span>Deal with Bids</span>
62                </a>
63              </li>

```

```

        <!-- Sales -->
        <li>
        <a class="side-menu__link" href="sales.html">
        <i class="fa-solid fa-handshake"></i>
        <span>Deal with Sales</span>
        </a>
        </li>

        <!-- Clients -->
        <li>
        <a class="side-menu__link" href="clients.html">
        <i class="fa-solid fa-users"></i>
        <span>Client Maintenance</span>
        </a>
        </li>

        <!-- Property -->
        <li>
        <a class="side-menu__link" href="property.html">
        <i class="fa-solid fa-house-chimney"></i>
        <span>Property Maintenance</span>
        </a>
        </li>

        <!-- Reports -->
        <li>
        <a class="side-menu__link" href="reports.html">
        <i class="fa-solid fa-chart-column"></i>
        <span>Reports Menu</span>
        </a>
        </li>

```

```

86     <!-- Property -->
87     <li>
88         <a class="side-menu_link" href="property.html">
89             <i class="fa-solid fa-house-chimney"></i>
90             <span>Property Maintenance</span>
91         </a>
92     </li>
93
94     <!-- Reports -->
95     <li>
96         <a class="side-menu_link" href="reports.html">
97             <i class="fa-solid fa-chart-column"></i>
98             <span>Reports Menu</span>
99         </a>
100     </li>
101
102 </ul>
103 </nav>
104 </aside>
105
106 <!-- Main content -->
107 <main class="land-grid">
108
109     <!-- About section -->
110     <section>
111         <h3>About IMPN Estates</h3>
112
113         <!-- Info about company -->
114         <p>
115             IMPN Estates is an international property management organization formed through
116
117
118     </section>
119
120     <!-- Vision section -->
121     <section class="land-panel">
122         <h3>Our Vision</h3>
123
124         <!-- Vision text -->
125         <p>
126             IMPN Estates aims to provide an efficient system for property management,
127             focusing on accuracy, transparency, and ease of use.
128         </p>
129     </section>
130
131 </main>
132 </div>
133 </div>
134
135 </body>
136 </html>

```

Bids.html

```
1 <!--
2   Group Work - Auctioneers Project - IMPN 2026
3
4   Page: Deal With Bids
5   Description: This page lets users make or withdraw bids on properties.
6 -->
7
8 <!doctype html>
9 <html lang="en">
10 <head>
11
12   <!-- Basic page setup -->
13   <meta charset="utf-8" />
14   <meta name="viewport" content="width=device-width,initial-scale=1" />
15
16   <!-- Page title -->
17   <title>Deal With Bids</title>
18
19   <!-- Link to main CSS -->
20   <link rel="stylesheet" href="style.css" />
21
22   <!-- Icons (Font Awesome) -->
23   <link rel="stylesheet"
24         href="https://cdn.jsdelivr.net/npm/font-awesome@6.5.0/css/all.min.css">
25 </head>
26
27 <body>
28
29   <!-- Main container -->
30   <div class="card">
31
32     <!-- Page heading -->
33     <div class="content_top">
34       <h2>Deal With Bids</h2>
35     </div>
36
```

```
39   <!-- Sidebar (left menu) -->
40   <aside class="sidebar">
41
42     <!-- Logo -->
43     <div class="brand-side">
44       
45     </div>
46
47     <!-- Navigation -->
48     <nav>
49
50       <!-- Sidebar title -->
51       <div class="side-title">Deal With Bids</div>
52
53       <!-- Menu list -->
54       <ul class="side-menu">
55
56         <!-- Make bid option -->
57         <li>
58           <a class="side-menu_link is-active" href="bids.html">
59             <i class="fa-solid fa-plus"></i>
60             <span>Make a Bid</span>
61           </a>
62         </li>
63
64         <!-- Withdraw bid option -->
65         <li>
66           <a class="side-menu_link" href="withdraw-bid.html">
67             <i class="fa-solid fa-ban"></i>
68             <span>Withdraw a Bid</span>
69
```

```

72     <!-- Exit to home -->
73     <li class="danger">
74         <a class="side-menu_link" href="home.html">
75             <i class="fa-solid fa-house"></i>
76             <span>Exit</span>
77         </a>
78     </li>
79
80 </ul>
81 </nav>
82
83 </aside>
84
85 <!-- Main content -->
86 <main class="land-grid">
87
88     <!-- Info section -->
89     <div class="land-panel">
90
91         <!-- Section title -->
92         <h3>Make a Bid</h3>
93
94         <!-- Explanation text -->
95         <p>
96             This section allows you to create and manage bids on available
97             properties. Use the menu on the left to either place a new bid
98             or withdraw an existing bid.
99         </p>
100
101         <!-- More info -->

```

```

100
101         <!-- More info -->
102         <p>
103             Selecting <strong>Make a Bid</strong> will open the form where you
104             can submit a bid for a property. Selecting
105             <strong>Withdraw a Bid</strong> will allow you to cancel an
106             existing bid if necessary.
107         </p>
108     </div>
109
110 </main>
111
112 </div>
113
114 </div>
115
116 </body>
117 </html>

```

Sales.html

```
sales.html > html
1 <!--
2   Group Work - Auctioneers Project - IMPN 2026
3
4   Page: Deal with Sales
5   Description: This page allows users to agree and complete property sales.
6 -->
7
8 <!doctype html>
9 <html lang="en">
10 <head>
11
12   <!-- Basic setup -->
13   <meta charset="utf-8" />
14   <meta name="viewport" content="width=device-width,initial-scale=1" />
15
16   <!-- Page title -->
17   <title>Deal with Sales</title>
18
19   <!-- Main CSS -->
20   <link rel="stylesheet" href="style.css" />
21
22   <!-- Icons -->
23   <link rel="stylesheet"
24     href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
25 </head>
26
27 <body>
28
29   <!-- Main container -->
30   <div class="card">
31
32     <!-- Top header -->
33     <div class="content_top">
34       <h2>Deal with Sales</h2>
35
36     <!-- Small instruction -->
```

```
36     <!-- Small instruction -->
37     <p>Select an option from the left menu.</p>
38   </div>
39
40   <div class="layout">
41
42     <!-- Sidebar -->
43     <aside class="sidebar">
44
45       <!-- Logo -->
46       <div class="brand-side">
47         
48       </div>
49
50       <!-- Navigation -->
51       <nav>
52
53         <!-- Sidebar title -->
54         <div class="side-title">Deal with Sales</div>
55
56         <!-- Menu list -->
57         <ul class="side-menu">
58
59           <!-- Agree sale -->
60           <li>
61             <a class="side-menu__link is-active" href="sales.html">
62               <i class="fa-solid fa-handshake"></i>
63               <span>Agree a Sale</span>
64             </a>
65           </li>
```

```

96
97     <p>
98         This section allows staff to agree a property sale once a bid
99         has been accepted. You can also complete a sale using the menu.
100     </p>
101
102
103     <p>
104         This area can later be replaced with the form for processing
105         sales transactions.
106     </p>
107
108 </div>
109
110 </main>
111
112 </div>
113
114 </div>
115
116 </body>
117 </html>

```

Clients.html

```

clients.html X
clients.html > html
1  <!--
2  Group Work - Auctioneers Project - IMPN 2026
3
4  Page: Client Maintenance
5  Description: This page is used to add, delete, or edit client details.
6  -->
7
8  <!doctype html>
9  <html lang="en">
10 <head>
11
12     <!-- Basic setup -->
13     <meta charset="utf-8" />
14     <meta name="viewport" content="width=device-width,initial-scale=1" />
15
16     <!-- Page title -->
17     <title>Client Maintenance</title>
18
19     <!-- Main CSS -->
20     <link rel="stylesheet" href="style.css" />
21
22     <!-- Icons -->
23     <link rel="stylesheet"
24         href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
25 </head>
26
27 <body>
28
29     <!-- Main container -->
30     <div class="card">
31
32         <!-- Top header -->
33         <div class="content_top">
34             <h2>Client Maintenance</h2>
35         </div>
36

```

```

37 <div class="layout">
38
39 <!-- Sidebar -->
40 <aside class="sidebar">
41
42 <!-- Logo -->
43 <div class="brand-side">
44 
45 </div>
46
47 <!-- Navigation -->
48 <nav>
49
50 <!-- Sidebar title -->
51 <div class="side-title">Client Maintenance</div>
52
53 <!-- Menu list -->
54 <ul class="side-menu">
55
56 <!-- Add client -->
57 <li>
58 <a class="side-menu__link is-active" href="clients.html">
59 <i class="fa-solid fa-user-plus"></i>
60 <span>Add a New Client</span>
61 </a>
62 </li>
63
64 <!-- Delete client -->
65 <li>
66 <a class="side-menu__link" href="delete-client.html">
67 <i class="fa-solid fa-user-minus"></i>
68 <span>Delete a Client</span>

```

```

69 </a>
70 </li>
71
72 <!-- Edit/view client -->
73 <li>
74 <a class="side-menu__link" href="edit-client.html">
75 <i class="fa-solid fa-user-pen"></i>
76 <span>Amend / View a Client</span>
77 </a>
78 </li>
79
80 <!-- Exit -->
81 <li class="danger">
82 <a class="side-menu__link" href="home.html">
83 <i class="fa-solid fa-house"></i>
84 <span>Exit</span>
85 </a>
86 </li>
87
88 </ul>
89 </nav>
90
91 </aside>
92
93 <!-- Main content -->
94 <main class="land-grid">
95
96 <!-- Info section -->
97 <div class="land-panel">
98
99 <!-- Section title -->
100 <h3>Add a New Client</h3>

```

```
101
102 <!-- Explanation -->
103 <p>
104     This section allows staff to register new clients into the
105     IMPN Estates system. Client records store important contact
106     information and are required before a client can place bids
107     or purchase property.
108 </p>
109
110
111 <p>
112     Use the menu on the left to delete or amend existing client
113     records if needed.
114 </p>
115
116 </div>
117
118 </main>
119
120 </div>
121
122 </div>
123
124 </body>
125 </html>
```

Property.html

```
clients.html X
clients.html > html
1  <!--
2      Group Work - Auctioneers Project - IMPN 2026
3
4      Page: Client Maintenance
5      Description: This page is used to add, delete, or edit client details.
6  -->
7
8  <!doctype html>
9  <html lang="en">
10 <head>
11
12     <!-- Basic setup -->
13     <meta charset="utf-8" />
14     <meta name="viewport" content="width=device-width,initial-scale=1" />
15
16     <!-- Page title -->
17     <title>Client Maintenance</title>
18
19     <!-- Main CSS -->
20     <link rel="stylesheet" href="style.css" />
21
22     <!-- Icons -->
23     <link rel="stylesheet"
24         href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
25 </head>
26
27 <body>
28
29     <!-- Main container -->
30     <div class="card">
31
32         <!-- Top header -->
33         <div class="content_top">
34             <h2>Client Maintenance</h2>
35         </div>
36
```

```
37     <div class="layout">
38
39         <!-- Sidebar -->
40         <aside class="sidebar">
41
42             <!-- Logo -->
43             <div class="brand-side">
44                 
45             </div>
46
47             <!-- Navigation -->
48             <nav>
49
50                 <!-- Sidebar title -->
51                 <div class="side-title">Client Maintenance</div>
52
53                 <!-- Menu list -->
54                 <ul class="side-menu">
55
56                     <!-- Add client -->
57                     <li>
58                         <a class="side-menu_link is-active" href="clients.html">
59                             <i class="fa-solid fa-user-plus"></i>
60                             <span>Add a New Client</span>
61                         </a>
62                     </li>
63
64                     <!-- Delete client -->
65                     <li>
66                         <a class="side-menu_link" href="delete-client.html">
67                             <i class="fa-solid fa-user-minus"></i>
68                             <span>Delete a Client</span>
69                         </a>
70                     </li>
71                 </ul>
72             </nav>
73         </aside>
74     </div>
75
```

```

71
72 <!-- Edit/view client -->
73 <li>
74   <a class="side-menu_link" href="edit-client.html">
75     <i class="fa-solid fa-user-pen"></i>
76     <span>Amend / View a Client</span>
77   </a>
78 </li>
79
80 <!-- Exit -->
81 <li class="danger">
82   <a class="side-menu_link" href="home.html">
83     <i class="fa-solid fa-house"></i>
84     <span>Exit</span>
85   </a>
86 </li>
87
88 </ul>
89 </nav>
90
91 </aside>
92
93 <!-- Main content -->
94 <main class="land-grid">
95
96   <!-- Info section -->
97   <div class="land-panel">
98
99     <!-- Section title -->
100    <h3>Add a New Client</h3>

```

```

101
102   <!-- Explanation -->
103   <p>
104     This section allows staff to register new clients into the
105     IMPN Estates system. Client records store important contact
106     information and are required before a client can place bids
107     or purchase property.
108   </p>
109
110
111   <p>
112     Use the menu on the left to delete or amend existing client
113     records if needed.
114   </p>
115
116 </div>
117
118 </main>
119
120 </div>
121
122 </div>
123
124 </body>
125 </html>

```

```

property.html X
property.html > html
1 <!--
2   Group Work - Auctioneers Project - IMPN 2026
3
4   Page: Property Maintenance
5   Description: This page allows users to manage different types of properties.
6 -->
7
8 <!doctype html>
9 <html lang="en">
10 <head>
11
12   <!-- Basic setup -->
13   <meta charset="utf-8" />
14   <meta name="viewport" content="width=device-width,initial-scale=1" />
15
16   <!-- Page title -->
17   <title>Property Maintenance</title>
18
19   <!-- Main CSS -->
20   <link rel="stylesheet" href="style.css" />
21
22   <!-- Icons -->
23   <link rel="stylesheet"
24     href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
25 </head>
26
27 <body>
28
29   <!-- Main container -->
30   <div class="card">
31
32     <!-- Page header -->
33     <div class="content_top">
34       <h2>Property Maintenance Menu</h2>
35
36     <!-- Short description -->

```

```

37     <p>
38         Use the options on the left to add, delete, or amend/view property
39         records (Residential, Land, and Office).
40     </p>
41 </div>
42
43 <div class="layout">
44
45     <!-- Sidebar -->
46     <aside class="sidebar">
47
48         <!-- Logo -->
49         <div class="brand-side">
50             
51         </div>
52
53         <!-- Navigation -->
54         <nav>
55
56             <!-- Sidebar title -->
57             <div class="side-title">Property Maintenance</div>
58
59             <!-- Menu list -->
60             <ul class="side-menu">
61
62                 <!-- Residential section -->
63                 <li class="side-group">
64                     <details>
65
66                         <!-- Click to open -->
67                         <summary class="side-menu_link">
68                             <i class="fa-solid fa-house"></i>
69                             <span>Residential</span>
70                         </summary>
71
72                         <!-- Sub menu -->
73                         <ul class="side-submenu">
74
75                             <!-- Add residential -->
76                             <li>
77                                 <a class="side-menu_link" href="property.html">
78                                     <i class="fa-solid fa-plus"></i>
79                                     <span>Add Residential</span>
80                                 </a>
81                             </li>
82
83                             <!-- Delete residential -->
84                             <li>
85                                 <a class="side-menu_link" href="delete-residential.html">
86                                     <i class="fa-solid fa-trash"></i>
87                                     <span>Delete Residential</span>
88                                 </a>
89                             </li>
90
91                             <!-- Edit residential -->
92                             <li>
93                                 <a class="side-menu_link" href="edit-residential.html">
94                                     <i class="fa-solid fa-pen-to-square"></i>
95                                     <span>Amend / View Residential</span>
96
97
98
99
100
101
102
103                 <!-- Land section -->
104                 <li class="side-group">
105                     <details>
106
107                         <!-- Click to open -->
108                         <summary class="side-menu_link">
109                             <i class="fa-solid fa-tree"></i>
110                             <span>Land</span>
111                         </summary>
112
113                         <!-- Sub menu -->
114                         <ul class="side-submenu">
115
116                             <!-- Add land -->
117                             <li>
118                                 <a class="side-menu_link" href="/Land/Add/add-land.html.php">
119                                     <i class="fa-solid fa-plus"></i>
120                                     <span>Add Land</span>
121                                 </a>
122                             </li>
123
124                             <!-- Delete land -->
125                             <li>
126                                 <a class="side-menu_link" href="/Land/Delete/delete-land.html.php">
127                                     <i class="fa-solid fa-trash"></i>
128                                     <span>Delete Land</span>
129                                 </a>
130                             </li>
131

```

```
160 <!-- Delete office -->
161 <li>
162   <a class="side-menu_link" href="https://c2p-actioneers26.candapt.com/Office/delete2office20property/showOfficeDelete.html.php">
163     <i class="fa-solid fa-trash"/>
164     <span>Delete Office/>
165   </a>
166 </li>
167
168 <!-- Edit office -->
169 <li>
170   <a class="side-menu_link" href="https://c2p-actioneers26.candapt.com/Office/Amend2office20property/AmendOffice.html.php">
171     <i class="fa-solid fa-pen-to-square"/>
172     <span>Amend / View Office/>
173   </a>
174 </li>
175
176 </ul>
177 </details>
178 </li>
179
180 <!-- Holder line -->
181 <li class="side-divide" aria-hidden="true"/>
182
183 <!-- Exit -->
184 <li class="danger">
185   <a class="side-menu_link" href="home.html">
186     <i class="fa-solid fa-house"/>
187     <span>Exit/>
188   </a>
189 </li>
190
191 </ul>
192 </nav>
193
194 </aside>
195
196 </div>
197 </div>
198
199 </body>
200
201 </html>
```

Style.css

```
1 /* Project work */
2 /* Group CSS */
3
4 /*Styling of all elements*/
5 *
6 ::before,
7 ::after {
8   box-sizing: border-box;
9 }
10
11 /*Page Layout*/
12 html,
13 body {
14   height: 100%;
15 }
16
17 body {
18   margin: 0;
19   font-family: system-ui, -apple-system, "Segoe UI", Roboto, Arial, sans-serif;
20   background: #f5f7fb;
21   color: #0f172a;
22   line-height: 1.4;
23 }
24
25 /* Main card */
26 .card {
27   width: min(1200px, 96vw);
28   margin: 28px auto;
29   background: #fff;
30   border: 1px solid #e5e7eb;
31   border-radius: 14px;
32   box-shadow: 0 12px 30px #00000015;
33   overflow: hidden;
34 }
35
36 /* Top section */
```

```

36  /* Top section */
37  .content_top {
38      padding: 20px 22px;
39      border-bottom: 1px solid #e5e7eb;
40      background: linear-gradient(180deg, #fff, #fbfcff);
41  }
42
43  .content_top h2 {
44      margin: 0;
45      font-size: 1.25rem;
46  }
47
48  /* Page layout */
49  .layout {
50      display: grid;
51      grid-template-columns: 260px 1fr;
52      min-height: 640px;
53  }
54
55  /* Sidebar (Menu) */
56  .sidebar {
57      padding: 16px 14px;
58      background: #0b1220;
59      color: #e5e7eb;
60      border-right: 1px solid #e5e7eb;
61  }
62
63  .brand-side {
64      display: flex;
65      justify-content: center;
66      align-items: center;
67      padding: 10px 8px 16px;
68  }
69

```

```

70  /*Logo Styling*/
71  .brand-side_logo {
72      width: 140px;
73      max-width: 100%;
74      height: auto;
75  }
76
77  /*Menu Title*/
78  .side-title {
79      margin: 10px 8px 12px;
80      font-size: 0.85rem;
81      color: #cbd5e1;
82      text-transform: uppercase;
83      letter-spacing: 0.08em;
84  }
85
86  .side-menu,
87  .side-submenu {
88      list-style: none;
89      margin: 0;
90      padding: 0;
91  }
92
93  .side-menu {
94      display: grid;
95      gap: 10px;
96  }
97
98  /*Submenu in the menu*/
99  .side-submenu {
100      margin-top: 8px;
101      display: grid;
102      gap: 8px;
103  }
104

```

```

105  /*Links in the menu*/
106  .side-menu__link {
107      display: flex;
108      align-items: center;
109      gap: 10px;
110      padding: 10px;
111      color: #e5e7eb;
112      text-decoration: none;
113      border-radius: 10px;
114  }
115
116  /*Hover part on the links */
117  .side-menu__link:hover {
118      background: rgba(148, 163, 184, 0.16);
119  }
120
121  .side-menu__link.is-active {
122      background: rgba(30, 58, 138, 0.22);
123      outline: 1px solid rgba(30, 58, 138, 0.35);
124  }
125
126  .side-divider {
127      height: 1px;
128      margin: 10px 6px;
129      background: rgba(226, 232, 240, 0.18);
130  }
131
132  .danger .side-menu__link {
133      margin-top: 10px;
134      background: rgba(239, 68, 68, 0.12);
135      outline: 1px solid rgba(239, 68, 68, 0.25);
136  }
137

```

```

138 /*In other individual parts of the code - land, office, residential, client*/
139 /* Main content */
140 .land-grid {
141   padding: 18px;
142   background: #fbfdff;
143 }
144
145 .land-panel {
146   margin-bottom: 14px;
147   padding: 16px;
148   background: #fff;
149   border: 1px solid #e5e7eb;
150   border-radius: 12px;
151   box-shadow: 0 8px 22px rgba(15, 23, 42, 0.04);
152 }
153
154 /* First panel dark style */
155 .land-grid > .land-panel:first-of-type {
156   max-width: 420px;
157   margin: 0 auto 14px;
158   background: #0b1220;
159   border-color: #818cf8;
160   color: #e5e7eb;
161 }
162
163 .land-grid > .land-panel:first-of-type label {
164   color: #cbd5f5;
165 }
166
167 .land-grid > .land-panel:first-of-type input,
168 .land-grid > .land-panel:first-of-type select {
169   background: #020617;
170   color: #e5e7eb;
171   border-color: #1e293b;
172 }

```



```

209 .required {
210   color: #ef4444;
211 }
212
213 input[type="text"],
214 input[type="number"],
215 select,
216 textarea {
217   width: 100%;
218   min-width: 0;
219   padding: 11px 12px;
220   border: 1px solid #e5e7eb;
221   border-radius: 10px;
222   background: #fff;
223   color: #0f172a;
224   outline: none;
225 }
226
227 input:focus,
228 select:focus,
229 textarea:focus {
230   border-color: rgba(30, 58, 138, 0.8);
231   box-shadow: 0 0 4px rgba(30, 58, 138, 0.12);
232 }
233
234 textarea {
235   min-height: 90px;
236   resize: vertical;
237 }
238
239 /* Disabled and readonly fields */
240 input:disabled,
241 select:disabled,
242 textarea:disabled,
243 input[readonly],

```

```

239 /* Disabled and readonly fields */
240 input:disabled,
241 select:disabled,
242 textarea:disabled,
243 input[readonly],
244 textarea[readonly] {
245     background: #fff5f9;
246     color: #64748b;
247     border-color: #e2e8f0;
248     cursor: not-allowed;
249 }
250
251 /* Buttons */
252 .form-actions {
253     display: flex;
254     justify-content: center;
255     gap: 10px;
256     padding-top: 12px;
257 }
258
259 input[type="submit"],
260 input[type="reset"],
261 input[type="button"] {
262     padding: 10px 14px;
263     border: 1px solid #e5e7eb;
264     border-radius: 10px;
265     font-weight: 800;
266     cursor: pointer;
267     transition: 0.2s;
268 }
269
270 input[type="submit"] {
271     background: #0b1220;
272     color: #fff;
273     border-color: rgba(30, 58, 138, 0.8);
274 }

```

```


270 input[type="submit"] {
271     background: #0b1220;
272     color: #fff;
273     border-color: rgba(30, 58, 138, 0.8);
274 }
275
276 input[type="reset"],
277 input[type="button"] {
278     background: #fff;
279     color: #0f172a;
280 }
281
282 input[type="submit"]:not(:disabled):hover {
283     background: #1e3a8a;
284     border-color: #1e3a8a;
285 }
286
287 input[type="reset"]:not(:disabled):hover,
288 input[type="button"]:not(:disabled):hover {
289     background: #374151;
290     color: #fff;
291     border-color: #374151;
292 }
293
294 input[type="submit"]:disabled,
295 input[type="reset"]:disabled,
296 input[type="button"]:disabled {
297     background: #e5e7eb;
298     color: #9ca3af;
299     border-color: #e5e7eb;
300     cursor: not-allowed;
301 }
302

```


```
302
303 /* Report table */
304 .report-table {
305     width: 100%;
306     min-width: 900px;
307     border-collapse: collapse;
308 }
309
310 .report-table th,
311 .report-table td {
312     padding: 10px;
313     border: 1px solid #e5e7eb;
314     text-align: left;
315     vertical-align: top;
316 }
317
318 .report-table th {
319     background-color: #0b1220;
320     color: #e5e7eb;
321     font-weight: 800;
322 }
323
324 .report-table tr:nth-child(even) {
325     background-color: #f8fafc;
326 }
```

Main screens

Home



Client



Property



PROPERTY MAINTENANCE

 Residential

 Land

 Office

 Exit

Property Maintenance Menu

Use the options on the left to add, delete, or amend/view property records (Residential, Land, and Office).

Activate
Go to Settings

Bid



DEAL WITH BIDS

 Make a Bid

 Withdraw a Bid

 Exit

Deal With Bids

Make a Bid

This section allows you to create and manage bids on available properties. Use the menu on the left to either place a new bid or withdraw an existing bid.

Selecting **Make a Bid** will open the form where you can submit a bid for a property. Selecting **Withdraw a Bid** will allow you to cancel an existing bid if necessary.

Ammar Salah – Screens

Common Files

db.inc.php

```
1  <!-- Name:                AMMAR SALAH -->
2  <!-- Student Number:     C00313510 -->
3  <!-- Title:               Data Base connection  file -->
4  <!-- Date:                8 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7  <?php
8
9  // Database server hostname
10 $hostname = "localhost";
11
12 // MySQL username used to access the database
13 $username = "bidmaster";
14
15 // MySQL password
16 $password = "Auct10nRul3$";
17
18 // Name of the database
19 $dbname   = "Auctioneers";
20
21 // Create connection using MySQLi
22 $con = mysqli_connect($hostname, $username, $password, $dbname);
23
24 // Check if connection was successful
25 if (!$con) {
26     // Stop execution and display error message if connection fails
27     die("Failed to connect to MySQL: " . mysqli_connect_error());
28 }
29
30 mysqli_set_charset($con, "utf8");
31
32 ?>
```

Menu.php

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number:      C00313510 -->
3  <!-- Title:           Menu file -->
4  <!-- Date:            8 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7  <!-- Sidebar -->
8  <aside class="sidebar">
9
10     <!-- Brand / Logo Area -->
11     <div class="brand-side">
12         <!-- Company or system logo -->
13         
14     </div>
15
16     <!-- Navigation Menu -->
17     <nav>
18
19         <!-- Sidebar Title -->
20         <div class="side-title">Property Maintenance</div>
21
22         <!-- Menu List -->
23         <ul class="side-menu">
24
25             <!-- Divider for visual separation -->
26             <div class="side-divider"></div>
27
28             <!-- Add New Land Property -->
29             <li>
30                 <a class="side-menu__link" href="/Land/Add/add-land.html.php">
31                     <i class="fa-solid fa-tree"></i>
32                     <span>Add a New Land Property</span>
33                 </a>
34             </li>
35
36             <!-- Delete Land Property -->
37             <li>
38                 <a class="side-menu__link" href="/Land/Delete/delete-land.html.php">
39                     <i class="fa-solid fa-trash"></i>
40                     <span>Delete a Land Property</span>
41                 </a>
42             </li>
43
44             <!-- Edit or View Land Property -->
45             <li>
46                 <a class="side-menu__link" href="/Land/Edit/edit-land.html.php">
47                     <i class="fa-solid fa-pen-to-square"></i>
48                     <span>Amend/View a Land Property</span>
49                 </a>
50             </li>
51
52             <!-- Divider for separating main actions from exit -->
53             <div class="side-divider"></div>
54
55             <!-- Exit / Return to Home -->
56             <li class="danger">
57                 <a class="side-menu__link" href="/Main Screens/home.html">
58                     <i class="fa-solid fa-house"></i>
59                     <span>Exit</span>
60                 </a>
61             </li>
62
63         </ul>
64     </nav>
65 </aside>
```

Add Land Screen

list-client.php

Add-land.html.php

```
1 <!-- Name: AMMAR SALAH -->
2 <!-- Student Number: C00313510 -->
3 <!-- Title: Add Land Property html file -->
4 <!-- Date: 8 FEB 2026 -->
5 <!-- Project Y2 2026 -->
6 <!DOCTYPE html>
7 <?php
8 // Start session for flash message display after record insert
9 session_start();
10 ?>
11 <html lang="en">
12 <head>
13 <meta charset="utf-8">
14 <meta name="viewport" content="width=device-width, initial-scale=1.0">
15 <title>Add a New Land Property</title>
16
17 <!-- Link local stylesheet for page layout / form styling -->
18 <link rel="stylesheet" href="/Land/style.css">
19 </head>
20
21 <body>
22 <!-- Main Content Area -->
23 <div class="card">
24
25 <!-- Set heading for the form -->
26 <div class="content_top">
27 <h2>Add a New Land Property</h2>
28 </div>
29
30 <!-- Start form, sending info via Post to add-land.php, on submit call the
31 function confirmSubmit to ensure user confirms before sending -->
32 <form id="landForm" action="add-land.php" onsubmit="return confirmSubmit();" method="post">
33
34 <div class="layout">
35
36 <!-- Include sidebar navigation menu -->
37 <?php include "menu.php"; ?>
38
39 <!-- Container for all main add land content -->
40 <div class="land-grid">
41
42 <!-- Container for Listbox containing all clients with their client id in the values -->
43 <div class="land-panel">
44 <div class="inputbox">
45 <label for="clientList"><h2>Select a Property Owner</h2></label>
46 <!-- Calls the php script to make the dynamic listbox and insert it
47 into the form via an include -->
48 <select id="clientList" name="clientList"
49 required title="Select the client associated with this land property">
50 <option value="" disabled selected>-- Select Client --</option>
51 <?php include "list-client.php"; ?>
52 </select>
53 </div>
54 </div>
55
56 <!-- Script which checks if the session variable has been set for when a land property has been added,
57 if so, echo a message out -->
58 <?php
59 if (isset($_SESSION['msg']))
60 {
61 // Protect message output from html injection
62 $msg = htmlspecialchars($_SESSION['msg']);
63
64 // Set type for css styling of message box
65 $type = $_SESSION['type'] ?? "success";
66
67 // Ensure only expected types are allowed
68 if(!in_array($type, ["success", "error", "warn"]))
69 {
70 $type = "success";
71 }
72
73 echo "<div class='msg msg-$type'>
74 <i class='fa-solid fa-circle-info'></i>
75 <span>$msg</span>
76 </div>";
77
78 // Clear session variables so message only displays once
79 unset($_SESSION['msg']);
80 unset($_SESSION['type']);
81 }
82 ?>
83
```

```

83
84 <!-- Begin Form Input Section -->
85 <div class="land-panel">
86
87 <fieldset>
88
89 <!-- Land Specific Details -->
90 <legend>Land Details</legend>
91
92 <!-- Two column layout for form fields -->
93 <div class="two-col">
94
95 <!-- Begin Left Column -->
96 <div class="col">
97
98 <!-- Container for Address Line 1 -->
99 <div class="inputbox">
100 <label for="adrs1">Address Line 1: <span
101 class="required">*</span></label><br>
102 <input type="text" name="adrs1" id="adrs1" required
103 placeholder="123 Main Street"
104 title="Enter the main street address of the property">
105 </div>
106
107 <!-- Container for Address Line 2 -->
108 <div class="inputbox">
109 <label for="adrs2">Address Line 2: </label><br>
110 <input type="text" name="adrs2" id="adrs2"
111 placeholder="Kilkenny Road"
112 title="Optional: apartment, suite, unit, or building details">
113 </div>
114
115 <!-- Container for Address Line 3 -->
116 <div class="inputbox">
117 <label for="adrs3">Address Line 3: </label><br>
118 <input type="text" name="adrs3" id="adrs3"
119 placeholder="Near Junction 5 / Adjacent to River Barrow"
120 title="Optional additional address information">
121 </div>
122
123 <!-- Container for Location -->
124 <div class="inputbox">
125 <label for="location">Location: <span
126 class="required">*</span></label><br>
127 <input type="text" name="location" id="location" required
128 placeholder="Carlow"
129 title="Enter the town or city where the property is located">
130 </div>
131
132 <!-- Container for Eircode -->
133 <div class="inputbox">
134 <!-- Pattern: Eircode 1 alpha char(upper or lowercase) followed by TWO digits,
135 zero to one spaces any four of a alpha char or number -->
136 <label for="eircode">Eircode: <span class="required">*</span></label><br>
137 <input type="text" name="eircode" id="eircode" required placeholder="Y21 R234"
138 pattern="[A-Za-z]{1}\d{2}[ ]?[A-Za-z\d]{4}"
139 title="Enter a valid Irish Eircode (example: D02 X285)">
140 </div>
141
142 <!-- Container for Viewing Times -->
143 <div class="inputbox">
144 <label for="viewing_times">Viewing Times: <span
145 class="required">*</span></label><br>
146 <select name="viewing_times" id="viewing_times" required>
147 <option value="">Select viewing time</option>
148 <option value="monday">Monday (9am - 5pm)</option>
149 <option value="tuesday">Tuesday (9am - 5pm)</option>
150 <option value="wednesday">Wednesday (9am - 5pm)</option>
151 <option value="thursday">Thursday (9am - 5pm)</option>
152 <option value="friday">Friday (9am - 5pm)</option>
153 <option value="weekend">Weekends (5pm - 8pm)</option>
154 </select>
155 </div>
156
157 </div>
158

```

```

158
159 <!-- Begin Right Column -->
160 <div class="col">
161
162     <!-- Container for Asking Price -->
163     <div class="inputbox">
164         <label for="price">Asking Price: <span
165             class="required">*</span></label><br>
166         <!-- Min = €1, max = €100 million -->
167         <input type="number" name="price" id="price" min="1" max="100000000"
168             required title="Enter the asking price in euros">
169     </div>
170
171     <!-- Container for Acres -->
172     <div class="inputbox">
173         <!-- Min 1 - validation that we have atleast an acre of land,
174             max = 100000 -->
175         <label for="acres">Acres: <span class="required">*</span></label><br>
176         <input type="number" name="acres" id="acres" min="1" max="100000"
177             required title="Enter the total land size in acres">
178     </div>
179
180     <!-- Container for Quotas -->
181     <div class="inputbox">
182         <!-- Max set to 1 million -->
183         <label for="quotas">Quotas: <span
184             class="required">*</span></label><br>
185         <input type="number" name="quotas" id="quotas" min="0" max="1000000"
186             required title="Enter agricultural quotas if applicable">
187     </div>
188
189     <!-- Container for Buildings -->
190     <div class="inputbox">
191         <label for="buildings">Buildings: <span
192             class="required">*</span></label><br>
193         <textarea name="buildings" id="buildings" rows="3" required
194             placeholder="3-bay hay shed, cattle pen, storage barn"
195             title="Describe any buildings included with the land"></textarea>
196     </div>
197
198     <!-- Container for Residence Details -->
199     <div class="inputbox">
200         <label for="details">Residence Details: <span
201             class="required">*</span></label><br>
202         <textarea name="details" id="details" rows="3" required
203             placeholder="No residence on site /
204             Old 2-bedroom farmhouse requiring renovation"
205             title="Provide details about any residence on the land"></textarea>
206     </div>
207
208     <!-- Container for Notes -->
209     <div class="inputbox">
210         <label for="notes">Notes: </label><br>
211         <textarea name="notes" id="notes" rows="3"
212             placeholder="Good road frontage, fertile soil,
213             suitable for grazing or development"
214             title="Optional: add any extra information or comments"></textarea>
215     </div>
216 </div>
217 <!-- End Two Column Layout -->
218 </div>
219
220
221 <!-- Submit/Reset buttons -->
222 <div class="form-actions">
223     <input type="submit" value="Add Land" name="submit" title="Submit and save this land property">
224     <input type="reset" value="Reset" name="reset" title="Clear all fields and start again">
225 </div>
226
227 </fieldset>
228
229 </div>
230 <!-- End Main Form Section -->
231
232 </div>
233
234 </div>
235
236 </form>
237
238 </div>
239
240 <!-- Link JavaScript file -->
241 <script src="land.js"></script>
242 </body>
243 </html>

```

Add-land.php

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number: C00313510 -->
3  <!-- Title:         Add Land Property PHP file -->
4  <!-- Date:          8 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6  <?php
7      session_start();
8      // Include database connection file
9      include "db.inc.php";
10
11     // Check if the form was submitted correctly
12     if (!isset($_POST['submit']))
13     {
14         // Set session message for failed submission
15         $_SESSION['msg'] = "Form not submitted.";
16         $_SESSION['type'] = "error";
17         header("Location: add-land.html.php"); // Redirect back to the form page
18         exit;
19     }
20
21     // Set variables for POST
22     $clientID = $_POST['clientList'];
23
24     // Set default status for all newly added land properties
25     $status = "For Sale";
26
27     // Concatenate the address into a single string
28     // If address line 2 is not empty, include additional address lines
29     if(!empty($_POST['adrs2']))
30     {
31         // Concatenate all three address lines if line 2 and 3 is filled
32         $address = $_POST['adrs1'] . " " . $_POST['adrs2'] . " " . $_POST['adrs3'];
33     }
34     else
35     {
36         // Otherwise, if only line 1 was entered by the user
37         $address = $_POST['adrs1'];
38     }
39     // Main Details
40     $price = $_POST['price'];
41     $location = $_POST['location'];
42     $viewing = $_POST['viewing_times'];
43     $eircode = $_POST['eircode'];
44
45     // Land-Specific Details
46     $acres = $_POST['acres'];
47     $notes = $_POST['notes'];
48     $details = $_POST['details'];
49     $quotas = $_POST['quotas'];
50     $buildings = $_POST['buildings'];
51
52     //Insert SQL Query tp get all the details of the land property and insert it into the database
53     // that we received from the form and store it in the database,
54     // and also link it to the client by using the clientID foreign key
55     $sql = "INSERT INTO Land
56     (Status, Address, AskingPrice, Location, ViewingTime, Eircode,
57     NumberOfAcres, Notes, ResidenceDetails, Quotas, BuildingsAndoutOffices, ClientID)
58     VALUES
59     ('$status', '$address', '$price', '$location', '$viewing', '$eircode',
60     '$acres', '$notes', '$details', '$quotas', '$buildings', '$clientID')";
61
62     // If the SQL query fails ( error handling )
63     if(!mysqli_query($con, $sql))
64     {
65         // Set session variables for error message
66         // Include the specific error message from the database
67         $_SESSION['msg'] = "Error inserting land: " . mysqli_error($con);
68         // Set the message type to error
69         $_SESSION['type'] = "error";
70         header("Location: add-land.html.php"); // Redirect back to the form page
71         exit;
72     }
73
74     // Set the session variable for a success message
75     $_SESSION['msg'] = "Land record added successfully. New Land ID: " . mysqli_insert_id($con);
76     $_SESSION['type'] = "success";
77
78     // Close connection
79     mysqli_close($con);
80 >?
81
82 <script>
83
84     window.location = "add-land.html.php"; // Sending the result which is the Flash message ) to the page
85 </script>
```

Land.js

```
1  <!-- Name:          AHMAD SALAH -->
2  <!-- Student Number: C00313510 -->
3  <!-- Title:         JS file -->
4  <!-- Date:          8 FEB 2026 -->
5  <!-- Project V2 2026 -->
6
7
8  // Function confirmSubmit() prompts user to confirm if they want to add the land details
9  function confirmSubmit()
10 {
11     var response;
12     // confirm() returns true if the user clicks "OK" and false if they click "Cancel"
13     response = confirm("Are you sure the land details are correct?");
14     return response;
15 }
16
17 // Function toggleLock() is called on load, locking all fields until the user selects a client first
18 function toggleLock()
19 {
20     // Lock all fields for editing until a client is selected from the listbox
21     //// the disabled property is set to true to lock them
22     document.getElementById("adrs1").disabled = true;
23     document.getElementById("adrs2").disabled = true;
24     document.getElementById("adrs3").disabled = true;
25     document.getElementById("location").disabled = true;
26     document.getElementById("eircode").disabled = true;
27     document.getElementById("viewing_times").disabled = true;
28     document.getElementById("price").disabled = true;
29     document.getElementById("acres").disabled = true;
30     document.getElementById("quotas").disabled = true;
31     document.getElementById("buildings").disabled = true;
32     document.getElementById("details").disabled = true;
33     document.getElementById("notes").disabled = true;
34
35     // Disable the submit and reset buttons until a client is selected
36     document.querySelector("input[type='submit']").disabled = true;
37     document.querySelector("input[type='reset']").disabled = true;
38 }
39
40 // unlock fields once a client has been selected from the listbox
41 function unlock()
42 {
43     // Unlock all fields for editing
44     //// the disabled property is set to false to unlock them
45     document.getElementById("adrs1").disabled = false;
46     document.getElementById("adrs2").disabled = false;
47     document.getElementById("adrs3").disabled = false;
48     document.getElementById("location").disabled = false;
49     document.getElementById("eircode").disabled = false;
50     document.getElementById("viewing_times").disabled = false;
51     document.getElementById("price").disabled = false;
52     document.getElementById("acres").disabled = false;
53     document.getElementById("quotas").disabled = false;
54     document.getElementById("buildings").disabled = false;
55     document.getElementById("details").disabled = false;
56     document.getElementById("notes").disabled = false;
57
58     // Enable the submit and reset buttons
59     document.querySelector("input[type='submit']").disabled = false;
60     document.querySelector("input[type='reset']").disabled = false;
61 }
62
63 // Function toggleFields() checks if a client has been selected from the listbox or not
64 function toggleFields()
65 {
66     // Selected client is got by the element with id clientList
67     var sel = document.getElementById("clientList");
68
69     // If the user has selected a client, unlock all fields
70     if(sel.value != "")
71     {
72         unlock();
73     }
74     // Otherwise, keep all fields locked
75     else
76     {
77         toggleLock();
78     }
79 }
80
81 // Wait until the page is fully loaded before running the script
82 window.addEventListener("DOMContentLoaded", function()
83 {
84     // Run once when the page loads to lock all fields by default
85     toggleLock();
86
87     // When the user selects a client, call toggleFields again
88     document.getElementById("clientList").addEventListener("change", toggleFields);
89 });
90
```

Delete Land Screen

List-land.php

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number:  C00313510 -->
3  <!-- Title:          Drop down land list box php file -->
4  <!-- Date:           10 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7  <?php
8  // Include database connection file
9  include "db.inc.php";
10
11 // SQL statement to select the  of all land properties that are not deleted (Dflag = 0)
12 $sql = "SELECT LandID, Status, Address, AskingPrice, Location, ViewingTime, Eircode,
13         |         |         NumberOfAcres, Notes, ResidenceDetails, Quotas, BuildingsAndoutOffices
14         |         |         FROM Land
15         |         |         WHERE Dflag = 0";
16
17
18 // Run the query
19 $result = mysqli_query($con, $sql);
20
21 // If the query fails, stop and show an error message
22 if (!$result) {
23     die("Error loading land properties: " . mysqli_error($con));
24 }
25
26 // Loop through each record returned from the database
27 while ($row = mysqli_fetch_assoc($result)) {
28
29     // Store database fields into variables to be shown as data attributes in form
30     $LandID    = $row['LandID'];
31     $Status    = $row['Status'];
32     $Address   = $row['Address'];
33     $Eircode   = $row['Eircode'];
34     $Price     = $row['AskingPrice'];
35     $Location  = $row['Location'];
36     $Viewing   = $row['ViewingTime'];
37     $Acres     = $row['NumberOfAcres'];
38     $Notes     = $row['Notes'];
39     $Details   = $row['ResidenceDetails'];
40     $Quotas    = $row['Quotas'];
41     $Buildings = $row['BuildingsAndoutOffices'];
42
43     // Output an <option> tag for the dropdown list with data attributes for each land property
44     // to fill the page with the details of the selected land property when the user selects an option
45
46     echo "<option value='$LandID'
47         | data-status=\"$Status\"
48         | data-address=\"$Address\"
49         | data-eircode=\"$Eircode\"
50         | data-price=\"$Price\"
51         | data-location=\"$Location\"
52         | data-viewing=\"$Viewing\"
53         | data-acres=\"$Acres\"
54         | data-notes=\"$Notes\"
55         | data-details=\"$Details\"
56         | data-quotas=\"$Quotas\"
57         | data-buildings=\"$Buildings\"
58         | >$Address - $Eircode</option>";
59 }
60 ?>
```

delete-land.html.php

```
1 <!-- Name:          AMMAR SALAH -->
2 <!-- Student Number: C00313510 -->
3 <!-- Title:         Delete Land Property html file -->
4 <!-- Date:          8 FEB 2026 -->
5 <!-- Project Y2 2026 -->
6
7 <!DOCTYPE html>
8 <?php
9     session_start();
10 ?>
11 <html lang="en">
12 <head>
13     <meta charset="utf-8">
14     <meta name="viewport" content="width=device-width, initial-scale=1.0">
15     <title>Delete a Land Property</title> <!-- Page title -->
16
17     <!-- Link stylesheet -->
18     <link rel="stylesheet" href="/Land/style.css">
19 </head>
20
21 <body>
22     <!-- Main Content Area -->
23     <div class="card">
24
25         <!-- Set heading for the form -->
26         <div class="content_top">
27             <h2>Delete a Land Property</h2>
28         </div>
29
30         <!-- Start form, sending info via Post to delete-land.php -->
31         <form id="landForm" action="delete-land.php" onsubmit="return confirmCheck()" method="post">
32
33             <div class="layout">
34
35                 <!-- Include sidebar navigation menu -->
36                 <?php include "menu.php"; ?>
37
38                 <!-- Container for all main delete land content -->
39                 <div class="land-grid">
40
41                     <!-- Container for Listbox containing all land properties -->
42                     <div class="land-panel">
43                         <div class="inputbox">
44                             <label for="landList"><h2>Select a Land Property to Delete</h2></label>
45                             <!-- Calls the php script to make the dynamic listbox and
46                             insert it into the form via an include -->
47                             <select id="landList" name="landList" required
48                                 title="Select the Land property you wish to delete">
49                                 <option value="" disabled selected>-- Select Land Property --</option>
50                                 <!-- include list land php to generate the list of land properties -->
51                                 <?php include "list-land.php"; ?>
52                             </select>
53                         </div>
54                     </div>
55
56                     <!-- Script to echo out a message that the land property has been deleted -->
57                     <?php
58                     if (isset($_SESSION['msg']))
59                     {
60                         $msg =($_SESSION['msg']); // Get the message from the session
61                         $type = $_SESSION['type'] ?? "success";
62
63                         if(!in_array($type, ["success", "error", "warn"]))
64                         {
65                             $type = "success"; // Default to success if an invalid type is provided
66                         }
67
68                         echo "<div class='msg msg-$type'>
69                             <i class='fa-solid fa-circle-info'></i>
70                             <span>$msg</span>
71                             </div>";
72
73                         unset($_SESSION['msg']); // unset the message after displaying it
74                         unset($_SESSION['type']); // unset the type after displaying it
75                     }
76                     ?>
77
```

```

78 <!-- Begin form Container -->
79 <div class="land-panel">
80
81 <fieldset>
82
83 <legend>Delete a Land Property</legend>
84
85 <!-- Two column layout for form fields -->
86 <div class="two-col">
87
88 <!-- Left Column -->
89 <div class="col">
90
91 <!-- Container for Status -->
92 <div class="inputbox">
93 <label for="status">Status: </label><br>
94 <input type="text" name="status" id="status" required readonly
95 title="Current property status">
96 </div>
97
98 <!-- Container for Address -->
99 <div class="inputbox">
100 <label for="adrs1">Address: </label><br>
101 <input type="text" name="adrs1" id="adrs1" required
102 title="Enter the main street address of the property">
103 </div>
104
105 <!-- Container for Location -->
106 <div class="inputbox">
107 <label for="location">Location: </label><br>
108 <input type="text" name="location" id="location" required
109 title="Enter the town or city where the property is located">
110 </div>
111
112 <!-- Container for Eircode -->
113 <div class="inputbox">
114 <!-- Pattern: Eircode 1 alpha char(upper or lowercase)
115 followed by TWO digits, zero to one spaces
116 any four of a alpha char or number -->
117 <label for="eircode">Eircode: </label><br>
118 <input type="text" name="eircode" id="eircode" required
119 pattern="[A-Za-z]{1}\d{2}[ ]?[A-Za-z\d]{4}"
120 title="Enter a valid Irish Eircode (example: D02 X285)">
121 </div>
122
123 <!-- Container for Viewing Times -->
124 <div class="inputbox">
125 <label for="viewing_times">Viewing Times: </label><br>
126 <select name="viewing_times" id="viewing_times" required>
127 <option value=""></option>
128 <option value="monday">Monday (9am - 5pm)</option>
129 <option value="tuesday">Tuesday (9am - 5pm)</option>
130 <option value="wednesday">Wednesday (9am - 5pm)</option>
131 <option value="thursday">Thursday (9am - 5pm)</option>
132 <option value="friday">Friday (9am - 5pm)</option>
133 <option value="weekend">Weekends (5pm - 8pm)</option>
134 </select>
135 </div>
136
137 </div>
138

```

```

138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225

```

```

<!-- Right Column -->
<div class="col">

    <!-- Container for Asking Price -->
    <div class="inputbox">
        <label for="price">Asking Price: </label><br>
        <!-- Min = €1, max = €100 million -->
        <input type="number" name="price" id="price"
            min="1" max="100000000" required
            title="Enter the asking price in euros">
    </div>

    <!-- Container for Acres -->
    <div class="inputbox">
        <!-- Min 1 - validation that we have atleast
        an acre of land, max = 100000 -->
        <label for="acres">Acres: </label><br>
        <input type="number" name="acres" id="acres"
            min="1" max="100000" required
            title="Enter the total land size in acres">
    </div>

    <!-- Container for Quotas -->
    <div class="inputbox">
        <!-- Max set to 1 million -->
        <label for="quotas">Quotas: </label><br>
        <input type="number" name="quotas" id="quotas"
            min="0" max="1000000" required
            title="Enter agricultural quotas if applicable">
    </div>

    <!-- Container for Buildings Text area -->
    <div class="inputbox">
        <label for="buildings">Buildings: </label><br>
        <textarea name="buildings" id="buildings" rows="3"
            required title="Describe any buildings included with the land">
        </textarea>
    </div>

    <!-- Container for Residence Details Text area -->
    <div class="inputbox">
        <label for="details">Residence Details: </label><br>
        <textarea name="details" id="details" rows="3"
            required title="Provide details about any residence on the land">
        </textarea>
    </div>

    <!-- Container for Notes optional field Text area -->
    <div class="inputbox">
        <label for="notes">Notes: </label><br>
        <textarea name="notes" id="notes" rows="3"
            title="Optional: add any extra information or comments">
        </textarea>
    </div>

    </div>
    <!-- End Two Column Layout -->
</div>

<!-- Submit/Reset buttons -->
<div class="form-actions">
    <!-- Submit button to delete the land property, reset button to clear the form-->
    <input type="submit" value="Delete Land" name="delete"
        title="Delete this land property">
    <!-- Reset button to clear the form fields, allowing the user to
    start again if needed -->
    <input type="reset" value="Reset" name="reset"
        title="Clear all fields and start again">
</div>
</fieldset>

</div>
<!-- End Form Container -->
</div>
</div>
</form>
</div>

<!-- Link JavaScript file -->
<script src="deleteland.js"></script>
</body>
</html>

```

Delete-land.php

```
1  <!-- Name:                AMMAR SALAH -->
2  <!-- Student Number:     C00313510 -->
3  <!-- Title:               Delete Land Property PHP file -->
4  <!-- Date:                8 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7  <!DOCTYPE html>
8  <?php
9      session_start(); // Start session for storing response messages
10 ?>
11
12 <?php
13     // Include database connection file
14     include "db.inc.php";
15
16     // Check if the delete button was pressed
17     if (!isset($_POST['delete']))
18     {
19         $_SESSION['msg'] = "Land not deleted.";
20         $_SESSION['type'] = "error";
21         header("Location: delete-land.html.php"); // Response Message to the form page
22         exit;
23     }
24
25     // Check if a land property was selected from the dropdown list
26     if (!isset($_POST['landList']) || $_POST['landList'] == "")
27     {
28         $_SESSION['msg'] = "No land property selected.";
29         $_SESSION['type'] = "error";
30         header("Location: delete-land.html.php");
31         exit;
32     }
33
34     // Set variable for selected land id
35     $landID = $_POST['landList'];
36
37     // UPDATE statements for deleting the entries in the table by setting Dflag to 1
38     // UPDATE statement for the Land table
39     $landSQL = "UPDATE Land SET Dflag = 1 WHERE LandID = '$landID'";
40     // UPDATE statement for the Bid table
41     $bidSQL = "UPDATE Bid SET Dflag = 1 WHERE LandID = '$landID'";
42     // SELECT statement for checking if any active bids exist for the land property
43     $checkBidSQL = "SELECT * FROM Bid WHERE LandID = '$landID' AND Dflag = 0";
44
45     // If there's a problem with the query for LAND
46     if(!mysqli_query($con, $landSQL))
47     {
48         $_SESSION['msg'] = "Error deleting land: " . mysqli_error($con);
49         $_SESSION['type'] = "error";
50         header("Location: delete-land.html.php");// Response Message to the form page
51         exit;
52     }
53     // Otherwise
54     else
55     {
56         // So long as AT LEAST 1 row was affected, we will execute the update
57         if(mysqli_affected_rows($con) != 0)
58         {
59             $_SESSION['msg'] = "Land record deleted successfully.";
60             $_SESSION['type'] = "success";
61         }
62         else
63         {
64             $_SESSION['msg'] = "No record updated (LandID not found or already deleted).";
65             $_SESSION['type'] = "warn";
66             mysqli_close($con);
67             header("Location: delete-land.html.php"); // Response Message to the form page
68             exit;
69         }
70     }
71
72     // Run query to check if active bids exist for this land property
73     if(!$result = mysqli_query($con, $checkBidSQL))
74     {
75         $_SESSION['msg'] = "Error checking bids: " . mysqli_error($con);
76         $_SESSION['type'] = "error";
77         mysqli_close($con);
78         header("Location: delete-land.html.php");
79         exit;
80     }
```

```

81
82 // If bids exist for this land property, also delete the related bids
83 if(mysqli_num_rows($result) != 0)
84 {
85     // If there's a problem with the query for BID
86     if(!mysqli_query($con, $bidSQL))
87     {
88         $_SESSION['msg'] = "Land deleted, but error deleting bids: " . mysqli_error($con);
89         $_SESSION['type'] = "warn";
90         mysqli_close($con);
91         header("Location: delete-land.html.php");// Response Message to the form page
92         exit;
93     }
94     // Otherwise
95     else
96     {
97         // So long as AT LEAST 1 row was affected, we will execute the update
98         if(mysqli_affected_rows($con) != 0)
99         {
100             // If we successfully deleted the related bids,
101             // we can update the success message to reflect that as well
102             $_SESSION['msg'] = "Land record deleted successfully. Related bid(s) deleted successfully.";
103             $_SESSION['type'] = "success";
104         }
105     }
106 }
107 else
108 {
109     // If no active bids exist for this land property,
110     // we can just display the success message for the land deletion
111     $_SESSION['msg'] = "Land record deleted successfully. No active bids found for this land.";
112     $_SESSION['type'] = "success";
113 }
114
115 header('Location: delete-land.html.php');// Response Message to the form page
116 mysqli_close($con);
117 ?>

```

Deleteland.js

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number: C00313510 -->
3  <!-- Title:         JS file (Delete Land) -->
4  <!-- Date:          8 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7
8
9  // Function to populates the textboxes when the desired land property is selected from the listbox
10 function populate()
11 {
12     // Selected land property is got by the element with id landList
13     var sel = document.getElementById("landList");
14
15     var data;
16     // Returns the selected item in the listbox by going to the index in the listbox
17     data = sel.options[sel.selectedIndex];
18
19     // Checks if the user has selected something from the listbox
20     if(sel.value != "")
21     {
22         // Populate each element using the data attributes stored in the
23         // selected option - list land php
24         document.getElementById("status").value = data.getAttribute("data-status") || "";
25         document.getElementById("adrs1").value = data.getAttribute("data-address") || "";
26         document.getElementById("location").value = data.getAttribute("data-location") || "";
27         document.getElementById("eircode").value = data.getAttribute("data-eircode") || "";
28         document.getElementById("viewing_times").value = data.getAttribute("data-viewing") || "";
29         document.getElementById("price").value = data.getAttribute("data-price") || "";
30         document.getElementById("acres").value = data.getAttribute("data-acres") || "";
31         document.getElementById("quotas").value = data.getAttribute("data-quotas") || "";
32         document.getElementById("buildings").value = data.getAttribute("data-buildings") || "";
33         document.getElementById("details").value = data.getAttribute("data-details") || "";
34         document.getElementById("notes").value = data.getAttribute("data-notes") || "";
35     }
36 }
37
38 // Function toggleLock() is called onload, locking all fields until the user selects a land property first
39 function toggleLock()
40 {
41     document.title = "Delete Land Property";
42     // Disable all input fields to prevent editing, as this page is for deleting only
43     document.getElementById("status").disabled = true;
44     document.getElementById("adrs1").disabled = true;
45     document.getElementById("location").disabled = true;
46     document.getElementById("eircode").disabled = true;
47     document.getElementById("viewing_times").disabled = true;
48     document.getElementById("price").disabled = true;
49     document.getElementById("acres").disabled = true;
50     document.getElementById("quotas").disabled = true;
51     document.getElementById("buildings").disabled = true;
52     document.getElementById("details").disabled = true;
53     document.getElementById("notes").disabled = true;
54     // Disable the delete and reset buttons until a land property is selected
55     document.querySelector("input[name='delete']").disabled = true;
56     document.querySelector("input[type='reset']").disabled = true;
57 }
58
```

```

59 // When we unlock, we only unlock fields that should be editable, but for delete page the fields are
60 // view only,
61 // so we only unlock the buttons once a land property has been selected
62 function unlock()
63 {
64     // Unlock the delete and reset buttons
65     document.querySelector("input[name='delete']").disabled = false;
66     document.querySelector("input[type='reset']").disabled = false;
67 }
68
69 // Function toggleFields() checks if a land property has been selected from the listbox
70 function toggleFields()
71 {
72     // Selected land property is got by the element with id landList
73     var sel = document.getElementById("landList");
74
75     // If the user has selected a land property, populate the fields and unlock the buttons
76     if(sel.value != "")
77     {
78         populate();
79         unlock();
80     }
81     // Otherwise, clear the inputboxes and keep everything locked
82     else
83     {
84         document.getElementById("status").value = "";
85         document.getElementById("adrs1").value = "";
86         document.getElementById("location").value = "";
87         document.getElementById("eircode").value = "";
88         document.getElementById("viewing_times").value = "";
89         document.getElementById("price").value = "";
90         document.getElementById("acres").value = "";
91         document.getElementById("quotas").value = "";
92         document.getElementById("buildings").value = "";
93         document.getElementById("details").value = "";
94         document.getElementById("notes").value = "";
95
96         toggleLock();
97     }
98 }
99
100 // Function confirmCheck() prompts user to confirm if they want to delete the selected land property
101 function confirmCheck()
102 {
103     var response;
104     response = confirm("Are you sure you want to delete this land property?");
105
106     // If user responds TRUE (yes), return true to continue deleting the record
107     if(response)
108     {
109         return true;
110     }
111     // Otherwise, populate the inputboxes and lock the inputs, then return false
112     else
113     {
114         populate();
115         toggleLock();
116         return false;
117     }
118 }
119
120 window.addEventListener("DOMContentLoaded", function()
121 {
122     // Run once when the page loads to lock all fields by default
123     toggleLock();
124
125     // When the user selects a land property, call toggleFields again
126     document.getElementById("landList").addEventListener("change", toggleFields);
127 });

```

Amend View Land Screen

List-land-edit.php

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number: C00313510 -->
3  <!-- Title:         Drop down land list box php file -->
4  <!-- Date:          19 FEB 2026 -->
5
6  <?php
7  // Include database connection file
8  include "db.inc.php";
9
10 // Set variable for filter value, set default is all properties
11 $filter = isset($_POST['filter']) ? $_POST['filter'] : "all";
12
13 // Start SQL query to select land property details,
14 // the client name linked to the property,
15 // and the highest bid made on that property
16 $sql = "SELECT
17     L.LandID,L.Status,L.Address,L.AskingPrice,L.Location,L.ViewingTime,L.Eircode,
18     L.NumberOfAcres,L.Notes,L.ResidenceDetails,L.Quotas,L.BuildingsAndoutOffices,L.ClientID,
19     C.Name AS ClientName,
20     COALESCE(MAX(B.BidAmount), 0) AS HighestBid FROM Land L
21 LEFT JOIN Client C
22     ON L.ClientID = C.ClientID
23 LEFT JOIN Bid B
24     ON B.LandID = L.LandID
25     AND B.Dflag = 0
26 WHERE L.Dflag = 0
27 GROUP BY L.LandID";
28
29 // If sold properties are selected, only show sold records
30 if($filter == "sold")
31 {
32     $sql .= " AND L.Status = 'Sold'";
33 }
34 // Otherwise if unsold properties are selected, show all properties that are not sold
35 else if($filter == "unsold")
36 {
37     $sql .= " AND (L.Status <> 'Sold' OR L.Status IS NULL OR L.Status = '')";
38 }
39
40
41 // Execute the SQL query
42 $result = mysqli_query($con, $sql);
43
44 // Error handling,
45 if(!$result = mysqli_query($con, $sql))
46 {
47 // Die kills rest of script
48     die("Error loading land properties: " . mysqli_error($con));
49 }
50
```

```

51 // Loop through each row returned from the query
52 while($row = mysqli_fetch_assoc($result))
53 {
54
55     $LandID = $row['LandID'];
56     $Status = $row['Status'];
57     $Address = $row['Address'];
58     $Eircode = $row['Eircode'];
59     $Price = $row['AskingPrice'];
60     $Location = $row['Location'];
61     $Viewing = $row['ViewingTime'];
62     $Acres = $row['NumberOfAcres'];
63     $Notes = $row['Notes'];
64     $Details = $row['ResidenceDetails'];
65     $Quotas = $row['Quotas'];
66     $Buildings = $row['BuildingsAndoutOffices'];
67     $ClientID = $row['ClientID'];
68     $ClientName = $row['ClientName'];
69     $HighestBid = $row['HighestBid'];
70
71 // Assigns each field in the listbox with the values and displays each entry via their address and eircode
72 // data attributes are used by javascript to populate the form with further information when an
73 // land property is selected
74
75     echo "<option value='$LandID'
76         data-status=\"$Status\"
77         data-address=\"$Address\"
78         data-eircode=\"$Eircode\"
79         data-price=\"$Price\"
80         data-location=\"$Location\"
81         data-viewing=\"$Viewing\"
82         data-acres=\"$Acres\"
83         data-notes=\"$Notes\"
84         data-details=\"$Details\"
85         data-quotas=\"$Quotas\"
86         data-buildings=\"$Buildings\"
87         data-clientid=\"$ClientID\"
88         data-clientname=\"$ClientName\"
89         data-highestbid=\"$HighestBid\"
90         >$Address - $Eircode</option>";
91 }
92
93 // Close connection
94 mysqli_close($con);
95 ?>

```

Edit-land.html.php

```
1  <!-- Name:                AMMAR SALAH -->
2  <!-- Student Number:     C00313510 -->
3  <!-- Title:              Amend/View Land Property html file -->
4  <!-- Date:               19 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7  <?php
8      // Start session for flash message display after record update
9      session_start();
10     // Set variable for filter value, default is all properties
11     $filterVal = isset($_POST['filter']) ? $_POST['filter'] : "all";
12 >?
13 <!DOCTYPE html>
14 <html lang="en">
15 <head>
16     <meta charset="utf-8">
17     <meta name="viewport" content="width=device-width, initial-scale=1.0">
18     <title>Amend/View a Land Property</title>
19     <!-- Link css stylesheet -->
20     <link rel="stylesheet" href="/Land/style.css">
21 </head>
22
23 <body>
24     <!-- Main Content Area -->
25     <div class="card">
26
27         <!-- Set heading for the form -->
28         <div class="content_top">
29             <h2>Amend/View a Land Property</h2>
30         </div>
31
32         <!-- Start form, sending info via Post back to edit-land.html.php for filtering -->
33         <!-- Save Changes button overrides the action and sends info to edit-land.php -->
34         <form id="landForm" action="edit-land.html.php" method="post"
35             onsubmit="return confirmAmendSubmit();">
36
37             <div class="layout">
38                 <!-- Include sidebar navigation menu -->
39                 <?php include "menu.php"; ?>
40
41                 <!-- Container for all main amend/view land content -->
42                 <div class="land-grid">
43
44                     <!-- Hidden input used for identifying what action the user performed -->
45                     <input type="hidden" id="actionType" name="actionType" value="">
46                     <!-- Hidden input used for storing the related client id -->
47                     <input type="hidden" id="client_id" name="client_id" value="">
48
49                     <!-- Container for filter and property selection -->
50                     <div class="land-panel">
51
52                         <!-- Container for Property Filter -->
53                         <div class="inputbox">
54                             <label for="filter">Filter Properties</label>
55
56                             <!-- On change, submit the form back to this page and set action type
57                             to filter -->
58                             <select id="filter" name="filter"
59                                 onchange="document.getElementById('actionType').value='filter';
60                                 this.form.submit();" title="Filter by sold/unsold properties">
61                                 <option value="all" <?php if($filterVal=="all")
62                                     echo "selected"; ?>>All Properties</option>
63                                 <option value="sold" <?php if($filterVal=="sold")
64                                     echo "selected"; ?>>Sold Properties</option>
65                                 <option value="unsold" <?php if($filterVal=="unsold")
66                                     echo "selected"; ?>>Unsold Properties</option>
67                             </select>
68                         </div>
69
70                         <!-- Container for Listbox containing all land properties -->
71                         <div class="inputbox">
72                             <label for="landList"></label>
73
74                             <!-- Calls the php script to make the dynamic listbox
75                             and insert it into the form via an include -->
76                             <select id="landList" name="landList" required
77                                 title="Select the Land property you wish to view/amend">
78                                 <option value="" disabled selected>-- Select Land Property --</option>
79                                 <?php include "list-land-edit.php"; ?>
80                             </select>
81                         </div>
82
83                     </div>

```

```

84
85
86 <!-- Script which checks if the session variable has been set
87 for when a land property has been amended, if so, echo a message out -->
88 <?php
89 if (isset($_SESSION['msg']))
90 {
91     $msg = htmlspecialchars($_SESSION['msg']);
92     $type = $_SESSION['type'] ?? "success";
93
94     if(!in_array($type, ["success","error","warn"]))
95     {
96         $type = "success";
97     }
98
99     echo "<div class='msg msg-$type'>
100         <i class='fa-solid fa-circle-info'></i>
101         <span>$msg</span>
102     </div>";
103
104     unset($_SESSION['msg']);
105     unset($_SESSION['type']);
106 }
107 ?>
108
109 <!-- Begin form Container -->
110 <div class="land-panel">
111     <fieldset>
112
113         <!-- Land Specific Details -->
114         <legend>Land Details</legend>
115
116         <!-- Two column layout for form fields -->
117         <div class="two-col">
118
119             <!-- Left Column -->
120             <div class="col">
121
122                 <!-- Container for Status -->
123                 <div class="inputbox">
124                     <label for="status">Status <span class="required">*</span>
125                     </label>
126                     <input type="text" id="status" name="status" readonly>
127                 </div>
128
129                 <!-- Container for Address -->
130                 <div class="inputbox">
131                     <label for="adrs1">Address <span class="required">*</span>
132                     </label>
133                     <input type="text" id="adrs1" name="adrs1" required>
134                 </div>
135
136                 <!-- Container for Location -->
137                 <div class="inputbox">
138                     <label for="location">Location <span class="required">*</span>
139                     </label>
140                     <input type="text" id="location" name="location" required>
141                 </div>
142
143                 <!-- Container for Eircode -->
144                 <div class="inputbox">
145                     <!-- Pattern: Eircode 1 alpha char(upper or lowercase) followed
146                     by TWO digits, zero to one spaces any four
147                     of a alpha char or number -->
148                     <label for="eircode">Eircode <span class="required">*</span></label>
149                     <input type="text" id="eircode" name="eircode" required
150                     pattern="[A-Za-z]{1}\d{2}[ ]?[A-Za-z\d]{4}">
151                 </div>
152
153                 <!-- Container for Viewing Times -->
154                 <div class="inputbox">
155                     <label for="viewing_times">Viewing Times <span
156                     class="required">*</span></label>
157                     <select id="viewing_times" name="viewing_times" required>
158                         <option value=""></option>
159                         <option value="monday">Monday (9am - 5pm)</option>
160                         <option value="tuesday">Tuesday (9am - 5pm)</option>
161                         <option value="wednesday">Wednesday (9am - 5pm)</option>
162                         <option value="thursday">Thursday (9am - 5pm)</option>
163                         <option value="friday">Friday (9am - 5pm)</option>
164                         <option value="weekend">Weekends (5pm - 8pm)</option>
165                     </select>
166                 </div>

```

```

167         <!-- Container for Client Name -->
168         <div class="inputbox">
169             <label for="client_name">Client Name</label>
170             <input type="text" id="client_name" name="client_name">
171         </div>
172     </div>
173
174     <!-- Right Column -->
175     <div class="col">
176
177         <!-- Container for Asking Price -->
178         <div class="inputbox">
179             <label for="price">Asking Price <span class="required">*</span></label>
180             <!-- Min = €1, max = €100 million -->
181             <input type="number" id="price" name="price" min="1" max="100000000"
182                 required>
183         </div>
184
185         <!-- Container for Acres -->
186         <div class="inputbox">
187             <!-- Min 1 - validation that we have atleast
188             an acre of land, max = 100000 -->
189             <label for="acres">Acres <span class="required">*</span></label>
190             <input type="number" id="acres" name="acres" min="1" max="100000"
191                 required>
192         </div>
193
194         <!-- Container for Quotas -->
195         <div class="inputbox">
196             <!-- Max set to 1 million -->
197             <label for="quotas">Quotas <span
198                 class="required">*</span></label>
199             <input type="number" id="quotas" name="quotas" min="0" max="1000000"
200                 required>
201         </div>
202
203         <!-- Container for Highest Bid -->
204         <div class="inputbox">
205             <label for="highest_bid">Highest Bid</label>
206             <input type="number" id="highest_bid" name="highest_bid"
207                 readonly>
208         </div>
209
210         <!-- Container for Buildings -->
211         <div class="inputbox">
212             <label for="buildings">Buildings <span
213                 class="required">*</span></label>
214             <textarea id="buildings" name="buildings" rows="3"
215                 required></textarea>
216         </div>
217
218         <!-- Container for Residence Details -->
219         <div class="inputbox">
220             <label for="details">Residence Details <span
221                 class="required">*</span></label>
222             <textarea id="details" name="details" rows="3"
223                 required></textarea>
224         </div>
225
226         <!-- Container for Notes -->
227         <div class="inputbox">
228             <label for="notes">Notes</label>
229             <textarea id="notes" name="notes" rows="3"></textarea>
230         </div>
231     </div>
232 </div>
233 <!-- End Two Column Layout -->
234 </div>
235 <!-- Submit/Reset buttons -->
236 <div class="form-actions">
237     <input type="button" value="Amend Details" id="amendBtn">
238     <input type="submit" value="Save Changes" name="save" id="saveBtn"
239         formaction="edit-land.php"
240         onclick="document.getElementById('actionType').value='save';">
241     <input type="button" value="Reset" onclick="window.location.reload();">
242 </div>
243
244 </fieldset>
245 </div>
246 <!-- End Form Container -->
247 </div>
248 </div>
249 </form>
250 </div>
251 <!-- Link JavaScript file -->
252 <script src="editland.js"></script>
253 </body>
254 </html>

```

Edit-land.php

```
1  <!-- Name:                AMMAR SALAH -->
2  <!-- Student Number:     C00313510 -->
3  <!-- Title:               Amend/View Land Property PHP file -->
4  <!-- Date:               19 FEB 2026 -->
5
6  <?php
7      // Start session for flash message display after record update
8      session_start();
9      // Include database connection file
10     include "db.inc.php";
11     // Check if the save button was pressed
12     if (!isset($_POST['save']))
13     {
14         $_SESSION['msg'] = "Land not updated.";
15         $_SESSION['type'] = "error";
16         header("Location: edit-land.html.php");
17         exit;
18     }
19     // Check if the user selected a land property
20     if (!isset($_POST['landList']) || $_POST['landList'] == "")
21     {
22         $_SESSION['msg'] = "No land property selected.";
23         $_SESSION['type'] = "error";
24         header("Location: edit-land.html.php");
25         exit;
26     }
27     // Get the selected LandID
28     $landID = $_POST['landList'];
29     // Read form fields
30     $status = $_POST['status'];
31     $address = $_POST['adrs1'];
32     $location = $_POST['location'];
33     $eircode = $_POST['eircode'];
34     $viewing = $_POST['viewing_times'];
35     $price = $_POST['price'];
36     $acres = $_POST['acres'];
37     $quotas = $_POST['quotas'];
38     $buildings = $_POST['buildings'];
39     $details = $_POST['details'];
40     $notes = $_POST['notes'];
41     $highestBid = $_POST['highest_bid'];
42
43     // Read client fields
44     // client_name = name shown on the form
45     // client_id   = hidden field used to update the Client table
46     $clientName = $_POST['client_name'];
47     $clientID = $_POST['client_id'];
48
49     // SQL statement to update the land record
50     $sql = "UPDATE Land SET
51         Status = '$status',
52         Address = '$address',
53         AskingPrice = '$price',
54         Location = '$location',
55         ViewingTime = '$viewing',
56         Eircode = '$eircode',
57         NumberOfAcres = '$acres',
58         Notes = '$notes',
59         ResidenceDetails = '$details',
60         Quotas = '$quotas',
61         BuildingsAndoutOffices = '$buildings'
62         WHERE LandID = $landID";
63
64     // Run the land query and check if it works
65     if (!mysqli_query($con, $sql))
66     {
67         $_SESSION['msg'] = "Error updating land: " . mysqli_error($con);
68         $_SESSION['type'] = "error";
69         mysqli_close($con);
70         header("Location: edit-land.html.php");
71         exit;
72     }
73
74     // Store how many rows were affected by the land query
75     $landRows = mysqli_affected_rows($con);
76
77     // SQL statement to update the client name record
78     $clientSQL = "UPDATE Client SET
79         Name = '$clientName'
80         WHERE ClientID = $clientID";
```

```

81
82 // Run the client query and check if it works
83 if (!mysqli_query($con, $clientSQL))
84 {
85     $_SESSION['msg'] = "Land updated, but error updating client name: " . mysqli_error($con);
86     $_SESSION['type'] = "warn";
87     mysqli_close($con);
88     header("Location: edit-land.html.php");
89     exit;
90 }
91
92 // Store how many rows were affected by the client query
93 $clientRows = mysqli_affected_rows($con);
94
95 // If either query updated a record, show success message
96 if ($landRows > 0 || $clientRows > 0)
97 {
98     $_SESSION['msg'] = "Land record updated successfully.";
99     $_SESSION['type'] = "success";
100 }
101 else
102 {
103     $_SESSION['msg'] = "No record updated (no changes made).";
104     $_SESSION['type'] = "warn";
105 }
106
107 // Close the database connection
108 mysqli_close($con);
109
110 // Redirect to the page
111 header("Location: edit-land.html.php");
112 exit;
113 ?>

```

editland.js

```
1 // Name:          AMMAR SALAH
2 // Student Number: C00313510
3 // Title:          JS file (Amend/View Land)
4 // Date:           19 FEB 2026
5
6 // Variable amendMode is used for checking whether the form is currently in amend mode or view mode
7 var amendMode = false;
8
9 // Function confirmAmendSubmit() prompts user to confirm if they want to save the changes
10 function confirmAmendSubmit()
11 {
12     var actionType;
13     actionType = document.getElementById("actionType").value;
14
15     // If the action is not save, allow the form to submit normally
16     if(actionType != "save")
17     {
18         return true;
19     }
20
21     // If the user has not clicked Amend Details first, prevent saving
22     if(!amendMode)
23     {
24         alert("Please click 'Amend Details' before saving changes.");
25         return false;
26     }
27
28     // Otherwise, prompt the user to confirm saving the changes
29     return confirm("Are you sure you want to save these changes?");
30 }
31
32 // Function toggleLock() is called onload, locking all fields until the user
33 // chooses to amend the selected land property
34 function toggleLock()
35 {
36     // Status and Highest Bid are always display only
37     document.getElementById("status").readOnly = true;
38     document.getElementById("highest_bid").readOnly = true;
39
40     document.getElementById("client_name").disabled = true;
41     document.getElementById("adrs1").disabled = true;
42     document.getElementById("location").disabled = true;
43     document.getElementById("eircode").disabled = true;
44     document.getElementById("viewing_times").disabled = true;
45     document.getElementById("price").disabled = true;
46     document.getElementById("acres").disabled = true;
47     document.getElementById("quotas").disabled = true;
48     document.getElementById("buildings").disabled = true;
49     document.getElementById("details").disabled = true;
50     document.getElementById("notes").disabled = true;
51
52     // Disable Save button and enable Amend button
53     document.getElementById("saveBtn").disabled = true;
54     document.getElementById("amendBtn").disabled = false;
55
56     // Set amend mode to false and reset button text
57     amendMode = false;
58     document.getElementById("amendBtn").value = "Amend Details";
59 }
60
61 // When we unlock, we only unlock fields that should be editable once the
62 // user wants to amend the selected property
63 function unlock()
64 {
65     document.getElementById("client_name").disabled = false;
66     document.getElementById("adrs1").disabled = false;
67     document.getElementById("location").disabled = false;
68     document.getElementById("eircode").disabled = false;
69     document.getElementById("viewing_times").disabled = false;
70     document.getElementById("price").disabled = false;
71     document.getElementById("acres").disabled = false;
72     document.getElementById("quotas").disabled = false;
73     document.getElementById("buildings").disabled = false;
74     document.getElementById("details").disabled = false;
75     document.getElementById("notes").disabled = false;
76
77     // Enable Save button
78     document.getElementById("saveBtn").disabled = false;
79
80     // Set amend mode to true and change button text
81     amendMode = true;
82     document.getElementById("amendBtn").value = "View Details";
83
84     // Set focus to the first editable field
85     document.getElementById("adrs1").focus();
86 }
```

```

87
88 // Function populate() populates the textboxes when the desired land
89 // property is selected from the listbox
90 function populate()
91 {
92     var sel;
93     sel = document.getElementById("landList");
94
95     // Checks if the user has selected something from the listbox
96     if(sel.value != "")
97     {
98         var data;
99         // Returns the selected item in the listbox by going to the index in the listbox
100         data = sel.options[sel.selectedIndex];
101
102         // Populate each element using the data attributes stored in the selected option
103         document.getElementById("status").value = data.getAttribute("data-status") || "";
104         document.getElementById("highest_bid").value = data.getAttribute("data-highestbid") || "";
105         document.getElementById("adrs1").value = data.getAttribute("data-address") || "";
106         document.getElementById("location").value = data.getAttribute("data-location") || "";
107         document.getElementById("client_name").value = data.getAttribute("data-clientname") || "";
108         document.getElementById("client_id").value = data.getAttribute("data-clientid") || "";
109         document.getElementById("eircode").value = data.getAttribute("data-eircode") || "";
110         document.getElementById("viewing_times").value = data.getAttribute("data-viewing") || "";
111         document.getElementById("price").value = data.getAttribute("data-price") || "";
112         document.getElementById("acres").value = data.getAttribute("data-acres") || "";
113         document.getElementById("quotas").value = data.getAttribute("data-quotas") || "";
114         document.getElementById("buildings").value = data.getAttribute("data-buildings") || "";
115         document.getElementById("details").value = data.getAttribute("data-details") || "";
116         document.getElementById("notes").value = data.getAttribute("data-notes") || "";
117
118         // After populating the fields, lock them so the user starts in view mode
119         toggleLock();
120     }
121     else
122     {
123         // If no property has been selected, clear all fields
124         document.getElementById("status").value = "";
125         document.getElementById("client_name").value = "";
126         document.getElementById("highest_bid").value = "";
127         document.getElementById("adrs1").value = "";
128         document.getElementById("location").value = "";
129         document.getElementById("eircode").value = "";
130         document.getElementById("viewing_times").value = "";
131         document.getElementById("price").value = "";
132         document.getElementById("acres").value = "";
133         document.getElementById("quotas").value = "";
134         document.getElementById("buildings").value = "";
135         document.getElementById("details").value = "";
136         document.getElementById("notes").value = "";
137         document.getElementById("client_id").value = "";
138
139         // Keep the fields locked and disable the Amend button
140         toggleLock();
141         document.getElementById("amendBtn").disabled = true;
142     }
143 }
144
145 // Wait until the page is fully loaded before running the script
146 window.addEventListener("DOMContentLoaded", function()
147 {
148     // Run once when the page loads to lock all fields by default
149     toggleLock();
150
151     // Populate the fields if a property is already selected
152     populate();
153
154     // When the user selects a land property, call populate again
155     document.getElementById("landList").addEventListener("change", populate);
156
157     // Function for toggling between amend mode and view mode when the Amend button is clicked
158     document.getElementById("amendBtn").addEventListener("click", function()
159     {
160         // If no property is selected, alert the user
161         if(document.getElementById("landList").value == "")
162         {
163             alert("Please select a land property first.");
164             return;
165         }
166
167         // If already in amend mode, lock the fields again
168         if(amendMode)
169         {
170             toggleLock();
171         }
172         // Otherwise unlock the editable fields
173         else
174         {
175             unlock();
176         }
177     });
178 });

```

Residential Report Screen

residential-report.html.php

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number: C00313510 -->
3  <!-- Title:         Residential Property Report html/php file -->
4  <!-- Date:          19 FEB 2026 -->
5  <!-- Project Y2 2026 -->
6
7  <?php
8      // Include connection file
9      include "db.inc.php";
10
11     // Set variable for sort order, default is asking price
12     $order = isset($_POST['order']) ? $_POST['order'] : "price";
13
14     // Prepare the statement for the SELECT query on Residential
15     // Highest bid is got using a subquery on the Bid table, if no bids exist return 0
16     $sql = "SELECT R.ResidentialID,
17             R.Address,
18             R.Type,
19             R.NumBedrooms,
20             R.NumReception,
21             R.Status,
22             R.AskingPrice,
23             R.ClientID,
24             COALESCE(
25                 (SELECT MAX(B.BidAmount)
26                  FROM Bid B
27                  WHERE B.ResidentialID = R.ResidentialID
28                     AND B.Dflag = 0
29                 ), 0
30             ) AS HighestBid
31     FROM Residential R
32     WHERE R.Dflag = 0
33           AND (R.Status = 'For Sale' OR R.Status = 'Sale Agreed')";
34
35     // If sorting by bedrooms, order by bedrooms first then asking price
36     if ($order == "bedrooms")
37     {
38         $sql .= " ORDER BY R.NumBedrooms ASC, R.AskingPrice ASC";
39     }
40     // Otherwise sort by asking price
41     else
42     {
43         $sql .= " ORDER BY R.AskingPrice ASC";
44     }
45
46     // Error handling, if a problem with the query, print a relevant message
47     if(!$result = mysqli_query($con, $sql))
48     {
49         // Die kills rest of script
50         die("Error loading residential report: " . mysqli_error($con));
51     }
```

```

52 ?>
53 <!DOCTYPE html>
54 <html lang="en">
55 <head>
56     <meta charset="utf-8">
57     <meta name="viewport" content="width=device-width, initial-scale=1.0">
58     <!-- header for the page -->
59     <title>Residential Property Report</title>
60
61     <!-- Link local stylesheet for page layout -->
62     <link rel="stylesheet" href="style.css">
63 </head>
64
65 <body>
66     <!-- Main Content Area -->
67     <div class="card">
68
69         <!-- Set heading for the page -->
70         <div class="content_top">
71             <h2>Residential Property Report</h2>
72         </div>
73
74         <div class="layout">
75
76             <!-- Include sidebar navigation menu -->
77             <?php include "menu.php"; ?>
78
79             <!-- Container for all main report content -->
80             <div class="land-grid">
81
82                 <!-- Container for sort buttons -->
83                 <div class="land-panel">
84
85                     <!-- Start form for sorting, sending info via Post back to the same page -->
86                     <form id="orderForm" method="post" action="residential-report.html.php">
87                         <div class="form-actions sort-actions">
88
89                             <!-- Button for sorting by asking price -->
90                             <button type="submit"
91                                 name="order"
92                                 value="price"
93                                 class="sort-btn"
94                                 <?php if ($order == "price") echo "disabled"; ?>
95                                 title="Sort by asking price (ascending)">
96                                 Sort by Price
97                             </button>
98
99                             <!-- Button for sorting by bedrooms then asking price -->
100                             <!-- Disable button if currently sorted by bedrooms -->
101                             <button type="submit"
102                                 name="order"
103                                 value="bedrooms"
104                                 class="sort-btn"
105                                 <?php if ($order == "bedrooms") echo "disabled"; ?>
106                                 title="Sort by number of bedrooms, then asking price">
107                                 Sort by Bedrooms
108                             </button>
109                         </div>
110                     </form>
111                 </div>
112
113                 <!-- Container for residential property report table -->
114                 <div class="land-panel">
115                     <fieldset>
116
117                         <legend>Properties For Sale / Sale Agreed</legend>
118
119                         <!-- Overflow allows horizontal scrolling when table is too wide -->
120                         <div style="overflow:auto;">
121                             <table class="report-table">
122                                 <thead>
123                                     <tr>
124                                         <th>Select</th>
125                                         <th>Property Number</th>
126                                         <th>Address</th>
127                                         <th>Type of Property</th>
128                                         <th>Num. of Bedrooms</th>
129                                         <th>Num. of Receptions</th>
130                                         <th>Status</th>
131                                         <th>Highest Bid</th>
132                                         <th>Asking Price</th>
133                                     </tr>
134                                 </thead>
135

```

```

135     </thead>
136
137     <tbody>
138     <?php
139     // Iterate loop through the result set
140     while($row = mysqli_fetch_assoc($result))
141     {
142         $resID = $row['ResidentialID'];
143         $address = $row['Address'];
144         $type = $row['Type'];
145         $beds = $row['NumBedrooms'];
146         $recepts = $row['NumReception'];
147         $status = $row['Status'];
148         $highestBid = $row['HighestBid'];
149         $price = $row['AskingPrice'];
150         $clientID = $row['ClientID'];
151
152         // Assign each record to a table row data attributes are used by
153         // javascript to store the client id and
154         // residential id of the selected row
155         echo "<tr>
156             <td>
157                 <input type='radio'
158                     name='selectedProperty'
159                     class='rowSelect'
160                     data-clientid='$clientID'
161                     data-resid='$resID'>
162             </td>
163             <td>$resID</td>
164             <td>$address</td>
165             <td>$type</td>
166             <td>$beds</td>
167             <td>$recepts</td>
168             <td>$status</td>
169             <td>$highestBid</td>
170             <td>$price</td>
171         </tr>";
172     }
173
174     // Close connection
175     mysqli_close($con);
176     ?>
177 </tbody>
178 </table>
179 </div>
180
181 </fieldset>
182
183 <!-- Button for opening client information, disabled until a property is selected -->
184 <div class="form-actions" style="padding-top:10px;">
185     <input type="button" id="clientBtn" value="Client Information" disabled
186         title="Select a property first, then view client details">
187 </div>
188
189 </div>
190
191 <!-- Hidden form used for sending the selected client id to client-info.php in a new tab -->
192 <form id="clientForm" action="client-info.php" method="post" target="_blank">
193     <input type="hidden" name="clientid" id="clientid" value="">
194 </form>
195
196 </div>
197
198 </div>
199
200 </div>
201
202 <!-- Link JavaScript file for row selection, button enabling and popup form submission -->
203 <script src="residential-report.js"></script>
204 </body>
205 </html>

```

client-info.php

```
1  <!-- Name:          AMMAR SALAH -->
2  <!-- Student Number: C00313510 -->
3  <!-- Title:        Client Information popup PHP file -->
4  <!-- Date:         19 FEB 2026 -->
5  <!-- Project V2 2026 -->
6
7  <?php
8      // Include php script that connects to the db
9      include "db.inc.php";
10
11     // Check if a client id was received from the report page
12     if (!isset($_POST['clientid']) || $_POST['clientid'] == "")
13     {
14         echo "No client selected.";
15         exit;
16     }
17
18     // Set variable for the selected client id
19     $clientID = $_POST['clientid'];
20
21     // Prepare the statement for the SELECT query on Client
22     $sql = "SELECT ClientID, Name, Address, Email, Phone, ClientType, Eircode
23           FROM Client
24           WHERE ClientID = $clientID";
25
26     // Error handling, if a problem with the query, print a relevant message
27     if (!$result = mysqli_query($con, $sql))
28     {
29         // Die kills rest of script
30         die("Error loading client: " . mysqli_error($con));
31     }
32
33     // Fetch the result row
34     $row = mysqli_fetch_assoc($result);
35
36     // Close connection
37     mysqli_close($con);
38
39     // If no record was found, print a message and stop the script
40     if (!$row)
41     {
42         echo "Client not found.";
43         exit;
44     }
45
46     // Set variables for the client details
47     $name = $row['Name'];
48     $addr = $row['Address'];
49     $email = $row['Email'];
50     $phone = $row['Phone'];
51     $type = $row['ClientType'];
52     $eir = $row['Eircode'];
53 ?>
54 <!DOCTYPE html>
55 <html lang="en">
56 <head>
57     <meta charset="utf-8">
58     <meta name="viewport" content="width=device-width, initial-scale=1.0"> <!-- set page size -->
59     <!-- header for the page -->
60     <title>Client Information</title>
61     <!-- Link local stylesheet for page layout -->
62     <link rel="stylesheet" href="style.css">
63 </head>
64
```

```

65 <body>
66 <!-- Main Content Area -->
67 <div class="card" style="width:min(700px,96vw);">
68
69 <!-- Set heading for the page -->
70 <div class="content_top">
71 | <h2>Client Information</h2>
72 </div>
73
74 <!-- Container for popup content -->
75 <div class="land-grid">
76 | <div class="land-panel">
77 | | <fieldset>
78 | |
79 | | <!-- Client Specific Details -->
80 | | <legend>Client Details</legend>
81 | |
82 | | <!-- Two column layout for client details -->
83 | | <div class="two-col">
84 | | |
85 | | | <!-- Begin Left Column -->
86 | | | <div class="col">
87 | | | |
88 | | | | <!-- Container for Client ID -->
89 | | | | <div class="inputbox">
90 | | | | | <label>Client ID</label>
91 | | | | | <input type="text" value="<?php echo $clientID; ?>" readonly>
92 | | | | </div>
93 | | | |
94 | | | | <!-- Container for Client Name -->
95 | | | | <div class="inputbox">
96 | | | | | <label>Name</label>
97 | | | | | <input type="text" value="<?php echo $name; ?>" readonly>
98 | | | | </div>
99 | | | |
100 | | | | <!-- Container for Client Type -->
101 | | | | <div class="inputbox">
102 | | | | | <label>Client Type</label>
103 | | | | | <input type="text" value="<?php echo $type; ?>" readonly>
104 | | | | </div>
105 | | | |
106 | | | | <!-- Container for Phone -->
107 | | | | <div class="inputbox">
108 | | | | | <label>Phone</label>
109 | | | | | <input type="text" value="<?php echo $phone; ?>" readonly>
110 | | | | </div>
111 | | | |
112 | | | </div>
113 | | |
114 | | | <!-- Begin Right Column -->
115 | | | <div class="col">
116 | | | |
117 | | | | <!-- Container for Email -->
118 | | | | <div class="inputbox">
119 | | | | | <label>Email</label>
120 | | | | | <input type="text" value="<?php echo $email; ?>" readonly>
121 | | | | </div>
122 | | | |
123 | | | | <!-- Container for Address -->
124 | | | | <div class="inputbox">
125 | | | | | <label>Address</label>
126 | | | | | <input type="text" value="<?php echo $addr; ?>" readonly>
127 | | | | </div>
128 | | | |
129 | | | | <!-- Container for Eircode -->
130 | | | | <div class="inputbox">
131 | | | | | <label>Eircode</label>
132 | | | | | <input type="text" value="<?php echo $eir; ?>" readonly>
133 | | | | </div>
134 | | | |
135 | | | </div>
136 | | |
137 | | </div>
138 | |
139 | | <!-- Close button -->
140 | | <div class="form-actions">
141 | | | <input type="button" value="Close" onclick="window.close()">
142 | | </div>
143 | |
144 | </fieldset>
145 | </div>
146 </div>
147
148 </div>
149 </body>
150 </html>

```

residential-report.js

```
1  //<!-- Name:          AMMAR SALAH -->
2  //<!-- Student Number: C00313510 -->
3  //<!-- Title:         JS file (Residential Property Report) -->
4  //<!-- Date:          19 FEB 2026 -->
5  //<!-- Project Y2 2026 -->
6
7  window.addEventListener("DOMContentLoaded", function () {
8
9      const clientBtn = document.getElementById("clientBtn");
10     const radios = document.querySelectorAll(".rowSelect");
11
12     // Disable client button until a property is selected
13     clientBtn.disabled = true;
14
15     // When user selects a row, enable button
16     radios.forEach(function (r) {
17         r.addEventListener("change", function () {
18
19             // Enable the client button once a selection is made
20             clientBtn.disabled = false;
21
22             // Store client id into hidden field for POST popup
23             const clientID = r.getAttribute("data-clientid") || "";
24             // Store the client ID in a hidden input field for form submission
25             document.getElementById("clientid").value = clientID;
26         });
27     });
28
29     // Open client details popup when button is clicked
30     clientBtn.addEventListener("click", function () {
31
32         // Check if a property has been selected
33         if (document.getElementById("clientid").value == "") {
34             alert("Please select a property first.");
35             return;
36         }
37
38         // Submit the form to open client details (POST request)
39         document.getElementById("clientForm").submit();
40     });
41
42 });
43
```

Live Screens

Add screen

Add a New Land Property



PROPERTY MAINTENANCE

 Add a New Land Property

 Delete a Land Property

 Amend/View a Land Property

 Exit

Select a Property Owner

-- Select Client --

Land Details

Address Line 1: *

123 Main Street

Address Line 2:

Kilkenny Road

Address Line 3:

Near Junction 5 / Adjacent to River Barrow

Location: *

Carlow

Eircode: *

Y21 R234

Viewing Times: *

Select viewing time

Asking Price: *

Acres: *

Quotas: *

Buildings: *

3-bay hay shed, cattle pen, storage barn

Residence Details: *

No residence on site / Old 2-bedroom farmhouse requiring renovation

Notes:

Good road frontage, fertile soil, suitable for grazing or development (subject to planning)

Add Land

Reset

Delete Screen

Delete a Land Property



PROPERTY MAINTENANCE

 Add a New Land Property

 Delete a Land Property

 Amend/View a Land Property

 Exit

Select a Land Property to Delete

-- Select Land Property --

Delete a Land Property

Status:

Asking Price:

Address:

Acres:

Location:

Quotas:

Eircode:

Buildings:

Viewing Times:

Residence Details:

Notes:

Delete Land

Reset

Page 62 of 234

Amend/View Screen

Amend/View a Land Property



PROPERTY MAINTENANCE

 Add a New Land Property

 Delete a Land Property

 Amend/View a Land Property

 Exit

Filter Properties

All Properties

-- Select Land Property --

Land Details

Status *

Asking Price *

Address *

Acres *

Location *

Quotas *

Eircode *

Highest Bid

Viewing Times *

Buildings *

Client Name

Residence Details *

Notes

Amend Details

Save Changes

Reset

Report Screen

Residential Property Report



REPORTS MENU

- Residential Property Report
- Land Property Report
- Office Property Report
- Bid / Client Report
- Individual Client Report
- Exit

Sort by Price

Sort by Bedrooms

Properties For Sale / Sale Agreed

Select	Property Number	Address	Type of Property	Num. of Bedrooms	Num. of Receptions	Status	Highest Bid	Asking Price
☐	18	33 Thomson Hill, Ballina	detached	3	0	For Sale	0	25000
☐	17	26 Greyhound Row, Carlow	mews	3	1	For Sale	0	50000
☐	15	6 Sandhills, Carlow Apt 32	apartment	1	0	For Sale	0	100000
☐	20	12 Example Street	semidetached	2	2	For Sale	0	200000
☐	21	16 New Example Street	apartment	2	2	For Sale	0	200000
☐	19	13 New Street	terraced	3	1	For Sale	0	250000
☐	16	3 Manor Hill, Myshall	detached	8	2	For Sale	20000	2000000

Client Information

Client Information

Client ID	Email
4	sarah.lee@email.com
Name	Address
Sarah Le	22 Lake View, Cork
Client Type	Eircode
Seller	C01AB34
Phone	
0862345678	
Close	

AI Disclosure Files

Project

AI Disclosure Document

Student Name: Ammar Salah
Student ID: C00313510
Course Name Web Programming & Databases
Project Title Auctioneers
Code Unit Add Screen (Land)
Date Submitted: 26th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:



No, I did not use any AI tools.



Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

- ☐ Yes, I made modifications. (Explain what was changed and why.)
- ☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Project

AI Disclosure Document

Student Name: Ammar Salah
Student ID: C00313510
Course Name Web Programming & Databases
Project Title Auctioneers
Code Unit Delete Screen (Land)
Date Submitted: 26th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:



No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)
- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

- ☐ Yes, I made modifications. (Explain what was changed and why.)
- ☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Project

AI Disclosure Document

Student Name: Ammar Salah
Student ID: C00313510
Course Name Web Programming & Databases
Project Title Auctioneers
Code Unit Amend View Screen (Land)
Date Submitted: 26th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:



No, I did not use any AI tools.



Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)
- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

- ☐ Yes, I made modifications. (Explain what was changed and why.)
- ☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Project

AI Disclosure Document

Student Name: Ammar Salah
Student ID: C00313510
Course Name Web Programming & Databases
Project Title Auctioneers
Code Unit Report Screen (Residential Report)
Date Submitted: 26th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:



No, I did not use any AI tools.



Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)
- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

- ☐ Yes, I made modifications. (Explain what was changed and why.)
- ☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Oyindamola Olaosun – Screens

Add Office Screen

Code Layout

AddOffice.html.php

```
<!-- Name of the screen: Add a New Office Property -->
<!-- Purpose of screen: Adding New Office Details to the database (Frontend) -->
<!-- Student ID: C00313475 -->
<!-- Student Name: Oyindamola Olaosun -->
<!-- Date Written: 24th February, 2026 -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Add New Office Property</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="card">

    <!-- Screen Title -->
    <div class="content_top">
      <h2>Add New Office Property</h2>
    </div>

    <!-- Add Screen Office Form -->
    <form action="AddOffice.php" method="post">
      <div class="layout">

        <!-- Menu Bar -->
        <aside class="sidebar">

          <!-- Auctioneer Logo -->
          <div class="brand-side">
            
          </div>


```

```
<nav>
  <!-- Navigation links -->
  <div class="side-title">Property Maintenance</div>
  <ul class="side-menu">
    <li>
      <a class="side-menu__link" href="AddOffice.html.php">
        <i class="fa-solid fa-building"></i>
        <span>Add a New Office Property</span>
      </a>
    </li>
    <li>
      <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/Delete Office Property/ShowOfficeDelete.html.php" >
        <i class="fa-solid fa-trash"></i>
        <span>Delete an Office Property</span>
      </a>
    </li>
    <li>
      <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/AmendView Office Property/AmendViewOffice.html.php" >
        <i class="fa-solid fa-pen-to-square"></i>
        <span>Amend/View an Office Property</span>
      </a>
    </li>
    <li class="danger">
      <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Main Screens/home.html" >
        <i class="fa-solid fa-house"></i>
        <span>Exit</span>
      </a>
    </li>
  </ul>
</nav>
</aside>
```

```

<!-- List box of all the clients -->
<div class="office-grid">
    <div class="office-panel">
        <div class="inputbox">
            <label for="listClientID"><span class="required"></span></label>
            <select id="listClientID" name="listClientID" required>
                <?php include "ListClient.php"; ?>
            </select>
        </div>
    </div>

    <!-- A unique property number is allocated and displayed on the screen -->
    <!-- Knowledge of redirecting -->
    <?php
        if (isset($_GET['status'])) {
            if ($_GET['status'] === 'success') {
                echo '<p style="color: #0b1220;">①Office record ' . $_GET['propertyID'] .
' has been added to the database</p>';
            } else {
                echo '<p style="color: #0b1220;">①An error occurred. Please try again.</p>';
            }
        }
    ?>

```

```

<div class="office-panel">
    <fieldset>
        <legend>Office Details</legend>

        <!-- Implementation of form validation, tooltips, confirmations to aid users -->
        <div class="two-col">

            <div class="col">
                <div class="inputbox">
                    <label for="address">Address: </label>
                    <textarea name="address" id="address" rows="3" cols="20"
                        placeholder="e.g 14, Kilkenny Road, Carlow"
                        required
                        pattern="[A-Za-z0-9\s\.,,]+"
                        maxlength="500"
                        title="Enter full address...."></textarea>
                    <span style="color: red;">*</span>
                </div>
                <div class="inputbox">
                    <label for="eircode">Eircode: </label>
                    <input type="text" name="eircode" id="eircode"
                        pattern="^[A-Za-z][0-9]{2}[A-Za-z0-9]{4}$"
                        title="Eircode must be 7 characters"
                        placeholder="e.g A1245B8"
                        required
                    >
                    <span style="color: red;">*</span>
                </div>
                <div class="inputbox">
                    <label for="location">Location in the building: </label>
                    <input type="text" name="location" id="location"
                        title="Enter location..."
                        placeholder="e.g Rear Wing, Front part"
                        required
                        pattern="[A-Za-z\s\.,,]+"
                    >
                    <span style="color: red;">*</span>
                </div>
            </div>

```

```

<div class="inputbox">
    <label for="ownership">Type of ownership: </label>
    <select name="ownership" id="ownership" required title=
"Ownership...">
        <option value="">---Choose ownership---</option>
        <option value="freehold">Freehold</option>
        <option value="long lease">Long lease</option>
    </select>
    <span style="color: red;">*</span>
</div>
<div class="inputbox">
    <label for="viewingtime">Viewing Times <span class="required">*</
span></label>
    <select id="viewingtime" name="viewingtime" required title=
"Select Viewing Times...">
        <option value="">Select viewing time</option>
        <option value="monday">Monday (9am - 5pm)</option>
        <option value="tuesday">Tuesday (9am - 5pm)</option>
        <option value="wednesday">Wednesday (9am - 5pm)</option>
        <option value="thursday">Thursday (9am - 5pm)</option>
        <option value="friday">Friday (9am - 5pm)</option>
        <option value="weekend">Weekends (5pm - 8pm)</option>
    </select>
</div>
</div>

```

```

    <div class="form-actions">
        <input type="reset" name="cancel" value="Cancel">
        <input type="submit" value="Add Office Property" name="submit" onclick="
confirmChange(event)">
    </div>
</fieldset>
</div>
</div>
</form>
</div>

<!-- Confirmation for the user before submission -->
<script>
    function confirmChange(e) {
        let result = confirm("Are you sure (Y/N)?");
        if (!result) {
            // it cancels the event
            e.preventDefault();
        }
    }
</script>
</body>
</html>

```

AddOffice.php

```
<!-- Name: Oyindamola Olaosun -->
<!-- Student ID: C00313475 -->
<!-- Add Office Property php file interacts with the database as it executes on the server -->

<?php
    // Connecting to the database
    include 'db.inc.php';

    // A PHP superglobal variable that identifies the HTTP method used to access a script
    if ($_SERVER["REQUEST_METHOD"] === 'POST') {
        foreach ($_POST as $key => $value) {
            // filter_input() gets an external variable (e.g from form input) and optionally filters it.
            // INPUT_POST: type, variable: $key, filter FILTER_SANITIZE_SPECIAL_CHARS
            $data[$key] = filter_input(INPUT_POST, $key, FILTER_SANITIZE_SPECIAL_CHARS);
        }

        // Insert SQL into the Office Table
        $sql = "INSERT INTO Office (Address, Eircode, Location
, AskingPrice, ViewingTime, Internet, OwnershipType, Reception, Area, Floor, Layout, TelephoneServices, Acces
Security, Canteen, ClientID)
VALUES (
    '" . $_POST['address'] . "',
    '" . $_POST['eircode'] . "',
    '" . $_POST['location'] . "',
    '" . $_POST['price'] . "',
    '" . $_POST['viewingtime'] . "',
    '" . $_POST['internet'] . "',
    '" . $_POST['ownership'] . "',
    '" . $_POST['reception'] . "',
    '" . $_POST['area'] . "',
    '" . $_POST['floor'] . "',
    '" . $_POST['layout'] . "',
    '" . $_POST['tel'] . "',
    '" . $_POST['access'] . "',
    '" . $_POST['security'] . "',
    '" . $_POST['canteen'] . "',
    '" . $_POST['listClientID'] . "'
)";
    }
```

```
    // Error Handling
    if (!mysqli_query($con, $sql)) {
        header("Location: AddOffice.html.php?status=error");
        exit();
    }

    // mysqli_insert_id() -> returns the id (generated with AUTO_INCREMENT) from the last query.
    $propertyId = mysqli_insert_id($con);

    // Confirmation that data has been added
    header("Location: AddOffice.html.php?status=success&propertyID=" . $propertyId);
    exit();

    mysqli_close($con);
?>
```

ListClient.php

```
<!-- Oyindamola Olaosun -->
<!-- C00313475 -->

<?php
    // Connects to the db file
    include "db.inc.php";

    // Selects all clients from the table
    $sql = "SELECT ClientID, Name FROM Client";
    // $sql = "SELECT ClientID, Name FROM Client WHERE DeletedFlag = 0";

    // Error Handling
    if (!$result = mysqli_query($con, $sql)) {
        die("Error in querying the database" . mysqli_error($con));
    }

    // listClientID
    // Using the mysqli_fetch_array()
    echo "<option value=''>---Client List---</option>";

    // mysqli_fetch_array($result) fetches a result row as an associative array
    while ($row = mysqli_fetch_array($result)) {
        $id = $row['ClientID'];
        $name = $row['Name'];
        $text = "${id}. ${name}";
        echo "<option value='${text}'>$id $name</option>";
    }

    echo "</select>";

    // Close the connection
    mysqli_close($con);
?>
```

Add New Office Property



PROPERTY MAINTENANCE

Add a New Office Property

Delete an Office Property

Amend/View an Office Property

Exit

--Client List--

Office Details

Address: e.g 14, Kilkenny Road, Carlow	Layout: e.g. large open area...
Eircodes: e.g A1245B8	Internet: --Choose Internet--
Location in the building: e.g Rear Wing, Front part	Access: --Choose Access--
Floor: 1,2,3..	Reception facilities: --Choose Reception Area--
Area (in square m²): Minimum of 37m²	Type of security: --Choose Security--
Asking Price: 0.00	Canteen facilities: --Choose Canteen Facilities--
Tel: (353) - 871282837	Type of ownership: --Choose ownership--
	Viewing Times * Select viewing time

AI Disclosure

Project

AI Disclosure Document

Student Name: Oyindamola Olaosun
Student ID: C00313475
Course Name Web Programming & Databases
Project Title Auctioneers
Code Unit Add Screen
Date Submitted: 26th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

- ☒ No, I did not use any AI tools.
☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

- ☐ Yes, I made modifications. (Explain what was changed and why.)
- ☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Amend/View Office Screen

Code Layout

AmendViewOffice.html.php

```
<!-- Name of the screen: Amend/View an Office Property -->
<!-- Purpose of screen: Select Office property for either amending or viewing its details (Frontend) -->
<!-- Student ID: C00313475 -->
<!-- Student Name: Oyindamola Olaosun -->
<!-- Date Written: 13th March, 2026 -->

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Amend/View Office</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>

    <script>
        // Filling the form below with the data
        function populate() {
            var sel = document.getElementById("listOffice");
            var result;

            // Selected option using selectedIndex

            // The selectedIndex property sets or returns the index of the selected option in a drop-down list.
            result = sel.options[sel.selectedIndex].value;

            // Stop if default option is selected
            if (result === 'default') return;

            var officeDetails = result.split('|');
            document.getElementById("amendofficeid").value = officeDetails[0];
            document.getElementById("amendaddress").value = officeDetails[1];
            document.getElementById("amendeircode").value = officeDetails[2];
            document.getElementById("amendlocation").value = officeDetails[3];
            document.getElementById("showstatus").value = officeDetails[4];
            document.getElementById("amendaskingprice").value = officeDetails[5];
            document.getElementById("amendviewingtime").value = officeDetails[6];
            document.getElementById("amendinternet").value = officeDetails[7];
            document.getElementById("amendownershiptype").value = officeDetails[8];
            document.getElementById("amendreception").value = officeDetails[9];
            document.getElementById("amendarea").value = officeDetails[10];
            document.getElementById("amendfloor").value = officeDetails[11];
            document.getElementById("amendlayout").value = officeDetails[12];
```

```
// Toggle between Amend or View Details
// Disabled input fields for the view options
function toggleLock() {
    if (document.getElementById("amendViewbutton").value === "Amend Details") {
        document.getElementById("amendaddress").disabled = false;
        document.getElementById("amendeircode").disabled = false;
        document.getElementById("amendlocation").disabled = false;
        document.getElementById("amendviewingtime").disabled = false;
        document.getElementById("amendaskingprice").disabled = false;
        document.getElementById("amendinternet").disabled = false;
        document.getElementById("amendownershiptype").disabled = false;
        document.getElementById("amendreception").disabled = false;
        document.getElementById("amendarea").disabled = false;
        document.getElementById("amendfloor").disabled = false;
        document.getElementById("amendlayout").disabled = false;
        document.getElementById("amendtel").disabled = false;
        document.getElementById("amendaccess").disabled = false;
        document.getElementById("amendsecurity").disabled = false;
        document.getElementById("amendcanteen").disabled = false;
        document.getElementById("amendViewbutton").value = "View Details";
    } else {
        document.getElementById("amendaddress").disabled = true;
        document.getElementById("amendeircode").disabled = true;
        document.getElementById("amendlocation").disabled = true;
        document.getElementById("amendviewingtime").disabled = true;
        document.getElementById("amendaskingprice").disabled = true;
        document.getElementById("amendinternet").disabled = true;
        document.getElementById("amendownershiptype").disabled = true;
        document.getElementById("amendreception").disabled = true;
        document.getElementById("amendarea").disabled = true;
        document.getElementById("amendfloor").disabled = true;
        document.getElementById("amendlayout").disabled = true;
        document.getElementById("amendtel").disabled = true;
        document.getElementById("amendaccess").disabled = true;
        document.getElementById("amendsecurity").disabled = true;
        document.getElementById("amendcanteen").disabled = true;
        document.getElementById("amendViewbutton").value = "Amend Details";
    }
}
```

```

// Confirmation for the user wanting to save edits
function confirmCheck() {
    var response;
    response = confirm('Are you sure you want to save these changes?');

    if (response) {
        document.getElementById("amendaddress").disabled = false;
        document.getElementById("amendeircode").disabled = false;
        document.getElementById("amendlocation").disabled = false;
        document.getElementById("amendviewingtime").disabled = false;
        document.getElementById("amendaskingprice").disabled = false;
        document.getElementById("amendinternet").disabled = false;
        document.getElementById("amendownershiptype").disabled = false;
        document.getElementById("amendreception").disabled = false;
        document.getElementById("amendarea").disabled = false;
        document.getElementById("amendfloor").disabled = false;
        document.getElementById("amendlayout").disabled = false;
        document.getElementById("amendtel").disabled = false;
        document.getElementById("amendaccess").disabled = false;
        document.getElementById("amendsecurity").disabled = false;
        document.getElementById("amendcanteen").disabled = false;
        return true;
    } else {
        populate();
        toggleLock();
        return false;
    }
}

```

```

// Function to choose to list all sold or unsold properties
function filterOffices() {
    // The list box
    var filter = document.getElementById("filterStatus").value;
    // Office list box
    var select = document.getElementById("listOffice");
    // Option elements in the list box
    var options = select.options;

    // Loops through all the office properties
    for (var i = 0; i < options.length; i++) {
        var optionValue = options[i].value;
        var officeDetails = optionValue.split('|');
        // Initializing the status field (index 4)
        var status = officeDetails[4];

        // Conditions for the filter function
        if (filter === 'all') {
            options[i].style.display = '';
        } else if (filter === 'unsold' && (status === 'For Sale' || status === 'Sale Agreed')) {
            options[i].style.display = '';
        } else if (filter === 'sold' && status === 'Sale Completed') {
            options[i].style.display = '';
        } else {
            options[i].style.display = 'none';
        }
    }
}

// Reset the form when filter changes
select.selectedIndex = 0;
document.getElementById("amendaddress").value = '';
document.getElementById("amendeircode").value = '';
document.getElementById("amendlocation").value = '';
document.getElementById("showstatus").value = '';
document.getElementById("amendaskingprice").value = '';
document.getElementById("amendviewingtime").value = '';
document.getElementById("amendinternet").value = '';
document.getElementById("amendownershiptype").value = '';
document.getElementById("amendreception").value = '';
document.getElementById("amendarea").value = '';
document.getElementById("amendfloor").value = '';
document.getElementById("amendlayout").value = '';
document.getElementById("amendtel").value = '';
document.getElementById("amendaccess").value = '';
document.getElementById("amendsecurity").value = '';
document.getElementById("amendcanteen").value = '';
document.getElementById("showhighestbid").value = '';
}
</script>

```

```

<div class="card">

    <div class="content__top">
        <h2>Amend/View Office Property</h2>
        <h4>Please select an office property and then click the amend button if you wish to update
    </h4>
    </div>

    <!-- Amend / View Form -->
    <form action="AmendViewOffice.php" method="post" name="myForm" onsubmit="return confirmCheck();"
    >

        <div class="layout">

            <aside class="sidebar">
                <div class="brand-side">
                    
                </div>

                <nav>
                    <div class="side-title">Property Maintenance</div>
                    <ul class="side-menu">
                        <li>
                            <a class="side-menu__link" href=
"https://c2p-auctioneers26.candept.com/Office/Add Office Property/AddOffice.html.php"
                            >
                                <i class="fa-solid fa-building"></i>
                                <span>Add a New Office Property</span>
                            </a>
                        </li>
                        <li>
                            <a class="side-menu__link" href=
"https://c2p-auctioneers26.candept.com/Office/Delete Office Property/ShowOfficeDelete.html.php"
                            >
                                <i class="fa-solid fa-trash"></i>
                                <span>Delete an Office Property</span>
                            </a>
                        </li>
                        <li>
                            <a class="side-menu__link" href=
"https://c2p-auctioneers26.candept.com/Office/AmendView Office Property/AmendViewOffice.html.php"
                            >
                                <i class="fa-solid fa-pen-to-square"></i>
                                <span>Amend/View an Office Property</span>
                            </a>
                        </li>
                        <li class="danger">
                            <a class="side-menu__link" href=
"https://c2p-auctioneers26.candept.com/Main Screens/home.html"
                            >
                                <i class="fa-solid fa-house"></i>
                                <span>Exit</span>
                            </a>
                        </li>
                    </ul>
                </nav>
            </aside>
        </div>
    </form>

```

```

<div class="office-grid">
    <div class="office-panel">

        <!-- Filter for Sold and Unsold properties -->
        <div class="inputbox">
            <label for="filterStatus" id="filter-label">Filter by Status: </label>
            <select name="filterStatus" id="filterStatus" onchange="filterOffices()">
                <option value="all">All Properties</option>
                <option value="unsold">Unsold (For Sale / Sale Agreed)</option>
                <option value="sold">Sold (Sale Completed)</option>
            </select>
        </div>

        <div class="inputbox">
            <!-- List box for all office properties -->
            <label for="listOffice"><span class="required"></span></label>
            <select name="listOffice" id="listOffice" onclick="populate()">
                <option value="default">--Office List--</option>
                <?php include "ListOffice.php"; ?>
            </select>
        </div>

    </div>

    <!-- A unique property number is allocated and displayed on the screen -->
    <!-- Knowledge of redirecting -->
    <?php
    if (isset($_GET['status'])) {
        if ($_GET['status'] === 'success') {
            echo '<p style="color: #0b1220;">ⓂOffice ID: <strong>' . $_GET['amendofficeid'] .
'</strong> has been updated successfully.</p>';
        } else if ($_GET['status'] === 'nochange') {
            echo '<p style="color: #0b1220;">ⓂNo changes were made to the record.</p>';
        } else {
            echo '<p style="color: #0b1220;">ⓂAn error occurred. Please try again.</p>';
        }
    }
    ?>

```

AmendViewOffice.php

```

<!-- Name: Oyindamola Olaosun -->
<!-- Student ID: C00313475 -->
<!-- Amend/View Office Property php file interacts with the database as it executes on the sever -->
<?php
    include 'db.inc.php';

    //UPDATE SQL query to match the Office table and the HTML form names
    $sql = "UPDATE Office SET
        Address = '{$_POST['amendaddress']}',
        AskingPrice = '{$_POST['amendaskingprice']}',
        Location = '{$_POST['amendlocation']}',
        ViewingTime = '{$_POST['amendviewingtime']}',
        Eircode = '{$_POST['amendeircode']}',
        Internet = '{$_POST['amendinternet']}',
        OwnershipType = '{$_POST['amendownershiptype']}',
        Reception = '{$_POST['amendreception']}',
        Area = '{$_POST['amendarea']}',
        Floor = '{$_POST['amendfloor']}',
        Layout = '{$_POST['amendlayout']}',
        TelephoneServices = '{$_POST['amendtel']}',
        Access = '{$_POST['amendaccess']}',
        Security = '{$_POST['amendsecurity']}',
        Canteen = '{$_POST['amendcanteen']}'
        WHERE OfficeID = '{$_POST['amendofficeid']}'";

```

```

// Execute and Error Handling
if(!mysqli_query($con, $sql)){
    header("Location: AmendViewOffice.html.php?status=error");
    exit();
}

// Confirmation that data has been added
header("Location: AmendViewOffice.html.php?status=success&amendofficeid=" . $_POST['amendofficeid']);
exit();

if(mysqli_affected_rows($con) != 0){
    header("Location: AmendViewOffice.html.php?status=success&amendofficeid=" . $_POST['amendofficeid']
]);
    exit();
} else {
    header("Location: AmendViewOffice.html.php?status=nochange&amendofficeid=" . $_POST[
'amendofficeid']);
    exit();
}

// Close connection
mysqli_close($con);
?>

```

ListOffice.php

```

<!-- Oyindamola Olaosun C00313475 -->

<?php
    include "db.inc.php";

    // Selects all the undeleted office records from the Office Table
    $sql = "SELECT OfficeID, Address, Eircode, Location, Status
, AskingPrice, ViewingTime, Internet, OwnershipType, Reception, Area, Floor, Layout, TelephoneServices, Acces
Security, Canteen
FROM Office WHERE Dflag = 0";

    //Error Handling
    if(!$result = mysqli_query($con, $sql)){
        die("Error in query in the database" . mysqli_error($con));
    }

    //Using the mysqli_fetch_array()
    echo "<option value=''>---Office List---</option>";
    // mysqli_fetch_array($result) fetches a result row as an associative array
    while($row = mysqli_fetch_array($result)){
        $id = $row['OfficeID'];
        $address = $row['Address'];
        $eircode = $row['Eircode'];
        $location = $row['Location'];
        $status = $row['Status'];
        $askingPrice = $row['AskingPrice'];
        $viewingTime = $row['ViewingTime'];
        $internet = $row['Internet'];
        $ownershipType = $row['OwnershipType'];
        $reception = $row['Reception'];
        $area = $row['Area'];
        $floor = $row['Floor'];
        $layout = $row['Layout'];
        $tel = $row['TelephoneServices'];
        $access = $row['Access'];

```

```

        $security = $row['Security'];
        $canteen = $row['Canteen'];
        //Important query for selecting the highest bid from the Bid Table
        $sqlBid = "SELECT MAX(BidAmount) AS highestBid
FROM Bid WHERE OfficeID = '$id' AND Dflag = 0";

        // Error Handling
        if(!$resultBid = mysqli_query($con, $sqlBid)){
            die("Error in bid query" . mysqli_error($con));
        }

        $rowBid = mysqli_fetch_array($resultBid);

        // Check if a bid exists
        if($rowBid['highestBid']){
            $highestBid = $rowBid['highestBid'];
        }
        else{
            $highestBid = 0;
        }

        $alltext = "{$id}|{$address}|{$eircode}|{$location}|{$status}|{$askingPrice}|{$viewingTime}|
{$internet}|{$ownershipType}|{$reception}|{$area}|{$floor}|{$layout}|{$tel}|{$access}|{$security}|
{$canteen}|{$highestBid}";
        echo "<option value='{$alltext}'>$address $eircode</option>";
    }

    // Close the connection
    mysqli_close($con);
?>

```



PROPERTY MAINTENANCE

Add a New Office Property

Delete an Office Property

Amend/View an Office Property

Exit

Amend/View Office Property

Please select an office property and then click the amend button if you wish to update

Filter by Status:

All Properties

--Office List--

Office Details

Amend Details

Address:

Layout:

Eircode:

Internet:

Location:

Access:

Floor:

Security:

Area (in square m²):

Canteen:

Asking Price:

Ownership Type:

Tel:

Viewing Time:

Reception:

Highest Bid:

Status:

Save Changes

AI Disclosure

Project

AI Disclosure Document

Student Name:	Oyindamola Oloosun
Student ID:	C00313475
Course Name	Web Programming & Databases
Project Title	Auctioneers
Code Unit	Add Screen
Date Submitted:	26 th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)
- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Delete Office Screen

ShowOfficeDelete.html.php

```
<!-- Name of the screen: Delete an Office Property -->
<!-- Purpose of screen: Select Office property for soft delete (Frontend) -->
<!-- Student ID: C00313475 -->
<!-- Student Name: Oyindamola Olaosun -->
<!-- Date Written: 9th March, 2026 -->

<?php
    // Start of a session
    session_start();
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Delete Office Property</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>

    <script>
        // Filling the form below with the data
        function populate() {
            var sel = document.getElementById("listOffice");
            var result;

            // Selected option using selectedIndex

            // The selectedIndex property sets or returns the index of the selected option in a drop-down list.
            result = sel.options[sel.selectedIndex].value;

            // Stop if default option is selected
            if (result === 'default') return;

            var officeDetails = result.split('|');
            document.getElementById("delofficeid").value = officeDetails[0];
            document.getElementById("deladdress").value = officeDetails[1];
            document.getElementById("delcode").value = officeDetails[2];
            document.getElementById("dellocation").value = officeDetails[3];
            document.getElementById("delstatus").value = officeDetails[4];
            document.getElementById("delaskingprice").value = officeDetails[5];
            document.getElementById("delviewingtime").value = officeDetails[6];
            document.getElementById("delinternet").value = officeDetails[7];
            document.getElementById("delownership").value = officeDetails[8];
            document.getElementById("delreception").value = officeDetails[9];
            document.getElementById("delarea").value = officeDetails[10];
            document.getElementById("delfloor").value = officeDetails[11];
            document.getElementById("delayout").value = officeDetails[12];
            document.getElementById("deltel").value = officeDetails[13];
            document.getElementById("delaccess").value = officeDetails[14];
            document.getElementById("delsecurity").value = officeDetails[15];
            document.getElementById("delcanteen").value = officeDetails[16];

            var highestBid = officeDetails[17];
            // If there is a bid on the property, message flagged to the user
            if (highestBid > 0) {
                alert("Warning: This property has an existing bid of $" + highestBid +
                    ". All associated bids will also be deleted!");
            }
        }
    </script>
```

```
// Confirm if the user wants to delete
function confirmCheck() {
    var response;
    response = confirm('Are you sure you want to delete this property?');

    if (response) {
        document.getElementById("deladdress").disabled = false;
        document.getElementById("deleircode").disabled = false;
        document.getElementById("dellocation").disabled = false;
        document.getElementById("delviewingtime").disabled = false;
        document.getElementById("delaskingprice").disabled = false;
        document.getElementById("delinternet").disabled = false;
        document.getElementById("delownershiptype").disabled = false;
        document.getElementById("delreception").disabled = false;
        document.getElementById("delarea").disabled = false;
        document.getElementById("delfloor").disabled = false;
        document.getElementById("dellayout").disabled = false;
        document.getElementById("deltel").disabled = false;
        document.getElementById("delaccess").disabled = false;
        document.getElementById("delsecurity").disabled = false;
        document.getElementById("delcanteen").disabled = false;
        return true;
    } else {
        populate();
        return false;
    }
}
</script>
```

```
<div class="card">

    <div class="content__top">
        <h2>Delete Office Property</h2>
        <h4>Please select a person and then click the delete button</h4>
    </div>

    <form action="DeleteOffice.php" method="post" onsubmit="confirmCheck()">
        <div class="layout">

            <aside class="sidebar">
                <div class="brand-side">
                    
                </div>

                <nav>
                    <div class="side-title">Property Maintenance</div>
                    <ul class="side-menu">
                        <li>
                            <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/Add Office Property/AddOffice.html.php" >
                                <i class="fa-solid fa-building"></i>
                                <span>Add a New Office Property</span>
                            </a>
                        </li>
                        <li>
                            <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/Delete Office Property/ShowOfficeDelete.html.php" >
                                <i class="fa-solid fa-trash"></i>
                                <span>Delete an Office Property</span>
                            </a>
                        </li>
                        <li>
                            <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/AmendView Office Property/AmendViewOffice.html.php" >
                                <i class="fa-solid fa-pen-to-square"></i>
                                <span>Amend/View an Office Property</span>
                            </a>
                        </li>
                        <li class="danger">
                            <a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Main Screens/home.html" >
                                <i class="fa-solid fa-house"></i>
                                <span>Home</span>
                            </a>
                        </li>
                    </ul>
                </nav>
            </aside>

            <div class="main-content">
                <div class="main-content__top">
                    <h2>Delete Office Property</h2>
                    <h4>Please select a person and then click the delete button</h4>
                </div>

                <div class="main-content__body">
                    <div class="form">
                        <div class="form__group">
                            <input type="text" value="Name" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="Email" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="Phone" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="Address" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="City" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="State" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="Zip" />
                        </div>
                        <div class="form__group">
                            <input type="text" value="Delete Reason" />
                        </div>
                        <div class="form__group">
                            <input type="button" value="Delete" />
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </form>
</div>
```

```

<div class="office-grid">
    <div class="office-panel">
        <div class="inputbox">
            <!-- Office list box -->
            <label for="listOffice"><span class="required"></span></label>
            <select id="listOffice" name="listOffice" required onclick="populate()">
                <option value="default">--Office List--</option>
                <?php include "ListOffice.php"; ?>
            </select>
        </div>
    </div>

    <!-- Message displayed that the office property has been deleted -->
    <?php
        if (isset($_GET['status'])) {
            if ($_GET['status'] === 'success') {
                echo '<p style="color: #0b1220;">①Office ID: <strong>' . $_GET[
'officeid'] . '</strong> (' . $_SESSION['address'] . ') has been deleted successfully.</p>';
                // Confirm bids deleted if there were any
                if (isset($_GET['bidsdeleted']) && $_GET['bidsdeleted'] > 0) {
                    echo
'<p style="color: green;">All associated bids for this property have also been deleted.</p>';
                }
            } else if ($_GET['status'] === 'nochange') {
                echo '<p style="color: #0b1220;">①No record was deleted.</p>';
            } else {
                echo
'<p style="color: #0b1220;">①An error occurred. Please try again.</p>';
            }
        }
    >
}

```

```

<div class="office-panel">
    <fieldset>
        <legend>Office Details</legend>

        <!-- Form to view -->
        <div class="two-col">
            <div class="col">

                <div class="inputbox" hidden>
                    <label for="delofficeid" hidden>Office ID: </label>
                    <input type="text" name="delofficeid" id="delofficeid" hidden>
                </div>
                <div class="inputbox">
                    <label for="deladdress">Address: </label>
                    <input type="text" name="deladdress" id="deladdress" disabled>
                </div>
                <div class="inputbox">
                    <label for="deleircode">Eircode: </label>
                    <input type="text" name="deleircode" id="deleircode"
                        title="Enter Eircode"
                        pattern="^[A-Za-z][0-9]{2}[A-Za-z0-9]{4}$"
                        disabled>
                </div>
                <div class="inputbox">
                    <label for="dellocation">Location: </label>
                    <input type="text" name="dellocation" id="dellocation"
                        title="Enter location..."
                        pattern="[A-Za-z\s\.,,]+"
                        disabled>
                </div>
                <div class="inputbox">
                    <label for="delfloor">Floor: </label>
                    <input type="number" name="delfloor" id="delfloor"
                        title="Enter floor number..."
                        min="1"
                        disabled>
                </div>
            </div>

```

```

        <div class="inputbox">
            <label for="delownershiptype">Ownership Type: </label>
            <input type="text" name="delownershiptype" id=
"delownershiptype"
                title="Ownership"
                disabled>
        </div>
        <div class="inputbox">
            <label for="delviewingtime">Viewing Time: </label>
            <input type="text" name="delviewingtime" id="delviewingtime"
disabled>
        </div>
    </div>

    <div class="form-actions">
        <input type="reset" name="cancel" value="Cancel">
        <input type="submit" value="Delete Office Property" name="submit"
onclick="confirmCheck(event)">
    </div>
</fieldset>
</div>
</div>
</form>
</div>

<?php
    // End of session
    session_destroy();
?>

</body>
</html>

```

DeleteOffice.php

```
<!-- Name: Oyindamola Olaosun -->
<!-- Student ID: C00313475 -->
<!-- Delete Office Property php file interacts with the database as it executes on the sever -->

<?php
// Session -> super global variable used to store information on a user to be used
// across multiple pages. A user is assigned a session-id e.g login credentials

    session_start();
    echo "Confirmation of Deletion <br>";
?>

<?php
    include 'db.inc.php';

    //Soft delete the Office record
    $sql = "UPDATE Office SET Dflag = 1 WHERE OfficeID = '" . $_POST['delofficeid'] . "'";

    // Error Handling
    if(!mysqli_query($con, $sql)){
        header("Location: ShowOfficeDelete.html.php?status=error");
        exit();
    }

    if(mysqli_affected_rows($con) == 0){
        header("Location: ShowOfficeDelete.html.php?status=nochange");
        exit();
    }

    //Checking if any bids exist for this OfficeID
    $checkBids = "SELECT * FROM Bid WHERE OfficeID = '" . $_POST['delofficeid'] . "' AND Dflag = 0";

    $result = mysqli_query($con, $checkBids);

    if(!$result){
        header("Location: ShowOfficeDelete.html.php?status=error");
        exit();
    }

    $rowcount = mysqli_num_rows($result);
```

```

//if bids exist, soft delete too
if($rowcount > 0){
    $sql2 = "UPDATE Bid SET Dflag = 1 WHERE OfficeID = '". $_POST['delofficeid']."'";

    if(!mysqli_query($con, $sql2)){
        header("Location: ShowOfficeDelete.html.php?status=error");
        exit();
    }

    $propertyId = mysqli_insert_id($con);
    //Show confirmation message

    header("Location: ShowOfficeDelete.html.php?status=success&propertyID=" . $propertyId);
    exit();

}

// Confirmation that data has been added
$_SESSION['officeid'] = $_POST['delofficeid'];
$_SESSION['address'] = $_POST['deladdress'];
$_SESSION['eircode'] = $_POST['deleircode'];
$_SESSION['location'] = $_POST['dellocation'];
$_SESSION['floor'] = $_POST['delfloor'];
$_SESSION['area'] = $_POST['delarea'];
$_SESSION['askingprice'] = $_POST['delaskingprice'];
$_SESSION['tel'] = $_POST['deltel'];
$_SESSION['reception'] = $_POST['delreception'];
$_SESSION['layout'] = $_POST['dellayout'];
$_SESSION['internet'] = $_POST['delinternet'];
$_SESSION['access'] = $_POST['delaccess'];
$_SESSION['security'] = $_POST['delsecurity'];
$_SESSION['canteen'] = $_POST['delcanteen'];
$_SESSION['ownershipstype'] = $_POST['delownershipstype'];
$_SESSION['viewingtime'] = $_POST['delviewingtime'];

header("Location: ShowOfficeDelete.html.php?status=success&officeid=" . $_POST['delofficeid'].
"&bidsdeleted=" . $rowcount);

mysqli_close($con);
?>

```



PROPERTY MAINTENANCE

Add a New Office Property

Delete an Office Property

Amend/View an Office Property

Exit

Delete Office Property
Please select a person and then click the delete button

--Office List--

Office Details

Address:

Layout:

Eircode:

Internet:

Location:

Access:

Floor:

Security:

Area: m²

Canteen:

Asking Price:

Ownership Type:

Tel:

Viewing Time:

Reception:

Status:

Cancel
Delete Office Property

AI Disclosure

Project

AI Disclosure Document

Student Name:	Oyindamola Olaosun
Student ID:	C00313475
Course Name	Web Programming & Databases
Project Title	Auctioneers
Code Unit	Add Screen
Date Submitted:	26 th March, 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

- ☒ No, I did not use any AI tools.
- ☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)
- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

- ☐ Yes, I made modifications. (Explain what was changed and why.)
- ☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Report Screen

Code Layout

Bid Report

BidReport.php

```
<!-- Name of the screen: Bid Report -->
<!--Purpose of screen: Displays the Bid Report, given the option to show in reverse date order (Frontend)
<!--Student ID: C00313475 -->
<!--Student Name: Oyindamola Olaosun -->
<!-- Date Written: 19th March, 2026 -->

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Bid Report</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <?php
        include 'db.inc.php';
        // sets the default timezone used by all date/time functions in the script
        date_default_timezone_set('UTC');
    ?>

    <div class="card">
        <div class="content__top">
            <h2>Bid Report</h2>
        </div>

        <div class="layout">
            <!-- Menu Bar -->
            <aside class="sidebar">
                <div class="brand-side">
                    
                </div>
                <nav>
                    <div class="side-title">Property Maintenance</div>
                    <ul class="side-menu">
                        <li><a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/Add Office Property/AddOffice.html.php" ><i class="fa-solid fa-building"></i><span>Add a New Office Property</span></a></li>
                        <li><a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/Delete Office Property/ShowOfficeDelete.html.php" ><i class="fa-solid fa-trash"></i><span>Delete an Office Property</span></a></li>
                        <li><a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Office/AmendView Office Property/AmendViewOffice.html.php" ><i class="fa-solid fa-pen-to-square"></i><span>Amend/View an Office Property</span></a></li>
                        <li class="danger"><a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Main Screens/home.html" ><i class="fa-solid fa-house"></i><span>Exit</span></a></li>
                    </ul>
                </nav>
            </aside>
```

```

<!-- Property Type Selection Panel - dark panel (first-of-type) -->
<div class="land-panel">
  <form action="BidReport.php" method="post" name="reportForm">
    <div class="inputbox">
      <label for="propertyType">Select Property Type: </label>
      <select name="propertyType" id="propertyType" required>
        <option value="">---Choose Property Type---</option>
        <option value="Office">Office</option>
        <option value="Residential">Residential</option>
        <option value="Land">Land</option>
      </select>
    </div>
    <div class="form-actions">
      <input type="submit" value="Generate Bid Report">
    </div>
  </form>
</div>

<!-- Report Results Panel -->
<div class="land-panel">
  <?php
    if(isset($_POST['propertyType']) && $_POST['propertyType'] != ""){
      $type = $_POST['propertyType'];

      // SQL 1 - Get all properties of chosen type that are for sale
      $propertySql = "SELECT * FROM $type WHERE Dflag = 0 AND Status = 'For Sale'";

      $resultProperty = mysqli_query($con, $propertySql);

      if(!$resultProperty){
        die("Error retrieving properties: " . mysqli_error($con));
      }

      echo "<h3>Bid Report for $type Properties - Latest Bids First</h3>";

      // report-table
      echo "<table class='report-table'>
        <tr>
          <th>Property Number</th>
          <th>Address</th>
          <th>Client Number</th>
          <th>Client Name</th>
          <th>Bid Amount</th>
          <th>Bid Date</th>
          <th>Select</th>
        </tr>";

```

```

// Loop through each property
while($rowProperty = mysqli_fetch_array($resultProperty)){
  if($type == "Office"){
    $propertyID = $rowProperty['OfficeID'];
    $idColumn = "OfficeID";
  }
  else if($type == "Residential"){
    $propertyID = $rowProperty['ResidentialID'];
    $idColumn = "ResidentialID";
  }
  else{
    $propertyID = $rowProperty['LandID'];
    $idColumn = "LandID";
  }

  $address = $rowProperty['Address'];

  // SQL 2 - Get all bids for this property in reverse date order
  $sqlBid = "SELECT * FROM Bid
    WHERE $idColumn = '$propertyID'
    AND Dflag = 0
    ORDER BY BidDate DESC";

  $resultBid = mysqli_query($con, $sqlBid);

  if(!$resultBid){
    die("Error retrieving bids: " . mysqli_error($con));
  }
}

```

```

// Loop through each bid for this property
while($rowBid = mysqli_fetch_array($resultBid)){
    // SQL 3 - Get client details for this bid
    $sqlClient = "SELECT * FROM Client WHERE ClientID = '". $rowBid[
'ClientID']."'";

    $resultClient = mysqli_query($con, $sqlClient);
    if(!$resultClient){
        die("Error retrieving client: " . mysqli_error($con));
    }
    $rowClient = mysqli_fetch_array($resultClient);

    // Format date
    $date = date_create($rowBid['BidDate']);
    $FDate = date_format($date, "d/m/Y");
    //Escaping apostrophe in the name e.g Michael O'Hanlon
    $clientName = htmlspecialchars($rowClient['Name'], ENT_QUOTES);
    echo "<tr>
        <td>".$propertyID."</td>
        <td>".$address."</td>
        <td>".$rowBid['ClientID']."</td>
        <td>".$rowClient['Name']."</td>
        <td>€".$rowBid['BidAmount']."</td>
        <td>".$FDate."</td>
        <td>
            <input type='radio' name='selectedBid'
            value='". $rowBid['BidID']."'|". $rowBid['ClientID']."'|".
$clientName."|". $rowClient['Email']."'|". $rowClient['Phone']."'
            onclick='storeBid(this.value)''>
        </td>
    </tr>";
}

echo "</table>";

```

```

// sort-actions and sort-btn classes from CSS
echo "<br>";
echo "<div class='form-actions sort-actions'>
    <input type='button' class='sort-btn' value='Client Information' onclick='showClientInfo()'>
</div>";
}
?>
</div>
</div>
</div>
</div>
<script>
    var selectedBidData = "";

    // Store the selected bid data from radio button
    function storeBid(value){
        selectedBidData = value;
    }

    // Show client info in a popup window
    function showClientInfo(){
        if(selectedBidData === ""){
            alert("Please select a bid first.");
            return;
        }

        var details = selectedBidData.split('|');
        var bidID = details[0];
        var clientID = details[1];

```

```

var details = selectedBidData.split('|');
var bidID = details[0];
var clientID = details[1];
var name = details[2];
var email = details[3];
var phone = details[4];

//A browser trick to decode HTML entities back to normal characters
var txt = document.createElement("textarea");
txt.innerHTML = name;
name = txt.value;

// Opens a popup window with client details
var popup = window.open("", "Client Information", "width=400,height=300");
popup.document.write("<h2>Client Information</h2>");
popup.document.write("<p><strong>Client ID:</strong> " + clientID + "</p>");
popup.document.write("<p><strong>Name:</strong> " + name + "</p>");
popup.document.write("<p><strong>Email:</strong> " + email + "</p>");
popup.document.write("<p><strong>Phone:</strong> " + phone + "</p>");
popup.document.write("<br><input type='button' value='Close' onclick='window.close()'>");
}
</script>

</body>
</html>

```

Bid Report



PROPERTY MAINTENANCE

Add a New Office Property

Delete an Office Property

Amend/View an Office Property

Exit

Select Property Type:


—Choose Property Type—

Generate Bid Report

Bid Report for Office Properties - Latest Bids First

Property Number	Address	Client Number	Client Name	Bid Amount	Bid Date	Select
1	Croke Park, Dublin 3	1	John Murphy	€23500	19/03/2026	☐

Client Information



AI Disclosure

Project

AI Disclosure Document

Student Name: Oyindamola Olaosun
Student ID: C00313475
Course Name Web Programming & Databases
Project Title Auctioneers
Code Unit Add Screen
Date Submitted: 26th March 2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☐ No, I did not use any AI tools.

☒ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codium, Google Bard, etc.)

- Claude

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools

User first chooses property type (foreign keys) residential, office, land. Using \$type = \$POST[****] // land or office or res

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

- **Code Suggestions & Auto-Completion:** (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)
- **Debugging & Error Fixing:** (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)
No Bids exist for properties found
- **Concept Explanation:** (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)
- **Optimization & Efficiency Improvements:** (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)
- **Other (Specify):**

Use of AI-Generated Output

Describe how you used the AI-generated output in your work

Fix the output issue

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☒ No, I used AI-generated content as is. (Explain why you did not modify it.

- It met the requirements

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Joseph Lalor – Screens

Shared Files

Client info.php

<!--

Creator: Joseph Lalor

Date: 26/03/2026

Student Number: c00312883

Title: client_info.php

Purpose: A PHP file for generating a client details window for the Office Property Report-
->

<?php

include 'db.inc.php'; // your database connection file

\$id = mysqli_real_escape_string(\$con, \$_GET['id']); // sanitise the id passed via GET to
prevent SQL injection

\$sql = "SELECT * FROM Client WHERE ClientID = '\$id'"; // adjust table/column names

\$result = mysqli_query(\$con, \$sql);

\$client = mysqli_fetch_array(\$result); // fetch the matching client row as an array

if (!\$client) { // if no client was found, display message and stop execution

 echo "No client found.";

 exit;

}

?>

<!DOCTYPE html>

<html>

```

<head>

    <title>Client Information</title>

    <link rel="stylesheet" type="text/css" href="style.css">

</head>

<body>

    <h2>Client Information</h2>

    <table> <!--table displays each client field as a row with a label and value-->

        <tr><th>Field</th><th>Value</th></tr>

        <tr><td>Client ID</td><td><?= $client['ClientID'] ?></td></tr>

        <tr><td>Name</td><td><?= $client['Name'] ?></td></tr>

        <tr><td>Address</td><td><?= $client['Address'] ?></td></tr>

        <tr><td>Phone</td><td><?= $client['Phone'] ?></td></tr>

        <tr><td>Eircode</td><td><?= $client['Eircode'] ?></td></tr>

    </table>

</body>

</html>

```

Db.inc.php

```

<!--

Creator: Joseph Lalor

Date: 05/02/2026

Student Number: c00312883

Title: db.inc.php

Purpose: Setup connection to database -->

<html>

<body>

<?php

```

```

$hostname = "localhost";
$username="bidmaster";
$password="Auct10nRul3$";
$dbname="Auctioneers";

$con = mysqli_connect ($hostname, $username, $password, $dbname); //connect to
db

if (!$con) //error handling
{
    die ("Failed to connect to MySQL: ". mysqli_connect_error()); //display connection
error and stop execution
}

?>

</body>

</html>

```

Listbox.php

<!-- Created by: Joseph Lalor

Date: 26/01/2026

Student Number: c00312883

Title: listbox.php

Purpose: A PHP file for generating a listbox of Residential Properties-->

<?php

include "db.inc.php"; // database connection

date_default_timezone_set('UTC'); // Set the default timezone to UTC

// select all non-deleted residential properties from the database

\$sql = "SELECT ResidentialID, Status, Address, AskingPrice, Location, ViewingTime,

Eircode, NumBathrooms, NumBedrooms, Site, Notes, Area, Type, HeatingType,
NumLevels, NumReception,

ClientID FROM Residential WHERE DFlag = 0";

```
if (!$result = mysqli_query($con, $sql)) { //error handling
    die('Error in querying the database' . mysqli_error($con));
}
```

```
// Create HTML select element (listbox) to display all properties
```

```
// onclick calls populate() in the parent page to fill the form fields with the selected
property's data
```

```
echo "<br><select name='listbox' id='listbox' onclick='populate()'>";
```

```
// Loop through each row returned from the database
```

```
while ($row = mysqli_fetch_array($result)) {
```

```
    $status = $row['Status'];
```

```
    $address = $row['Address'];
```

```
    $askingprice = $row['AskingPrice'];
```

```
    $location = $row['Location'];
```

```
    $viewingtime = $row['ViewingTime'];
```

```
    $eircode = $row['Eircode'];
```

```
    $bath = $row['NumBathrooms'];
```

```
    $bed = $row['NumBedrooms'];
```

```
    $site = $row['Site'];
```

```
    $notes = $row['Notes'];
```

```
    $area = $row['Area'];
```

```
    $type = $row['Type'];
```

```
    $heating = $row['HeatingType'];
```

```
    $levels = $row['NumLevels'];
```

```

$recept = $row['NumReception'];

$client = $row['ClientID'];

$id = $row['ResidentialID'];

// all fields are packed into a single slash-delimited string as the option value

// this allows populate() to split and assign each field without additional queries

$fulltext =
"$status/$address/$askingprice/$location/$viewingtime/$eircode/$bath/$bed/$site/$notes/$area/$type/$heating/$levels/$recept/$client/$id";

    echo "<option value='$fulltext'$address</option>"; // display address as the visible
    label
}

echo "</select>";

?>

```

Sidebar.html.php

<!--Created by: Joseph Lalor

Date: 09/03/2026

Student Number: c00312883

Title: sidebar.html.php

Purpose: A HTML/PHP file to create the sidebar menu in html files, to avoid repetition

-->

```

<aside class="sidebar">

    <div class="brand-side">

         <!--company logo
        displayed at the top of the sidebar-->

    </div>

    <nav>

```

```
<div class="side-title">Property Maintenance</div>
```

```
<ul class="side-menu">
```

```
  <li><a class="side-menu__link" href="resPropAdd.html.php"><i class="fa-solid fa-house"></i><span>Add a New Residential Property</span></a></li>
```

```
  <li><a class="side-menu__link" href="resPropDelete.html.php"><i class="fa-solid fa-trash"></i><span>Delete a Residential Property</span></a></li>
```

```
  <li><a class="side-menu__link" href="resPropAmendView.html.php"><i class="fa-solid fa-pen-to-square"></i><span>Amend/View a Residential Property</span></a></li>
```

```
  <li class="danger"><a class="side-menu__link" href="https://c2p-auctioneers26.candept.com/Main%20Screens/property.html"><i class="fa-solid fa-house"></i><span>Exit</span></a></li> <!--exit link styled in red as a danger action-->
```

```
</ul>
```

```
</nav>
```

```
</aside>
```

Style.css

/* Created by: Joseph Lalor, Ammar Salah, Oyindamola Olaosun, Ismael Charaf Megrini

Date: 26/01/2026

Student Number: c00312883

Title: style.css

Purpose: A CSS file for styling other files*/

*,

*::before,

*::after { box-sizing: border-box; }

html, body { height: 100%; }

```

body{
  margin:0;

  font-family:system-ui,-apple-system,Segoe UI,Roboto,Arial,sans-serif;

  background:#f5f7fb;

  color:#0f172a;

  line-height:1.4;
}

/* Highlight the first panel (client select) */
.land-panel:first-child{
  background:#0b1220;

  border-color:#818cf8;
}


/* Card */
.card{
  width:min(1200px,96vw);

  margin:28px auto;

  background:#fff;

  border:1px solid #e5e7eb;

  border-radius:14px;

  box-shadow:0 12px 30px rgba(15,23,42,.08);

  overflow:hidden;
}


.content__top{
  padding:20px 22px;

  border-bottom:1px solid #e5e7eb;
}

```

```
background:linear-gradient(180deg,#fff,#fbfcff);  
}
```

```
.content__top h2{ margin:0; font-size:1.25rem; }
```

```
/* Layout */
```

```
.layout{  
  display:grid;  
  grid-template-columns:260px 1fr;  
  min-height:640px;  
}
```

```
/* Sidebar */
```

```
.sidebar{  
  border-right:1px solid #e5e7eb;  
  background:#0b1220;  
  color:#e5e7eb;  
  padding:16px 14px;  
}
```

```
.brand-side{  
  display:flex;  
  align-items:center;  
  justify-content:center;  
  padding:10px 8px 16px;  
}
```

```
.brand-side__logo{ width:140px; max-width:100%; height:auto; }
```

```
.side-title{  
  margin:10px 8px 12px;  
  font-size:.85rem;  
  color:#cbd5e1;  
  text-transform:uppercase;  
  letter-spacing:.08em;  
}
```

```
.side-menu{  
  list-style:none;  
  padding:0;  
  margin:0;  
  display:grid;  
  gap:10px;  
}
```

```
.side-divider{  
  height:1px;  
  background:rgba(226,232,240,.18);  
  margin:10px 6px;  
}
```

```
.side-menu__link{  
  display:flex;  
  align-items:center;  
  gap:10px;  
  padding:10px;
```

```

border-radius:10px;
color:#e5e7eb;
text-decoration:none;
}

.side-menu__link:hover{ background:rgba(148,163,184,.16); }

.side-menu__link.is-active{
background:rgba(30,58,138,.22);
outline:1px solid rgba(30,58,138,.35);
}

li.danger .side-menu__link{
margin-top:10px;
background:rgba(239,68,68,.12);
outline:1px solid rgba(239,68,68,.25);
}

/* Main content */
.grid{ padding:18px; background:#fbfdff; }

.grid .panel:first-child{
max-width:420px;
margin:0 auto 14px;
}

.panel{
background:#fff;

```

```

border:1px solid #e5e7eb;

border-radius:12px;

padding:16px;

box-shadow:0 8px 22px rgba(15,23,42,.04);

margin-bottom:14px;
}

/* Land Details box */
fieldset{

border:2px solid #0b1220;

border-radius:12px;

padding:14px;
}

legend{ padding:0 10px; color:#0b1220; font-weight:700; }

/* Two columns */
.two-col{

display:grid;

grid-template-columns:1fr 1fr;

gap:20px;
}

/* Form controls */
.inputbox{

display:grid;

gap:6px;      /* space between label and input */

margin-bottom:18px; /* space between fields */

```

```
}
```

```
label{ font-size:.9rem; color:#334155; font-weight:700; }
```

```
.required{ color:#ef4444; }
```

```
input[type="text"],
```

```
input[type="number"],
```

```
select,
```

```
textarea{
```

```
  width:100%;
```

```
  padding:11px 12px;
```

```
  border:1px solid #e5e7eb;
```

```
  border-radius:10px;
```

```
  background:#fff;
```

```
  color:#0f172a;
```

```
  outline:none;
```

```
  min-width:0;
```

```
}
```

```
input:focus,
```

```
select:focus,
```

```
textarea:focus{
```

```
  border-color:rgba(30,58,138,.8);
```

```
  box-shadow:0 0 4px rgba(30,58,138,.12);
```

```
}
```

```
textarea{ resize:none; min-height:90px; }
```

```
/* Disabled fields */  
input:disabled,  
select:disabled,  
textarea:disabled{  
    background:#f1f5f9;  
    color:#64748b;  
    border-color:#e2e8f0;  
    cursor:not-allowed;  
}
```

```
/* Buttons */  
.form-actions{  
    display:flex;  
    gap:10px;  
    justify-content:center;  
    padding-top:12px;  
}
```

```
input[type="submit"],  
input[type="reset"], input[type="button"]{  
    border:1px solid #e5e7eb;  
    border-radius:10px;  
    padding:10px 14px;  
    cursor:pointer;  
    font-weight:800;  
    transition:all 0.2s ease;  
}
```

```
/* Submit base */
```

```
input[type="submit"]{  
    background:#0b1220;  
    border-color:rgba(30,58,138,.8);  
    color:#fff;  
}
```

```
/* Reset base */
```

```
input[type="reset"], input[type="button"]{  
    background:#fff;  
    color:#0f172a;  
}
```

```
/* Hover ONLY when enabled */
```

```
input[type="submit"]:not(:disabled):hover{  
    background:#1e3a8a;  
    border-color:#1e3a8a;  
}
```

```
input[type="reset"]:not(:disabled):hover, input[type="button"]:not(:disabled):hover{  
    background:#374151;  
    border-color:#374151;  
    color:#fff;  
}
```

```
/* Disabled buttons (grey + no hover) */
```

```
input[type="submit"]:disabled,
```

```
input[type="reset"]:disabled, input[type="button"]:disabled{  
    background:#e5e7eb;  
    color:#9ca3af;  
    border-color:#e5e7eb;  
    cursor:not-allowed;  
    box-shadow:none;  
    transform:none;  
}
```

```
table {  
    border-collapse: collapse; /* prevents double borders between cells */  
}
```

```
td, th {  
    border: 1px solid black;  
    border-radius: 1px;  
    padding: 8px; /* helps visibility */  
}
```

```
tr:hover td,  
tr:hover th {  
    background-color: #64748b;  
}
```

Add Residential Property

Add a New Residential Property

Please select a client and then enter the details of a new residential property



PROPERTY MAINTENANCE

Add a New Residential Property

Delete a Residential Property

Amend/View a Residential Property

Exit

Residential Property Details

Client:
-- Select a client --

***Please select a client**

Property type:
Semi Detached

Area of house in meters squared:

Address:

Heating:
OFCH

Eircode:

Site:

Location:
Notes on location

Notes:

Number of Levels:

Number of Reception Rooms:

Number of Bedrooms:

Number of Bathrooms:

Asking price:

Viewing Times:
Select viewing time

Submit Reset

ResPropAdd.html.php

<!-- Created by: Joseph Lalor

Date: 26/01/2026

Student Number: c00312883

Title: resPropAdd.html.php

Purpose: A PHP/HTML form for entering a new Residential Property-->

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Add a New Residential Property</title> <!--title-->

<link rel="stylesheet" href="style.css" /> <!--stylesheet connection-->

<script src="resPropAdd.js"></script> <!--error detecting javascript-->

</head>

<body>

<div class="card"> <!--class for styling purposes-->

    <header class="content__top"> <!--header css class-->

        <h1>Add a New Residential Property</h1>

    </header>


    <form action="resPropAdd.php" method="Post" onsubmit="return validate()"> <!--
post method used to add to database and submission validation using javascript-->


    <div class="layout"> <!--class for styling purposes-->


        <div id="menu"><?php include 'sidebar.html.php'; ?></div> <!--sidebar styling
class and adding php sidebar-->


        <div class="grid"> <!--sets up styling grid as in css-->

            <h4>Please select a client and then enter the details of a new residential
property</h4>

            <!--here we connect to database to get a result set of all clients by name and
clientid with error handling-->

            <?php
            include 'db.inc.php';

            $sql = mysqli_query($con, "SELECT Name, ClientID FROM Client");

            if (!$sql) {

                die("Query failed: " . mysqli_error($con));

```

```
}  
?>
```

```
<div class="panel"> <!--panel class from css-->  
  
  <fieldset>  
  
    <legend>Residential Property Details</legend> <!--top label of fieldset-->  
  
    <label for="client">Client:</label><br> <!--client select box label-->  
  
    <select name="client" id="client">  
  
      <option value="">-- Select a client --</option> <!--default option-->  
  
      <!--this php section lists out all clients in a drop down select box, using the  
previous results set-->  
  
        <?php while ($row = mysqli_fetch_assoc($sql)) {?>  
  
          <option value="<?= htmlspecialchars($row['ClientID']) ?>">  
  
            <?= htmlspecialchars($row['Name']) ?> <!--htmlspecialchars prevents XSS by  
encoding special characters-->  
  
          </option>  
  
        <?php } ?>  
  
      </select><br>  
  
    <div id="clienterrmsg"></div> <!--target for javascript client validation error  
message-->
```

```
<div class="two-col"> <!--two column css styling tag-->  
  
  <div class="col"> <!--column one-->  
  
    <label for="proptype">Property type: </label><br> <!--a select box giving  
each property type-->  
  
    <select name="proptype" id="proptype" required>  
  
      <option value="semidetached">Semi Detached</option>  
  
      <option value="terraced">Terraced</option>
```

```

<option value="detached">Detached</option>
<option value="apartment">Apartment</option>
<option value="mews">Mews</option>
</select><br>

```

```

<label for="address">Address:</label><br> <!--address entry-->

<input type="text" id="address" name="address" pattern="^[,a-zA-Z\d ]+$"
required oninvalid="this.setCustomValidity('Please only use alphabetic
characters')"
oninput="this.setCustomValidity('')>maxlength="100"><br> <!--pattern can
use any alphabet character, digit, comma or space. Warning message custom made if
incorrect input detected-->

```

```

<label for="eircode">Eircode:</label><br> <!--eircode entry-->

<input type="text" id="eircode" name="eircode" required pattern="^[A-
Z]{1}[\d]{2}[ ]?[A-Z\d]{4}$"
required oninvalid="this.setCustomValidity('Please enter a valid Eircode')"
oninput="this.setCustomValidity('')><br> <!--pattern allows one capital
letter, two digits, then an optional space, then any combination of digits and/or capital
letters. Custom error message-->

```

```

<label for="location">Location:</label><br> <!--location entry-->

<input type="text" id="location" name="location" placeholder="Notes on
location" maxlength="100"><br> <!--optional extra in case of hard to find location-->

```

```

<label for="levels">Number of Levels:</label><br> <!--number of levels
entry-->

<input type="number" id="levels" name="levels" required pattern="^[\\d]+$"
min="1" max="10"
oninvalid="this.setCustomValidity('Please enter a number between 1 and
10')>

```

oninput="this.setCustomValidity('')">
 <!--pattern allows any digit to be entered. minimum value is 1 and maximum value is 100. custom error messages-->

<label for="receptrooms">Number of Reception Rooms:</label>
 <!--number of reception rooms entry-->

<input type="number" id="receptrooms" name="receptrooms" required pattern="^[\\d]+\$" min="0"

max="10" oninvalid="this.setCustomValidity('Please enter a number between 0 and 10')"

oninput="this.setCustomValidity('')">
 <!--pattern allows any digit to be entered. minimum value is 0 and maximum value is 100. custom error messages-->

<label for="bedrooms">Number of Bedrooms:</label>
 <!--number of bedrooms entry-->

<input type="number" id="bedrooms" name="bedrooms" required pattern="^[\\d]+\$" min="1"

max="50" oninvalid="this.setCustomValidity('Please enter a number between 1 and 50')"

oninput="this.setCustomValidity('')">
 <!--pattern allows any digit to be entered. minimum value is 1 and maximum value is 100. custom error messages-->

<label for="bathrooms">Number of Bathrooms:</label>
 <!--number of bathrooms entry-->

<input type="number" id="bathrooms" name="bathrooms" required pattern="^[\\d]+\$" min="0" max="50"

oninvalid="this.setCustomValidity('Please enter a number between 0 and 50')"

oninput="this.setCustomValidity('')">
 <!--pattern allows any digit to be entered. minimum value is 0 and maximum value is 100. custom error messages-->

</div>

```

<div class="col"> <!--column two of css-->

    <label for="area">Area of house in meters squared:</label><br> <!--area of
house entry-->

    <input type="number" id="area" name="area" required pattern="^[\\d]+$"
min="10" max="10000"

    oninvalid="this.setCustomValidity('Please enter a number between 10m and
10000m')"

    oninput="this.setCustomValidity('')"><br> <!--pattern allows any digit entry.
minimum value is 10-->

```

```

<label for="heating">Heating: </label><br> <!--heating label-->

<select name="heating" id="heating" required> <!--heating select box-->

    <option value="OFCH">OFCH</option>

    <option value="GFCH">GFCH</option>

    <option value="SFCH">SFCH</option>

    <option value="ECH">ECH</option>

    <option value="other">Other</option>

    <option value="none">None</option>

</select><br>

```

```

<label for="site">Site: </label><br> <!--site textarea label-->

<textarea name="site" rows="5" cols="30" required placeholder="Size,
gardens, driveway, etc" maxlength="255">

</textarea><br> <!--site entry-->

```

```

<label for="notes">Notes: </label><br> <!--notes textarea label-->

<textarea name="notes" rows="5" cols="30" placeholder="E.G. Exceptional
condition, beautiful view, landscaped gardens" maxlength="255">

</textarea><br> <!--notes entry-->

```

```

        <label for="askingprice">Asking price:</label><br> <!--asking price entry-->

        <input type="number" id="askingprice" name="askingprice" required
pattern="^[\\d, ]+$" min="1000"

        oninvalid="this.setCustomValidity('Please enter a number greater than
1000')"

        oninput="this.setCustomValidity('')" maxlength="100"><br> <!--pattern
allows any digit, space or comma. minimum value is 1000. custom error values-->

```

```

        <label for="vtimes">Viewing Times: </label><br> <!--viewing times label-->

        <select id="vtimes" name="vtimes"> <!--viewing times entry-->

            <option value="">Select viewing time</option>

            <option value="monday">Monday (9am – 5pm)</option>

            <option value="tuesday">Tuesday (9am – 5pm)</option>

            <option value="wednesday">Wednesday (9am – 5pm)</option>

            <option value="thursday">Thursday (9am – 5pm)</option>

            <option value="friday">Friday (9am – 5pm)</option>

            <option value="weekend">Weekends (5pm – 8pm)</option>

        </select>

        <br>

    </div>

</div>

```

```

    <div class="form-actions"> <!--css class for styling-->

        <input type="submit" value="Submit"> <!--submit button-->

        <input type="reset" value="Reset"> <!--reset button-->

    </div>

</fieldset>

</div>

</div>

```

</div>

</div>

</form>

</body>

</html>

resPropAdd.php

<!--

Creator: Joseph Lalor

Date: 05/02/2026

Student Number: c00312883

Title: resPropAdd.php

Purpose: Send details of form down to database -->

<?php

include 'db.inc.php'; //connect to database

//SQL statement to add each field to the database using tags from html

// Status is hardcoded to 'For Sale' as all newly added properties start at this status

\$sql = "Insert into Residential (Status, Address, AskingPrice, Location, ViewingTime,

Eircode, NumBathrooms, NumBedrooms, Site, Notes, Area, Type, HeatingType,
NumLevels, NumReception,

ClientID) VALUES ('For Sale', '\$_POST[address]', '\$_POST[askingprice]',
\$_POST[location],

\$_POST[vtimes], \$_POST[eircode], \$_POST[bathrooms], \$_POST[bedrooms],

\$_POST[site], \$_POST[notes], \$_POST[area], \$_POST[proptype],
\$_POST[heating],

```

        '$_POST[levels]', '$_POST[receptrooms]', '$_POST[client]');"

if (!mysqli_query($con, $sql)) {    //error handling - if there's an error report here
    die ("An Error in the SQL Query: ". mysqli_error($con));
}

include 'resPropAdd.html.php'; // reload the add form so the user can add another
property if needed

echo "<br>A record has been added for ". $_POST['address'] . "<br>"; //say record
address

mysqli_close($con); //close connection

?>

```

resPropAdd.js

/*Created by: Joseph Lalor

Date: 26/01/2026

Student Number: c00312883

Title: resPropAdd.js

Purpose: A Javascript file to check the validity of the form, checking if a client has been selected

*/

```

document.addEventListener("DOMContentLoaded", function() {

    document.addEventListener("blur", function(e) {

        validateClientSelection(); // runs validation to check if a cleint is selected whenever
user clicks off

    });

});

// checks that the user has selected a client from the dropdown before submitting

```

```

function validateClientSelection()
{
    var client = document.getElementById("client"); //client selectbox tag

    var clientSelected; //client selection check

    clientSelected = client.options[client.selectedIndex].value; //assigns currently
selected value to clientSelected variable

    if (clientSelected == "") //if empty return false
    {
        document.getElementById("clienterrmsg").style.color = "red"; // make error
message red

        document.getElementById("clienterrmsg").innerHTML = "**Please select a
client";

        return false;
    }
    else //else allow adding record
    {
        document.getElementById("clienterrmsg").innerHTML = ""; // clear any previous
error message

        return true;
    }
}

// main validation function called on form submit

// runs client check first, then asks for confirmation before allowing submission
function validate() {
    if (!validateClientSelection()) {
        return false; // stop submission if no client selected
    }
}

```

```
var response = confirm('Are you sure you want to add this record?');

if (response) {
    alert("Adding record...");
    return true; // allow form to submit
} else {
    return false; // user cancelled, prevent submission
}
}
```

Delete Residential Property

Delete a Person



PROPERTY MAINTENANCE

Add a New Residential Property

Delete a Residential Property

Amend/View a Residential Property

Exit

Please select a property and then click the delete button

Residential Property Details

6 Sandhills, Carlow Apt 32

Client:
-- Select a client --

Property type:
For Sale

Property type:
Semi Detached

Address:

Eircode:

Location:
Notes on location

Number of Levels:

Number of Reception Rooms:

Number of Bedrooms:

Number of Bathrooms:

Area of house in meters squared:

Heating:
OFCH

Site:

Notes:

Asking price:

Viewing Times:
Select viewing time

Delete the record

resPropDelete.html.php

<!-- Created by: Joseph Lalor

Date: 27/01/2026

Student Number: c00312883

Title: resPropDelete.html.php

Purpose: A PHP/HTML file for deleting a Residential Property record-->

<?php session_start(); //start session to access session variables

?>

Page 131 of 234

```

<html>

<head>

    <!-- Link to the external CSS stylesheet for styling -->

    <link rel="stylesheet" type="text/css" href="style.css">

    <title>Delete a Residential Property</title> <!--title-->

</head>

<body>

<script>

// This function gets the selected value from the listbox,
// splits it into an array, and populates the form fields
function populate()
{
    var sel = document.getElementById("listbox"); // Get the listbox element
    var result;

    result = sel.options[sel.selectedIndex].value; // Get the selected option's value

    var personDetails = result.split('/');    // Split the value into an array using comma
    delimiter

    document.getElementById("status").value = personDetails[0];    // Assign person
    ID

    document.getElementById("address").value = personDetails[1];    // Assign first
    name

    document.getElementById("askingprice").value = personDetails[2];    // Assign last
    name

    document.getElementById("location").value = personDetails[3];    // Assign date of
    birth

    document.getElementById("viewingtime").value = personDetails[4];    // Assign email
    (Task 2 addition)

```

```

    document.getElementById("eircode").value = personDetails[5];    // Assign phone
(Task 2 addition)

    document.getElementById("bath").value = personDetails[6];
    document.getElementById("bed").value = personDetails[7];
    document.getElementById("site").value = personDetails[8];
    document.getElementById("notes").value = personDetails[9];
    document.getElementById("area").value = personDetails[10];
    document.getElementById("type").value = personDetails[11];
    document.getElementById("heating").value = personDetails[12];
    document.getElementById("levels").value = personDetails[13];
    document.getElementById("recept").value = personDetails[14];
    document.getElementById("client").value = personDetails[15];

    document.getElementById("id").value = personDetails[16]; // hidden field stores the
ResidentialID passed to the delete query

    document.querySelector('input[type="submit"]').disabled = false; // enable the delete
button once a property is selected
}

```

// This function confirms the user wants to save changes before submitting

```

function confirmCheck()
{
    var response;

    response = confirm('Are you sure you want to delete this record?');
    if (response) // If user clicks OK
    {
        // Enable all fields so their values are included in the form submission
        // disabled fields are not submitted with the form by default

        document.getElementById("status").disabled = false;
        document.getElementById("address").disabled = false;
    }
}

```

```

document.getElementById("askingprice").disabled = false;
document.getElementById("location").disabled = false;
document.getElementById("viewingtime").disabled = false;
document.getElementById("eircode").disabled = false;
document.getElementById("bath").disabled = false;
document.getElementById("bed").disabled = false;
document.getElementById("site").disabled = false;
document.getElementById("notes").disabled = false;
document.getElementById("area").disabled = false;
document.getElementById("type").disabled = false;
document.getElementById("heating").disabled = false;
document.getElementById("levels").disabled = false;
document.getElementById("recept").disabled = false;
document.getElementById("client").disabled = false;
return true; // Allows form submission
}
else
{
    // If user cancels, repopulate fields with original data and lock them
    populate();
    document.getElementById("status").disabled = true;
    document.getElementById("address").disabled = true;
    document.getElementById("askingprice").disabled = true;
    document.getElementById("location").disabled = true;
    document.getElementById("viewingtime").disabled = true;
    document.getElementById("eircode").disabled = true;
    document.getElementById("bath").disabled = true;
    document.getElementById("bed").disabled = true;

```

```

document.getElementById("site").disabled = true;
document.getElementById("notes").disabled = true;
document.getElementById("area").disabled = true;
document.getElementById("type").disabled = true;
document.getElementById("heating").disabled = true;
document.getElementById("levels").disabled = true;
document.getElementById("recept").disabled = true;
document.getElementById("client").disabled = true;
return false; // Prevents form submission
}
}
</script>

```

```

<div class="card"> <!--class for styling purposes-->
<header class="content__top"> <!--header css class-->
    <h1> Delete a Person</h1>
</header>
<!-- Form that submits the selected property id to resPropDelete.php for processing -->
<form action="resPropDelete.php" method="Post">

    <div class="layout"> <!--class for styling purposes-->

        <div id="menu"><?php include 'sidebar.html.php'; ?></div> <!--sidebar styling class
and adding php sidebar-->

        <div class="grid">

            <h4>Please select a property and then click the delete button</h4>

```

```

<div class="panel">

    <fieldset>

        <legend>Residential Property Details</legend>

        <input type="text" id="updateMsg" disabled style="display: none;"><br> <!--
hidden field shown by updated() after a successful delete-->

        <!-- Include the listbox which fetches persons from the database -->

        <?php include 'listbox.php'; ?>

<br><br>

<label for="client">Client:</label><br>

<select name="client" id="client" disabled> <!--all fields are display-only on this page,
editing is not permitted-->

    <option value="">-- Select a client --</option>

    <?php

$clientResult = mysqli_query($con, "SELECT ClientID, Name FROM Client");
while ($row = mysqli_fetch_assoc($clientResult)) { ?>

    <option value="<?= htmlspecialchars($row['ClientID']) ?>">

        <?= htmlspecialchars($row['Name']) ?>

    </option>

<?php } ?>

</select><br>

    <div id="clienterrmsg"></div>

    <div class="two-col">

        <div class="col">

```

```
<label for="status">Property type: </label><br>
<select name="status" id="status" disabled>
  <option value="For Sale">For Sale</option>
  <option value="Sale Agreed">Sale Agreed</option>
</select><br>
```

```
<label for="type">Property type: </label><br>
<select name="type" id="type" required disabled>
  <option value="semidetached">Semi Detached</option>
  <option value="terraced">Terraced</option>
  <option value="detached">Detached</option>
  <option value="apartment">Apartment</option>
  <option value="mews">Mews</option>
</select><br>
```

```
<label for="address">Address:</label><br>
<input type="text" id="address" name="address" pattern="^[a-zA-Z\d ]+$"
  required oninvalid="this.setCustomValidity('Please only use alphabetic
characters')"
  oninput="this.setCustomValidity('')" maxlength="100" disabled><br>
```

```
<label for="eircode">Eircode:</label><br>
<input type="text" id="eircode" name="eircode" required pattern="^[A-Z]{1}[\d]{2}[
]?[A-Z\d]{4}$"
  required oninvalid="this.setCustomValidity('Please enter a valid Eircode')"
  oninput="this.setCustomValidity('') disabled><br>
```

```
<label for="location">Location:</label><br>
```

```
<input type="text" id="location" name="location" placeholder="Notes on location"
maxlength="100" disabled><br>
```

```
<label for="levels">Number of Levels:</label><br>
```

```
<input type="number" id="levels" name="levels" required pattern="^[\\d]+$" min="1"
max="10"
```

```
oninvalid="this.setCustomValidity('Please enter a number between 1 and 10')"
```

```
oninput="this.setCustomValidity('') disabled><br>
```

```
<label for="recept">Number of Reception Rooms:</label><br>
```

```
<input type="number" id="recept" name="recept" required pattern="^[\\d]+$"
min="0"
```

```
max="10" oninvalid="this.setCustomValidity('Please enter a number between 0 and
10')"
```

```
oninput="this.setCustomValidity('') disabled><br>
```

```
<label for="bed">Number of Bedrooms:</label><br>
```

```
<input type="number" id="bed" name="bed" required pattern="^[\\d]+$" min="1"
```

```
max="50" oninvalid="this.setCustomValidity('Please enter a number between 1 and
50')"
```

```
oninput="this.setCustomValidity('') disabled><br>
```

```
<label for="bath">Number of Bathrooms:</label><br>
```

```
<input type="number" id="bath" name="bath" required pattern="^[\\d]+$" min="0"
max="50"
```

```
oninvalid="this.setCustomValidity('Please enter a number between 0 and 50')"
```

```
oninput="this.setCustomValidity('') disabled><br>
```

```
</div>
```

```

<div class="col">

<label for="area">Area of house in meters squared:</label><br>

<input type="number" id="area" name="area" required pattern="^[\\d]+$" min="10"
max="10000"

oninvalid="this.setCustomValidity('Please enter a number between 10m and
10000m')"

oninput="this.setCustomValidity('') disabled"><br>

<label for="heating">Heating: </label><br>

<select name="heating" id="heating" required disabled>

  <option value="OFCH">OFCH</option>

  <option value="GFCH">GFCH</option>

  <option value="SFCH">SFCH</option>

  <option value="ECH">ECH</option>

  <option value="other">Other</option>

  <option value="none">None</option>

</select><br>

<label for="site">Site: </label><br>

<textarea name="site" id="site" rows="5" cols="30" required placeholder="Size,
gardens, driveway, etc" maxlength="255" disabled>

</textarea><br>

<label for="notes">Notes: </label><br>

<textarea name="notes" id="notes" rows="5" cols="30" placeholder="E.G.
Exceptional condition, beautiful view, landscaped gardens" maxlength="255" disabled>

</textarea><br>

<label for="askingprice">Asking price:</label><br>

```

```
<input type="number" id="askingprice" name="askingprice" required pattern="^[\\d,
]+$" min="1000"
```

```
oninvalid="this.setCustomValidity('Please enter a number greater than 1000')"
```

```
oninput="this.setCustomValidity('')" maxlength="100" disabled><br>
```

```
<label for="viewingtime">Viewing Times: </label><br>
```

```
<select id="viewingtime" name="viewingtime" disabled>
```

```
<option value="">Select viewing time</option>
```

```
<option value="monday">Monday (9am – 5pm)</option>
```

```
<option value="tuesday">Tuesday (9am – 5pm)</option>
```

```
<option value="wednesday">Wednesday (9am – 5pm)</option>
```

```
<option value="thursday">Thursday (9am – 5pm)</option>
```

```
<option value="friday">Friday (9am – 5pm)</option>
```

```
<option value="weekend">Weekends (5pm – 8pm)</option>
```

```
</select>
```

```
<br>
```

```
<input type="hidden" id="id" name="id" style="display: none;"> <!--hidden field
holds the ResidentialID passed to the soft delete query--></div>
```

```
</div>
```

```
</div>
```

```
<div class="form-actions"> <!--css class for styling-->
```

```
<input type = "submit" value = "Delete the record" disabled> <!--disabled until a
property is selected from the listbox-->
```

```
</div>
```

```
</fieldset>
```

```
</div>
```

```
</div>
```

```
</div>
```

</div>

</form>

</body>

</html>

resPropDelete.php

<!-- Created by: Joseph Lalor

Date: 24/03/2026

Student Number: c00312883

Title: resPropDelete.php

Purpose: A PHP file for deleting a Residential Property record from database-->

<script>

// called after the page reloads to display the deletion confirmation message

function updated()

{

 var address = "<?php echo \$_POST['address']; ?>"; // address is injected from PHP into the script

 document.getElementById("updateMsg").style = "display; initial;"; // make the message field visible

 document.getElementById("updateMsg").value = "Record deleted for " + address;

}

</script>

<?php

 include 'db.inc.php'; //include database connection

 // soft delete: sets DFlag to 1 rather than removing the row, preserving the record in the database

```

$sql = "UPDATE Residential SET DFlag = 1 WHERE ResidentialID = '$_POST[id]'";

if (! mysqli_query($con,$sql )) //execute query and check for errors
{
    echo "Error ".mysqli_error($con);
}

include 'resPropDelete.html.php'; // reload the delete page so the user can delete
another property if needed

echo '<script>',

    'updated();', // call updated() after the page has loaded to show the confirmation
message

    '</script>'

;

mysqli_close($con); //close database connection

?>

```

Amend/View Residential Property

Amend/View a Residential Property

Please select a property and then click the amend button if you wish to update



PROPERTY MAINTENANCE

Add a New Residential Property

Delete a Residential Property

Amend/View a Residential Property

Exit

Residential Property Details

6 Sandhills, Carlow Apt 32

Amend Details

Client:

-- Select a client --

Property type:

For Sale

Property type:

Semi Detached

Address:

Eircode:

Location:

Notes on location

Number of Levels:

Number of Reception Rooms:

Number of Bedrooms:

Number of Bathrooms:

Area of house in meters squared:

Heating:

OFCH

Site:

Notes:

Asking price:

Viewing Times:

Select viewing time

Submit

Reset

resPropAmendView.html.php

<!-- Created by: Joseph Lalor

Date: 26/01/2026

Student Number: c00312883

Title: resPropAmendView.html.php

Purpose: A HTML/PHP form for viewing/amending a Residential Property-->

<!DOCTYPE html>

<html>

Page 143 of 234

```

<head>

    <!-- Link to the external CSS stylesheet for styling -->

    <link rel="stylesheet" type="text/css" href="style.css">

    <script src="resPropAdd.js"></script> <!--error detecting javascript-->

    <title>Amend/View a Residential Property</title> <!--title-->

</head>

<body>

<script>

// This function gets the selected value from the listbox,
// splits it into an array, and populates the form fields
function populate()
{
    var sel = document.getElementById("listbox"); // Get the listbox element
    var result;

    result = sel.options[sel.selectedIndex].value; // Get the selected option's value
    var personDetails = result.split('/');      // Split the value into an array using comma
    delimiter

    document.getElementById("amendstatus").value = personDetails[0];      // Assign
    person ID

    document.getElementById("amendaddress").value = personDetails[1];      // Assign
    first name

    document.getElementById("amendaskingprice").value = personDetails[2];    //
    Assign last name

    document.getElementById("amendlocation").value = personDetails[3];      // Assign
    date of birth

    document.getElementById("amendviewingtime").value = personDetails[4];    //
    Assign email (Task 2 addition)

    document.getElementById("amendeircode").value = personDetails[5];      // Assign
    phone (Task 2 addition)

    document.getElementById("amendbath").value = personDetails[6];

```

```

document.getElementById("amendbed").value = personDetails[7];
document.getElementById("amendsite").value = personDetails[8];
document.getElementById("amendnotes").value = personDetails[9];
document.getElementById("amendarea").value = personDetails[10];
document.getElementById("amendtype").value = personDetails[11];
document.getElementById("amendheating").value = personDetails[12];
document.getElementById("amendlevels").value = personDetails[13];
document.getElementById("amendrecept").value = personDetails[14];
document.getElementById("amendclient").value = personDetails[15];

document.getElementById("id").value = personDetails[16]; // hidden field stores the
ResidentialID for the UPDATE query
}

```

```

// This function toggles the form fields between disabled (view-only) and enabled
(editable)

function toggleLock()
{
    if (document.getElementById("amendViewbutton").value == "Amend Details") // If
currently in view mode
    {
        // Enable all editable fields so the user can modify them

document.getElementById("amendstatus").disabled = false;
document.getElementById("amendaddress").disabled = false;
document.getElementById("amendaskingprice").disabled = false;
document.getElementById("amendlocation").disabled = false;
document.getElementById("amendviewingtime").disabled = false;
document.getElementById("amendeircode").disabled = false;
document.getElementById("amendbath").disabled = false;
document.getElementById("amendbed").disabled = false;

```

```

document.getElementById("amendsite").disabled = false;
document.getElementById("amendnotes").disabled = false;
document.getElementById("amendarea").disabled = false;
document.getElementById("amendtype").disabled = false;
document.getElementById("amendheating").disabled = false;
document.getElementById("amendlevels").disabled = false;
document.getElementById("amendrecept").disabled = false;
document.getElementById("amendclient").disabled = false;
document.querySelector('input[type="submit"]').disabled = false;
document.querySelector('input[type="reset"]').disabled = false;
document.getElementById("amendViewbutton").value = "View Details"; // Change
button text
}
else // If currently in amend mode
{
    // Disable all fields to return to view-only mode
    document.getElementById("amendstatus").disabled = true;
    document.getElementById("amendaddress").disabled = true;
    document.getElementById("amendaskingprice").disabled = true;
    document.getElementById("amendlocation").disabled = true;
    document.getElementById("amendviewingtime").disabled = true;
    document.getElementById("amendeircode").disabled = true;
    document.getElementById("amendbath").disabled = true;
    document.getElementById("amendbed").disabled = true;
    document.getElementById("amendsite").disabled = true;
    document.getElementById("amendnotes").disabled = true;
    document.getElementById("amendarea").disabled = true;
    document.getElementById("amendtype").disabled = true;

```

```

document.getElementById("amendheating").disabled = true;
document.getElementById("amendlevels").disabled = true;
document.getElementById("amendrecept").disabled = true;
document.getElementById("amendclient").disabled = true;
document.querySelector('input[type="submit"]').disabled = true;
document.querySelector('input[type="reset"]').disabled = true;

document.getElementById("amendViewbutton").value = "Amend Details"; // Change
button text back

}
}

```

// This function confirms the user wants to save changes before submitting

```

function confirmCheck()
{
    var response;

    response = confirm('Are you sure you want to save these changes?');
    if (response) // If user clicks OK
    {
        // Enable all fields so their values are included in the form submission
        // disabled fields are not submitted with the form by default
        document.getElementById("amendstatus").disabled = false;
        document.getElementById("amendaddress").disabled = false;
        document.getElementById("amendaskingprice").disabled = false;
        document.getElementById("amendlocation").disabled = false;
        document.getElementById("amendviewingtime").disabled = false;
        document.getElementById("amendeircode").disabled = false;
        document.getElementById("amendbath").disabled = false;
        document.getElementById("amendbed").disabled = false;
    }
}

```

```

    document.getElementById("amendsite").disabled = false;
    document.getElementById("amendnotes").disabled = false;
    document.getElementById("amendarea").disabled = false;
    document.getElementById("amendtype").disabled = false;
    document.getElementById("amendheating").disabled = false;
    document.getElementById("amendlevels").disabled = false;
    document.getElementById("amendrecept").disabled = false;
    document.getElementById("amendclient").disabled = false;
    return true; // Allows form submission
}
else
{
    // If user cancels, repopulate fields with original data and lock them
    populate();
    toggleLock();
    return false; // Prevents form submission
}
}

```

// runs both confirmCheck and validate before allowing submission

// both must return true for the form to submit

```

function handleSubmit() {
    if (!confirmCheck()) {
        return false; // user clicked cancel
    }
    if (!validate()) {
        return false; // validation failed
    }
}

```

```

    return true;
}
</script>

<div class="card"> <!--class for styling purposes-->
<header class="content__top"> <!--header css class-->
    <h1>Amend/View a Residential Property</h1>
</header>
<!-- Form that submits amended data to resPropAmendView.php for processing -->
<form action="resPropAmendView.php" method="Post" onsubmit="return
handleSubmit()"> <!--post method used to add to database and submission validation
using javascript-->

<div class="layout"> <!--class for styling purposes-->

    <div id="menu"><?php include 'sidebar.html.php'; ?></div> <!--sidebar styling class
and adding php sidebar-->

<div class="grid">
    <h4>Please select a property and then click the amend button if you wish to
update</h4>
    <div class="panel">
        <fieldset>
            <legend>Residential Property Details</legend>

            <input type="text" id="updateMsg" disabled style="display: none;"><br> <!--
hidden field shown by updated() after a successful save-->

```

```

        <!-- Include the listbox which fetches persons from the database -->

        <?php include 'listbox.php'; ?>

<br><br>

        <!-- Button to toggle between Amend and View modes -->

<input type="button" value="Amend Details" id="amendViewbutton"
onclick="toggleLock()"><br><br>

<label for="amendclient">Client:</label><br>

<select name="amendclient" id="amendclient" disabled> <!--disabled by default,
enabled when amend mode is active-->

    <option value="">-- Select a client --</option>

    <?php
$clientResult = mysqli_query($con, "SELECT ClientID, Name FROM Client");
while ($row = mysqli_fetch_assoc($clientResult)) { ?>

        <option value="<?= htmlspecialchars($row['ClientID']) ?>">

            <?= htmlspecialchars($row['Name']) ?>

        </option>

    <?php } ?>
</select><br>

    <div id="clienttermmsg"></div> <!--target for javascript client validation error
message-->

    <div class="two-col">

        <div class="col">

            <label for="amendstatus">Property type: </label><br>

            <select name="amendstatus" id="amendstatus"disabled>

                <option value="For Sale">For Sale</option>

```

```
<option value="Sale Agreed">Sale Agreed</option>
</select><br>
```

```
<label for="amendtype">Property type: </label><br>
<select name="amendtype" id="amendtype" required disabled>
  <option value="semidetached">Semi Detached</option>
  <option value="terraced">Terraced</option>
  <option value="detached">Detached</option>
  <option value="apartment">Apartment</option>
  <option value="mews">Mews</option>
</select><br>
```

```
<label for="amendaddress">Address:</label><br>
<input type="text" id="amendaddress" name="amendaddress" pattern="^[,a-zA-Z\d
]+$"
  required oninvalid="this.setCustomValidity('Please only use alphabetic
characters')"
  oninput="this.setCustomValidity(')" maxlength="100" disabled><br>
```

```
<label for="amendeircode">Eircode:</label><br>
<input type="text" id="amendeircode" name="amendeircode" required
pattern="^[A-Z]{1}[\d]{2}[ ]?[A-Z\d]{4}$"
  required oninvalid="this.setCustomValidity('Please enter a valid Eircode')"
  oninput="this.setCustomValidity(')" disabled><br>
```

```
<label for="amendlocation">Location:</label><br>
<input type="text" id="amendlocation" name="amendlocation" placeholder="Notes
on location" maxlength="100" disabled><br>
```

```

<label for="amendlevels">Number of Levels:</label><br>

<input type="number" id="amendlevels" name="amendlevels" required
pattern="^[\\d]+$" min="1" max="10"

oninvalid="this.setCustomValidity('Please enter a number between 1 and 10')"
oninput="this.setCustomValidity('') disabled><br>

<label for="amendrecept">Number of Reception Rooms:</label><br>

<input type="number" id="amendrecept" name="amendrecept" required
pattern="^[\\d]+$" min="0"

max="10" oninvalid="this.setCustomValidity('Please enter a number between 0 and
10')"

oninput="this.setCustomValidity('') disabled><br>

<label for="amendbed">Number of Bedrooms:</label><br>

<input type="number" id="amendbed" name="amendbed" required
pattern="^[\\d]+$" min="1"

max="50" oninvalid="this.setCustomValidity('Please enter a number between 1 and
50')"

oninput="this.setCustomValidity('') disabled><br>

<label for="amendbath">Number of Bathrooms:</label><br>

<input type="number" id="amendbath" name="amendbath" required
pattern="^[\\d]+$" min="0" max="50"

oninvalid="this.setCustomValidity('Please enter a number between 0 and 50')"
oninput="this.setCustomValidity('') disabled><br>

</div>

<div class="col">

<label for="amendarea">Area of house in meters squared:</label><br>

```

```

<input type="number" id="amendarea" name="amendarea" required
pattern="^[\\d]+$" min="10" max="10000"

oninvalid="this.setCustomValidity('Please enter a number between 10m and
10000m')"

oninput="this.setCustomValidity('') disabled"><br>

<label for="amendheating">Heating: </label><br>

<select name="amendheating" id="amendheating" required disabled>

  <option value="OFCH">OFCH</option>

  <option value="GFCH">GFCH</option>

  <option value="SFCH">SFCH</option>

  <option value="ECH">ECH</option>

  <option value="other">Other</option>

  <option value="none">None</option>

</select><br>

<label for="amendsite">Site: </label><br>

<textarea name="amendsite" id="amendsite" rows="5" cols="30" required
placeholder="Size, gardens, driveway, etc" maxlength="255" disabled>

</textarea><br>

<label for="amendnotes">Notes: </label><br>

<textarea name="amendnotes" id="amendnotes" rows="5" cols="30"
placeholder="E.G. Exceptional condition, beautiful view, landscaped gardens"
maxlength="255" disabled>

</textarea><br>

<label for="amendaskingprice">Asking price:</label><br>

<input type="number" id="amendaskingprice" name="amendaskingprice" required
pattern="^[\\d,]+$" min="1000"

```

```
oninvalid="this.setCustomValidity('Please enter a number greater than 1000')"
```

```
oninput="this.setCustomValidity('') " maxlength="100" disabled><br>
```

```
<label for="amendviewingtime">Viewing Times: </label><br>
```

```
<select id="amendviewingtime" name="amendviewingtime" disabled>
```

```
  <option value="">Select viewing time</option>
```

```
  <option value="monday">Monday (9am – 5pm)</option>
```

```
  <option value="tuesday">Tuesday (9am – 5pm)</option>
```

```
  <option value="wednesday">Wednesday (9am – 5pm)</option>
```

```
  <option value="thursday">Thursday (9am – 5pm)</option>
```

```
  <option value="friday">Friday (9am – 5pm)</option>
```

```
  <option value="weekend">Weekends (5pm – 8pm)</option>
```

```
</select>
```

```
<br>
```

```
  <input type="hidden" id="id" name="id" style="display: none;"> <!--hidden field  
holds the ResidentialID used to identify the record in the UPDATE query--></div>
```

```
</div>
```

```
</div>
```

```
<div class="form-actions"> <!--css class for styling-->
```

```
  <input type="submit" value="Submit" disabled> <!--submit button - remains  
disabled until amend mode is activated-->
```

```
  <input type="reset" value="Reset" disabled> <!--reset button - remains disabled  
until amend mode is activated-->
```

```
</div>
```

```
</fieldset>
```

```
</div>
```

```
</div>
```

```
</div>
```

</div>

</form>

</body>

</html>

resPropAmendView.php

<!-- Created by: Joseph Lalor

Date: 12/03/2026

Student Number: c00312883

Title: resPropAmendView.php

Purpose: A PHP file for amending a Residential Property record-->

<script>

// called after the page reloads to display the update confirmation message

function updated()

{

 var address = "<?php echo \$_POST['amendaddress']; ?>"; // address is injected from PHP into the script

 document.getElementById("updateMsg").style = "display; initial;"; // make the message field visible

 document.getElementById("updateMsg").value = "Record updated for " + address;

}

</script>

<?php

include 'db.inc.php'; //include connection to database

// UPDATE query sets all editable fields on the matching residential record

\$sql = "UPDATE Residential SET

 Address = '\$_POST[amendaddress]',

```

AskingPrice = '$_POST[amendaskingprice]',
Location = '$_POST[amendlocation]',
ViewingTime = '$_POST[amendviewingtime]',
Eircode = '$_POST[amendeircode]',
NumBathrooms = '$_POST[amendbath]',
NumBedrooms = '$_POST[amendbed]',
Site = '$_POST[amendsite]',
Notes = '$_POST[amendnotes]',
Area = '$_POST[amendarea]',
Type = '$_POST[amendtype]',
HeatingType = '$_POST[amendheating]',
NumLevels = '$_POST[amendlevels]',
NumReception = '$_POST[amendrecept]',
ClientID = '$_POST[amendclient]',
Status = '$_POST[amendstatus]'
WHERE ResidentialID = '$_POST[id]"; // id identifies which record to update

if (!mysqli_query($con, $sql)) {
    echo "Error " . mysqli_error($con);
}

include 'resPropAmendView.html.php'; // reload the form so the user can continue
viewing or amending

echo '<script>',

    'updated();', // call updated() after the page has loaded to show the confirmation
message

    '</script>'

;

mysqli_close($con); //close database connection

```

?>

Office Property Report



REPORTS MENU

Residential Property Report

Land Property Report

Office Property Report

Bid / Client Report

Individual Client Report

Exit

Click a button to see the Office Property Report in the desired order

Residential Property Details

Price Order

Area Order

Select	Property Number	Address	Area	Security	Freehold / Long Lease	Status	Highest Bid	Asking Price
☐	1	Croke Park, Dublin 3	45	netwatch	freehold	For Sale	23500	23000
☐	5	State Street, Base 2, Kilkenny	57	Security Patrols	long lease	For Sale	0	40000
☐	3	Dideoulu Plot, Lagosu	60	Security Patrols	freehold	For Sale	0	23500

Client Information

offPropReport.html.php

<!--

Creator: Joseph Lalor

Date: 25/03/2026

Student Number: c00312883

Title: offPropReport.html.php

Purpose: A PHP file for generating an Office Property Report-->

<!DOCTYPE html>

<html>

<head>

<title>Office Property Report</title> <!--title-->

<link rel="stylesheet" type="text/css" href="style.css">

</head>

<body>

<?php

```

include 'db.inc.php';

date_default_timezone_set('UTC');

?>

<div class="card"> <!--class for styling purposes-->

<!-- hidden form used to resubmit the page with a chosen sort order -->

<form class="hidden" action = "offPropReport.html.php" method = "post" name =
"reportForm">

<input type = "hidden" name = "choice"> <!--hidden field carries the sort choice
(AskingPrice or Area) on submit-->

</form>

<header class="content__top"> <!--header css class-->

<h1>Office Property Report</h1>

</header>

<div class="layout"> <!--class for styling purposes-->

<div id="menu"><aside class="sidebar">

    <!-- Logo -->

    <div class="brand-side">

    </div>

    <!-- Navigation -->

    <nav>

        <!-- Sidebar title -->

        <div class="side-title">Reports Menu</div>

```

<!-- Menu list -->

<ul class="side-menu">

<!-- Residential report -->

<i class="fa-solid fa-house"></i>

Residential Property Report

<!-- Land report -->

<i class="fa-solid fa-tree"></i>

Land Property Report

<!-- Office report -->

<i class="fa-solid fa-building"></i>

Office Property Report


```

<!-- Bid / client report -->

<li>

  <a class="side-menu__link" href="https://c2p-
auctioneers26.candept.com/Office/Bid%20Report/BidReport.php">

    <i class="fa-solid fa-gavel"></i>

    <span>Bid / Client Report</span>

  </a>

</li>

<!-- Individual client report -->

<li>

  <a class="side-menu__link" href="report-client.html">

    <i class="fa-solid fa-user"></i>

    <span>Individual Client Report</span>

  </a>

</li>

<!-- Exit -->

<li class="danger">

  <a class="side-menu__link" href="https://c2p-
auctioneers26.candept.com/Main%20Screens/reports.html">

    <i class="fa-solid fa-house"></i>

    <span>Exit</span>

  </a>

</li>

</ul>

</nav>

```

```

</aside></div> <!--sidebar styling class and adding php sidebar-->

<div class="grid"> <!--sets up styling grid as in css-->

<h4>Click a button to see the Office Property Report in the desired order</h4>

<div class="panel"> <!--panel class from css-->

<fieldset>

<legend>Residential Property Details</legend> <!--top label of fieldset-->

<input type = 'button' id = "priceButton" value = 'Price Order'
onclick = 'priceOrder()' title = 'Click here to see offices in price order'>

<input type = 'button' id = "areaButton" value = 'Area Order'
onclick = 'areaOrder()' title = 'Click here to see offices in order of area'>

<br>

<br>

<script>

// opens client_info.php in a small popup window, passing the ClientID of the selected
property
function clientInfo() {

    var selected = document.querySelector('input[name="selectid"]:checked'); // find the
checked radio button

    if (!selected) {

        alert('Please select a property first!');

        return;

    }

    var clientid = selected.value;

    window.open('client_info.php?id=' + clientid, '_blank', 'width=600,height=400'); //
open popup with client details

}

// sets sort choice to AskingPrice and submits the hidden form to reload the report

```

```

function priceOrder()
{
    document.reportForm.choice.value = "AskingPrice";
    document.reportForm.submit();
}

// sets sort choice to Area and submits the hidden form to reload the report

function areaOrder()
{
    document.reportForm.choice.value = "Area";
    document.reportForm.submit();
}
</script>

<?php

$choice = "AskingPrice"; // In case this is the first time through and $_POST[choice]
hasn't been set

if (ISSET($_POST['choice']))
{
    $choice = $_POST['choice'];
}

if ($choice == "Area")
{
    ?>

<script>

    // disable the active sort button so the user cannot re-sort by the same column

    document.getElementById("priceButton").disabled = false;
    document.getElementById("areaButton").disabled = true;

```

```

</script>

<?php
    $sql = "SELECT * FROM Office WHERE DFlag = 0 ORDER BY AskingPrice";
    produceReport($con,$sql);
}

else //if ($choice == "Price") or the default display before any button is clicked
{
    ?>

    <script>

    document.getElementById("areaButton").disabled = false;
    document.getElementById("priceButton").disabled = true;

    </script>

    <?php
        $sql = "SELECT * FROM Office WHERE DFlag = 0 ORDER BY Area";
        produceReport($con,$sql);
    };

    // builds and outputs the report table from the given query result
    function produceReport($con,$sql)
    {
        $result = mysqli_query($con,$sql);

        echo "<table>

            <tr><th>Select</th><th>Property
            Number</th><th>Address</th><th>Area</th><th>Security</th><th>Freehold / Long
            Lease</th><th>Status</th><th>Highest Bid</th><th>Asking Price</th></tr>";

        while ($row=mysqli_fetch_array($result))
        {

```

```

        echo "<tr><td>".<input type="radio" name="selectid"
value='.$row['ClientID'].>.'"</td>

        <td>".$row['OfficeID'].</td>

        <td>".$row['Address'].</td>

        <td>".$row['Area'].</td>

        <td>".$row['Security'].</td>

        <td>".$row['OwnershipType'].</td>

        <td>".$row['Status'].</td>

        <td>".( function() use ($con, $row) {

$officeID = mysqli_real_escape_string($con, $row['OfficeID']);

$bidSql = "SELECT MAX(BidAmount) AS HighestBid FROM Bid WHERE OfficeID =
'$officeID'";

$bidResult = mysqli_query($con, $bidSql);

$bidRow = mysqli_fetch_array($bidResult);

return ($bidRow['HighestBid'] != null) ? $bidRow['HighestBid'] : 0;

})();</td>

        <td>".$row['AskingPrice'].</td>

        </tr>";

    }

    echo "</table>";

}

mysqli_close($con);

?>

<input type = 'button' id = "clientButton" value = 'Client Information'
onclick = 'clientInfo()' title = 'Click here to see info on client'>

</fieldset>

</div>

```

</div>
</div>
</div>
</body>
</html>

AI Disclosure Forms

AI Disclosure Document

Student Name: __Joseph Lalor_____

Student ID: __c00312883_____

Course Name __Software Development_____

Project Title __Auctioneers_____

Code Unit __Add Screen_____

Date Submitted: __26/03/2026_____

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

AI Disclosure Document

Student Name: __Joseph Lalor_____

Student ID: __c00312883_____

Course Name __Software Development_____

Project Title __Auctioneers_____

Code Unit __Amend/view Screen_____

Date Submitted: __26/03/2026_____

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

AI Disclosure Document

Student Name: __Joseph Lalor_____

Student ID: __c00312883_____

Course Name __Software Development_____

Project Title __Auctioneers_____

Code Unit __Delete Screen_____

Date Submitted: __26/03/2026_____

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

AI Disclosure Document

Student Name: __Joseph Lalor_____

Student ID: __c00312883_____

Course Name __Software Development_____

Project Title __Auctioneers_____

Code Unit __Office Report_____

Date Submitted: __26/03/2026_____

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Client Maintenance (Ismael Charaf Megrini)

Add Client:

addClient.html

<!--

Name: Ismael Charaf Megrini

Student Number: C00313241

Date: 2/26/2026

Purpose: Add client screen to insert new clients

-->

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Client Maintenance - Add New Client</title>

```

<link rel="stylesheet" href="style.css"> <!--Css stylesheet file connection-->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.0/css/all.min.css">

</head>

<body>

<div class="card">

    <div class="content__top">

        <h2>Client Maintenance</h2>

    </div>

    <form action="addClient.php" method="post">

        <div class="layout">

            <aside class="sidebar">

                <div class="brand-side">

                </div>

                <nav>

                    <div class="side-title">Client Maintenance</div> <!--Left menu section-->

                    <ul class="side-menu">

                        <li>

                            <a class="side-menu__link is-active" href="addClient.html">

                                <!--Add client(it will direct you to the addClient page)-->

                                <i class="fa-solid fa-user-plus"></i>

                                <span>Add a New Client</span>

                            </a>

                        </li>


```

```

</li>

    <a class="side-menu__link" href="../Delete
Client/deleteClient.html.php">

        <!--Delete client(it will direct you to the deleteClient page)-->

        <i class="fa-solid fa-user-minus"></i>

        <span>Delete a Client</span>

    </a>

</li>

<li>

    <a class="side-menu__link" href="../Amend
View/AmendView.html.php">

        <!--Edit client(it will direct you to the editClient page)-->

        <i class="fa-solid fa-user-pen"></i>

        <span>Amend / View a Client</span>

    </a>

</li>

<div class="side-divider"></div>

<li class="danger">

    <a class="side-menu__link" href="../MainScreens/home.html">

        <i class="fa-solid fa-house"></i>

        <span>Exit</span> <!--Exit Button(it redirect you to the main
Auctioneers page)-->

    </a>

</li>

</ul>

</nav>

</aside>

```

```

<div class="client-grid">
  <div class="client-panel">
    <fieldset>
      <legend>Client Details</legend>
      <div class="two-col"> <!--Two-col is a CSS class that separates the input
into 2 columns-->
        <div class="col">
          <div class="inputbox">
            <label for="name">Full Name: <span
class="required">*</span></label>
            <!--Full name input-->
            <input type="text" id="name" name="fname" pattern="[A-Za-z\s]+"
placeholder="Enter name..." required required
oninvalid="this.setCustomValidity('Please only alphabetic
characters')"
oninput="this.setCustomValidity('')>
            </div> <!--Full name pattern (it only let input letters)-->
          <br>
          <div class="inputbox">
            <label for="eircode">Eircode: <span
class="required">*</span></label>
            <!--Eircode input-->
            <input type="text" id="eircode" name="eircode"
pattern="[A-Za-z]{1}\d{2}[ ]?[A-Za-z\d]{4}" placeholder="e.g. D02
X285"

```

```

        required required
        oninvalid="this.setCustomValidity('Please enter a correct
Eircode')"
```

```

        oninput="this.setCustomValidity('')"
```

```

        maxlength="255">
</div> <!--Eircode pattern (it only let input an eircode)-->

<br>

<div class="inputbox">
    <label for="phone">Phone Number: <span
class="required">*</span></label>
    <!--Phone number input-->
    <input type="tel" name="phone" id="phone" placeholder="(353) -
871262837"
        required>
</div>

<br>

</div>

<div class="col">
    <div class="inputbox">
        <label for="email">Email Address: <span
class="required">*</span></label>
        <!--Email address input-->
        <input type="email" name="email" id="email"
placeholder="client@example.com"
            required maxlength="255">
    </div>
</div>

```

</div>

<div class="inputbox">

<label for="clientType">Client Type: <span
class="required">*</label>

<select id="clientType" name="clientType" required
oninvalid="this.setCustomValidity('Please select a type of client')"
oninput="this.setCustomValidity('')">

<option value="">--Select Type--</option>

<option value="buyer">Buyer</option>

<option value="seller">Seller</option>

</select>

</div>

<div class="inputbox">

<label for="address">Postal Address: <span
class="required">*</label>

<!--Postal Address input-->

<textarea name="address" id="address" rows="3"

placeholder="Enter full address..."

required

oninvalid="this.setCustomValidity('Please introduce the Postal
Address')"

```

        oninput="this.setCustomValidity("")"
        maxlength="255"></textarea>
    </div>

    <br>
</div>
</div>
<br>
<br>
<br>
<div class="form-actions">
    <input type="reset" name="cancel" value="Reset">
    <!--Reset button where it resets the form-->
    <input type="submit" value="Add New Client" name="submit"
onclick="confirmChange(event)">
    <!--Submit button where it submits the data entered to the Client table--
>

    </div>
</fieldset>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- Confirmation for the user before submission -->
<script>

    function confirmChange(e) {

```

```

        let result = confirm("Are you sure (Y/N)?");
        if (!result) {
            // it cancels the event
            e.preventDefault();
        }
    }
</script>
</body>
</html>

```

addClient.php

```
<!--
```

Name: Ismael Charaf Megrini

Student Number: C00313241

Date: 2/26/2026

Purpose: Used to insert the data entered in the addClient.html file into the Clients table.

```
-->
```

```
<html>
```

```
<body>
```

```
<?php
```

```
include 'db.inc.php'; // Connect to database
```

```
date_default_timezone_set("UTC");
```

```
echo "The details sent down are: <br>";
```

```
// Display the submitted client details
```

```
echo "Name is :" . $_POST['fname'] . "<br>";
```

```
echo "Eircode is :" . $_POST['eircode'] . "<br>";
```

```

echo "Phone number is :" . $_POST['phone'] . "<br>";
echo "Email address is :" . $_POST['email'] . "<br>";
echo "Client type is :" . $_POST['clientType'] . "<br>";
echo "The client Address is :" . $_POST['address'] . "<br>";

// Insert new client into database

$sql = "INSERT INTO Client (Name, Eircode, Phone, Email, ClientType, Address)
VALUES ('$_POST[fname]', '$_POST[eircode]', '$_POST[phone]', '$_POST[email]',
'$_POST[clientType]', '$_POST[address]' )";

if (!mysqli_query($con,$sql))
{
    // Show error if query fails

    die ("An Error in the SQL Query: " . mysqli_error($con) );
}

// Close database connection
mysqli_close($con);
?>

<form action = "addClient.html" method = "POST" >

<br>

    <input type="submit" value = "Return to Insert Page"/> <!--Button that makes you return
to the insert page-->

</form>

</body>

</html>

```

Amend View:

AmendView.html.php

```

<!--

```

Name: Ismael Charaf Megrini

Student Number: C00313241

Date: 2/26/2026

Purpose: Add client screen to insert new clients

-->

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Client Maintenance - Amend/View Client</title>

<link rel="stylesheet" href="style.css"> <!--Css stylesheet file connection-->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">

</head>

<body>

<script>

function populate() {

var sel = document.getElementById("listbox");

var result;

result = sel.options[sel.selectedIndex].value;

var personDetails = result.split("|");

document.getElementById("amendclientid").value = personDetails[0];

```

document.getElementById("amendname").value = personDetails[1];
document.getElementById("amendemail").value = personDetails[2];
document.getElementById("amendaddress").value = personDetails[3];
document.getElementById("amendtype").value = personDetails[4];
document.getElementById("amendeircode").value = personDetails[5];
document.getElementById("amendphone").value = personDetails[6];

}

function toggleLock() {

if (document.getElementById("amendViewbutton").value === "Amend Details") {
    document.getElementById("amendname").disabled = false;
    document.getElementById("amendemail").disabled = false;
    document.getElementById("amendaddress").disabled = false;
    document.getElementById("amendtype").disabled = false;
    document.getElementById("amendeircode").disabled = false;
    document.getElementById("amendphone").disabled = false;
    document.getElementById("amendViewbutton").value = "View Details";
} else {
    document.getElementById("amendname").disabled = true;
    document.getElementById("amendemail").disabled = true;
    document.getElementById("amendaddress").disabled = true;
    document.getElementById("amendtype").disabled = true;
    document.getElementById("amendeircode").disabled = true;
    document.getElementById("amendphone").disabled = true;
    document.getElementById("amendViewbutton").value = "Amend Details";
}
}

```

```
}
```

```
function confirmCheck() {
```

```
    var response;
```

```
    response = confirm('Are you sure you want to save these changes?');
```

```
    if (response) {
```

```
        document.getElementById("amendclientid").disabled = false;
```

```
        document.getElementById("amendname").disabled = false;
```

```
        document.getElementById("amendemail").disabled = false;
```

```
        document.getElementById("amendaddress").disabled = false;
```

```
        document.getElementById("amendtype").disabled = false;
```

```
        document.getElementById("amendeircode").disabled = false;
```

```
        document.getElementById("amendphone").disabled = false;
```

```
        return true;
```

```
    } else {
```

```
        populate();
```

```
        toggleLock();
```

```
        return false;
```

```
    }
```

```
}
```

```
</script>
```

```
<div class="card">
```

```

<div class="content__top">

    <h2>Amend/View Client Maintance</h2>

</div>

<form action="AmendView.php" method="post" onsubmit="return confirmCheck()">

    <div class="layout">

        <aside class="sidebar">

            <div class="brand-side">

            </div>

            <nav>

                <div class="side-title">Client Maintenance</div> <!--Left menu section-->

                <ul class="side-menu">

                    <li>

                        <a class="side-menu__link" href="addClient.html">

                            <!--Add client(it will direct you to the addClient page)-->

                            <i class="fa-solid fa-user-plus"></i>

                            <span>Add a New Client</span>

                        </a>

                    </li>

                    <li>

                        <a class="side-menu__link" href="deleteClient.html.php">

                            <!--Delete client(it will direct you to the deleteClient page)-->

                            <i class="fa-solid fa-user-minus"></i>

                            <span>Delete a Client</span>

                        </a>

                    </li>

                    <li>

```

```

        <a class="side-menu__link is-active" href="editClient.html">
            <!--Edit client(it will direct you to the editClient page)-->
            <i class="fa-solid fa-user-pen"></i>
            <span>Amend / View a Client</span>
        </a>
    </li>

    <div class="side-divider"></div>

    <li class="danger">
        <a class="side-menu__link" href="../MainScreens/home.html">
            <i class="fa-solid fa-house"></i>
            <span>Exit</span> <!--Exit Button(it redirect you to the main
Auctioneers page)-->
        </a>
    </li>
</ul>
</nav>
</aside>

<div class="client-grid">

    <center>

        <div class="inputboxlist">
            <!-- Client list box -->
            <label for="listbox"><span class="required"></span></label>
            <select id="listbox" name="listbox" required onclick="populate()">
                <option value="default">--Client List--</option>
            </select>
        </div>
    </center>
</div>

```

```

        <?php include "listbox.php"; ?>
    </select>
</div>
</center>

<br>

<?php
if (isset($_GET['status'])) {
    if ($_GET['status'] === 'success') {
        echo '<p style="color: #0b1220;">①Client ID: <strong>' .
$_GET['amendclientid'] . '</strong> has been updated successfully.</p>';
    } else if ($_GET['status'] === 'nochange') {
        echo '<p style="color: #0b1220;">No changes were made to the
record.</p>';
    } else {
        echo '<p style="color: #0b1220;">An error occurred. Please try again.</p>';
    }
}
?>

<div class="client-panel">

    <fieldset>

        <legend>Client Details</legend>

        <!-- Form to amend/view -->

        <center><input type="button" value="Amend Details"
id="amendViewbutton" onclick="toggleLock()"

```

class="toggleBtn"></center>

<div class="two-col">

<div class="col">

<div class="inputbox" hidden>

<label for="amendclientid" hidden>Client ID: </label>

<input type="text" name="amendclientid" id="amendclientid"

hidden>

</div>

<div class="inputbox">

<label for="amendname">Full Name: </label>

<input type="text" name="amendname" id="amendname" disabled>

</div>

<div class="inputbox">

<label for="amendemail">Email Address: </label>

<input type="email" name="amendemail" id="amendemail"

disabled>

</div>

<div class="inputbox">

<label for="amendphone">Phone Number: </label>

<input type="text" name="amendphone" id="amendphone"

title="Phone Number"

pattern="[0-9\s\-\(\)]+" disabled>

</div>

```

        <div class="inputbox">
            <label for="amendtype">Client Type: </label>
            <input type="text" id="amendtype" name="amendtype" disabled>
        </div>
    </div>

    <div class="col">

        <div class="inputbox">
            <label for="amendaddress">Postal Address: </label>
            <input type="text" name="amendaddress" id="amendaddress"
disabled>
        </div>

        <div class="inputbox">
            <label for="amendeircode">Eircode: </label>
            <input type="text" name="amendeircode" id="amendeircode"
title="Enter Eircode"
                pattern="^[A-Za-z][0-9]{2}[A-Za-z0-9]{4}$" disabled>
        </div>

    </div>
</div>

<div class="form-actions">
    <input type="submit" value="Save Changes">
</div>
</fieldset>
</div>
</div>

```

```

        </div>

    </form>

</div>

</body>

</html>

```

AmendView.php

```

<!-- Name: Ismael Charaf Megrini-->

<!-- Student ID: C00313241 -->

<?php

    include 'db.inc.php';

    //UPDATE SQL query to match the Office table and the HTML form names

    $sql = "UPDATE Client SET

        Address = '{$_POST['amendaddress']}',

        Email = '{$_POST['amendemail']}',

        Phone = '{$_POST['amendphone']}',

        ClientType = '{$_POST['amendtype']}',

        Name = '{$_POST['amendname']}',

        Eircode = '{$_POST['amendeircode']}'

        WHERE ClientID = '{$_POST['amendclientid']}'";

    // Execute and Error Handling

    if(!mysqli_query($con, $sql)){

        header("Location: AmendView.html.php?status=error");

        exit();

    }

    // Confirmation that data has been added

    header("Location: AmendView.html.php?status=success&amendclientid=" .
$_POST['amendclientid']);

    exit();

```

```

if(mysqli_affected_rows($con) != 0){
    header("Location: AmendView.html.php?status=success&amendclientid=" .
$_POST['amendclientid']);
    exit();
} else {
    header("Location: AmendView.html.php?status=nochange&amendclientid=" .
$_POST['amendclientid']);
    exit();
}
// Close connection
mysqli_close($con);
?>

```

Listbox.php

```

<?php
include "db.inc.php"; // Database connection
date_default_timezone_set('UTC');
// Get all active clients
$sql = "SELECT * FROM Client WHERE DFlag = 0";
if (!$result = mysqli_query($con, $sql))
{
    // Show error if query fails
    die('Error in querying the database' . mysqli_error($con));
}
// Display each client in listbox
while ($row = mysqli_fetch_array($result))
{
    $id = $row['ClientID'];
    $fname = $row['Name'];

```

```

$email = $row['Email'];
$address = $row['Address'];
$type = $row['ClientType'];
$eircode = $row['Eircode'];
$phone = $row['Phone'];

// Combine all client data with pipe separator

$allText = $id . "|" . $fname . "|" . $email . "|" . $address . "|" . $type . "|" . $eircode . "|" .
$phone;

echo "<option value='$allText'$fname</option>";
}

// Close connection
mysqli_close($con);
?>

```

Delete Client:

deleteClient.html.php

```

<!--
Name: Ismael Charaf Megrini
Student Number: C00313241
Date: 2/26/2026
Purpose: Screen used to delete clients
-->

<?php
session_start();

?>

<!DOCTYPE html>

<html lang="en">

<head>

```

```

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Client Maintenance - Delete Client</title>

<link rel="stylesheet" href="style.css"> <!-- Stylesheet -->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.0/css/all.min.css">

</head>

<body>

<div class="card">

<div class="content__top">

<h2>Client Maintenance</h2>

</div>

<form action="deleteClient.php" method="post" onsubmit="return confirmCheck()">

<div class="layout">

<aside class="sidebar">

<div class="brand-side">



</div>

<nav>

<div class="side-title">Client Maintenance</div> <!-- Menu title -->

<ul class="side-menu">

<li>

<a class="side-menu__link" href="../Add Client/addClient.html">

<!-- Add new client -->

<i class="fa-solid fa-user-plus"></i>

<span>Add a New Client</span>

</a>

</li>

<li>

```

```

        <a class="side-menu__link is-active" href="deleteClient.html.php">
            <!-- Delete client -->
            <i class="fa-solid fa-user-minus"></i>
            <span>Delete a Client</span>
        </a>
    </li>
    <li>
        <a class="side-menu__link" href="../Amend
View/AmendView.html.php">
            <!-- Edit/View client -->
            <i class="fa-solid fa-user-pen"></i>
            <span>Amend / View a Client</span>
        </a>
    </li>

    <div class="side-divider"></div>

    <li class="danger">
        <a class="side-menu__link" href="../MainScreens/home.html">
            <i class="fa-solid fa-house"></i>
            <span>Exit</span> <!-- Back to main screen -->
        </a>
    </li>
</ul>
</nav>
</aside>
<div class="client-grid">
    <center><div class="inputboxlist">
        <!-- Client list box -->

```

```

<label for="listbox"><span class="required"></span></label>

<select id="listbox" name="listbox" required onclick="populate()">

    <option value="default">--Client List--</option>

    <?php include "listbox.php"; ?>

</select>

</div></center>

<!-- Message displayed that the client has been deleted -->

<?php
    if (isset($_GET['status'])) {
        if ($_GET['status'] === 'success') {
            echo '<p style="color: #0b1220;">①Client ID: <strong>' .
$_GET['clientid'] . '</strong> has been deleted successfully.</p>';
            if (isset($_GET['bidsdeleted']) && $_GET['bidsdeleted'] > 0) {
                echo '<p style="color: green;">All associated bids for this client have
also been deleted.</p>';
            }
        } else if ($_GET['status'] === 'nochange') {
            echo '<p style="color: #0b1220;">①No record was deleted.</p>';
        } else {
            echo '<p style="color: red;">①An error occurred. Please try again.</p>';
        }
    }
?>

<br>

<div class="client-panel">

    <fieldset>

        <legend>Client Details</legend>

        <script>

            // Filling the form below with the data

```

```

function populate() {
    var sel = document.getElementById("listbox");
    var result;
    // Selected option using selectedIndex
    result = sel.options[sel.selectedIndex].value;
    var personDetails = result.split('|');
    document.getElementById("delId").value = personDetails[0];
    document.getElementById("delName").value = personDetails[1];
    document.getElementById("delEmail").value = personDetails[2];
    document.getElementById("delAddress").value = personDetails[3];
    document.getElementById("delClientType").value = personDetails[4];
    document.getElementById("delEircode").value = personDetails[5];
    document.getElementById("delPhone").value = personDetails[6];

}

// Confirm if the user wants to delete
function confirmCheck() {
    var response;
    response = confirm('Are you sure you want to delete this Client ?');
    if (response) {
        document.getElementById("delId").disabled = false;
        document.getElementById("delAddress").disabled = false;
        document.getElementById("delEmail").disabled = false;
        document.getElementById("delPhone").disabled = false;
        document.getElementById("delClientType").disabled = false;
        document.getElementById("delName").disabled = false;
        document.getElementById("delEircode").disabled = false;
        return true
    }
}

```

```

    }
    else {

        populate();
        return false;
    }
}

</script>

<br>

<br>

<div class="two-col">

    <div class="col">

        <div class="inputbox">

            <label for="delId">Person Id: </label>

            <input type="text" name="delId" id="delId" readonly>

        </div>

        <br>

        <div class="inputbox">

            <label for="delName">Name: </label>

            <input type="text" name="delName" id="delName" disabled>

        </div>

        <br>

        <div class="inputbox">

            <label for="delEircode">Eircode: </label>

            <input type="text" name="delEircode" id="delEircode" disabled>

```

</div>

<div class="inputbox">

<label for="delPhone">Phone: </label>

<input type="tel" name="delPhone" id="delPhone" disabled>

</div>

</div>

<div class="col">

<div class="inputbox">

<label for="delEmail">Email: </label>

<input type="email" name="delEmail" id="delEmail" disabled>

</div>

<div class="inputbox">

<label for="delClientType">Client Type: </label>

<input type="text" name="delClientType" id="delClientType"
disabled>

</div>

<div class="inputbox">

```

        <label for="delAddress">Address: </label>

        <textarea name="delAddress" id="delAddress" disabled
></textarea>

    </div>

    <br>

</div>
v    </div>

    <br>

    <br>

    <br>

    <div class="form-actions">

        <input type="reset" name="Cancel" value="Cancel">

        <input type="submit" name="Submit" value="Delete Client"
onclick="return confirmCheck()">

    </div>

</fieldset>

</div>

</div>

</div>

</form>

</div>

<?php
    session_destroy();

?>

</body>

</html>

```

DeleteClient.php

<!-- Name: Ismael Charaf Megrini -->

<!-- Student ID: C00313241 -->

<?php

session_start();

echo "Confirmation of Deletion
";

?>

<?php

include 'db.inc.php';

// Mark client as deleted

\$sql = "UPDATE Client SET DFlag = 1 WHERE ClientID = '".\$_POST['delId']."'";

// Check if query executed successfully

if(!mysqli_query(\$con, \$sql)){

header("Location: deleteClient.html.php?status=error");

exit();

}

// Check if any rows were updated

if(mysqli_affected_rows(\$con) == 0){

header("Location: deleteClient.html.php?status=nochange");

exit();

}

// Store deleted client details in session

```

$_SESSION['ClientID'] = $_POST['delId'];
$_SESSION['Address'] = $_POST['delAddress'];
$_SESSION['Email'] = $_POST['delEmail'];
$_SESSION['Phone'] = $_POST['delPhone'];
$_SESSION['ClientType'] = $_POST['delClientType'];
$_SESSION['Name'] = $_POST['delName'];
$_SESSION['Eircode'] = $_POST['delEircode'];

// Redirect with success message

header("Location:
deleteClient.html.php?status=success&officeid=".$_POST['delofficeid']."&bidsdeleted=".$_ro
wcount);

// Close database connection

mysqli_close($con);

?>

```

Listbox.php

```

<?php
include "db.inc.php"; // Database connection
date_default_timezone_set('UTC');

// Get all active clients

$sql = "SELECT * FROM Client WHERE DFlag = 0";

if (!$result = mysqli_query($con, $sql))
{
    // Show error if query fails

    die('Error in querying the database' . mysqli_error($con));
}

```

```

}

// Display each client in listbox
while ($row = mysqli_fetch_array($result))
{
    $id = $row['ClientID'];
    $fname = $row['Name'];
    $email = $row['Email'];
    $address = $row['Address'];
    $type = $row['ClientType'];
    $eircode = $row['Eircode'];
    $phone = $row['Phone'];

    // Combine all client data with pipe separator
    $allText = $id . "|" . $fname . "|" . $email . "|" . $address . "|" . $type . "|" . $eircode . "|" .
    $phone;
    echo "<option value='$allText'>$fname</option>";
}

// Close connection
mysqli_close($con);
?>

```

Land Property Report:

landPropertyReport.php

<!--

Name: Ismael Charaf Megrini

Student Number: C00313241

Date: 2/26/2026

-->

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Land Property Report</title>

<link rel="stylesheet" href="style.css"> <!-- Stylesheet -->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">

</head>

<body>

<div class="card">

<div class="content__top">

<h2>Land Property Report</h2>

</div>

<div class="layout">

<aside class="sidebar">

<div class="brand-side">

</div>


```

        <a class="side-menu__link" href="../MainScreens/home.html">
            <i class="fa-solid fa-house"></i>
            <span>Exit</span> <!--Exit Button(it redirect you to the main
Auctioneers page)-->
        </a>
    </li>
</ul>
</nav>
</aside>

<div class="client-grid">
    <form action="landPropertyReport.php" method="post" name="reportForm"
id="reportForm">
        <input type="hidden" name="sortOrder" id="sortOrder" value="<?php echo
isset($_POST['sortOrder']) ? $_POST['sortOrder'] : 'AskingPrice'; ?>">

        <div class="client-panel">
            <div class="form-actions sort-actions">
                <input type="button" id="btnAsking" class="sort-btn" value="Asking
Price" onclick="submitForm('AskingPrice')" <?php if(!isset($_POST['sortOrder']) ||
$_POST['sortOrder'] == 'AskingPrice') echo 'disabled'; ?>>
                <input type="button" id="btnAcreage" class="sort-btn" value="Acreage"
onclick="submitForm('Acreage')" <?php if(isset($_POST['sortOrder']) &&
$_POST['sortOrder'] == 'Acreage') echo 'disabled'; ?>>
            </div>
        </div>
    </div>
    <div class="client-panel">
        <?php
            // Connect to Auctioneers database
            include __DIR__ . '/../Add Client/db.inc.php';

```

```

if (!$con) {
    die('Database connection failed: ' . mysqli_connect_error());
}

// Default sort order is AskingPrice (ascending)
$order = "AskingPrice ASC";
if (isset($_POST['sortOrder']) && $_POST['sortOrder'] == "Acreage") {
    $order = "NumberOfAcres ASC";
}

$sql = "SELECT * FROM Land WHERE Dflag = 0 AND (Status = 'For Sale'
OR Status = 'Sale Agreed') ORDER BY $order";
$result = mysqli_query($con, $sql);

echo "<table class='report-table'>
    <tr>
        <th>Property Number</th>
        <th>Address</th>
        <th>No. of Acres</th>
        <th>Quotas</th>
        <th>Residence Details</th>
        <th>Status</th>
        <th>Asking Price</th>
        <th>Select</th>
    </tr>";

while($row = mysqli_fetch_array($result)) {
    $sqlClient = "SELECT * FROM Client WHERE ClientID =
'".$_row['ClientID']."'";
    $resClient = mysqli_query($con, $sqlClient);

```

```

$rowClient = mysqli_fetch_array($resClient);

$clientName = htmlspecialchars($rowClient['Name'], ENT_QUOTES);

echo "<tr>

    <td>".$row['LandID']. "</td>

    <td>".$row['Address']. "</td>

    <td>".$row['NumberOfAcres']. "</td>

    <td>".$row['Quotas']. "</td>

    <td>".$row['ResidenceDetails']. "</td>

    <td>".$row['Status']. "</td>

    <td>€".$row['AskingPrice']. "</td>

    <td>

        <input type='radio' name='selectedProp'

            value='".$row['LandID']. "|" . $row['ClientID']. "|" . $clientName. "|" . $rowClient['Email']. "|" . $rowClient['Phone']. "|" . $rowClient['Address']. "|" . $rowClient['ClientType']. "|" . $rowClient['Eircode']. "'

            onclick='storeProperty(this.value)'>

    </td>

</tr>";

}

echo "</table>";

?>

<br>

<div class="form-actions">

    <input type="button" class="sort-btn" value="Client Information"
onclick="showClientInfo()">

</div>

</div>

</form>

</div>

```

```
</div>
```

```
</div>
```

```
<script>
```

```
var selectedPropData = "";
```

```
function storeProperty(value) {
```

```
    selectedPropData = value;
```

```
}
```

```
function submitForm(order) {
```

```
    document.getElementById('sortOrder').value = order;
```

```
    document.getElementById('reportForm').submit();
```

```
}
```

```
function showClientInfo() {
```

```
    if (selectedPropData === "") {
```

```
        alert("Please select a property first.");
```

```
        return;
```

```
}
```

```
var details = selectedPropData.split('|');
```

```
var clientID = details[1];
```

```
var name = details[2];
```

```
var email = details[3];
```

```
var phone = details[4];
```

```
var address = details[5];
```

```
var clientType = details[6];
```

```
var eircode = details[7];
```

```

var popup = window.open("", "Client Info", "width=420,height=380");
popup.document.write("<h2>Client Information</h2>");
popup.document.write("<p><strong>Client ID:</strong> " + clientID + "</p>");
popup.document.write("<p><strong>Name:</strong> " + name + "</p>");
popup.document.write("<p><strong>Email:</strong> " + email + "</p>");
popup.document.write("<p><strong>Phone:</strong> " + phone + "</p>");
popup.document.write("<p><strong>Address:</strong> " + address + "</p>");
popup.document.write("<p><strong>Client Type:</strong> " + clientType + "</p>");
popup.document.write("<p><strong>Eircode:</strong> " + eircode + "</p>");
popup.document.write("<br><input type='button' value='Close'
onclick='window.close()'>");
    }
</script>
</body>
</html>

```

CSS STYLE:

style.css

/*

Name: Ismael Charaf Megrini, Oyindemola, Joseph Lalor and Ammar

Student Number: C00313241

Date: 2/26/2026

Purpose: Used to insert the data entered in the addClient.html file into the Clients table.

*/

*,

*::before,

```
*::after { box-sizing: border-box; }
```

```
html, body { height: 100%; }
```

```
body{  
  margin:0;  
  font-family:system-ui,-apple-system,Segoe UI,Roboto,Arial,sans-serif;  
  background:#f5f7fb;  
  color:#0f172a;  
  line-height:1.4;  
}
```

```
/* Highlight the first panel (client select) */
```

```
.office-panel:first-child{  
  background:#0b1220;  
  border-color:#818cf8;  
}
```

```
/* Card */
```

```
.card{  
  width:min(1200px,96vw);  
  margin:28px auto;  
  background:#fff;  
  border:1px solid #e5e7eb;  
  border-radius:14px;  
  box-shadow:0 12px 30px rgba(15,23,42,.08);  
  overflow:hidden;  
}
```

```
.content__top{
```

```
padding:20px 22px;
border-bottom:1px solid #e5e7eb;
background:linear-gradient(180deg,#fff,#fbfcff);
}
```

```
.content__top h2{ margin:0; font-size:1.25rem; }
```

```
/* Layout */
```

```
.layout{
  display:grid;
  grid-template-columns:260px 1fr;
  min-height:640px;
}
```

```
/* Sidebar */
```

```
.sidebar{
  border-right:1px solid #e5e7eb;
  background:#0b1220;
  color:#e5e7eb;
  padding:16px 14px;
}
```

```
.brand-side{
  display:flex;
  align-items:center;
  justify-content:center;
  padding:10px 8px 16px;
}
```

```
.brand-side__logo{ width:140px; max-width:100%; height:auto; }
```

```
.side-title{  
  margin:10px 8px 12px;  
  font-size:.85rem;  
  color:#cbd5e1;  
  text-transform:uppercase;  
  letter-spacing:.08em;  
}
```

```
.side-menu{  
  list-style:none;  
  padding:0;  
  margin:0;  
  display:grid;  
  gap:10px;  
}
```

```
.side-divider{  
  height:1px;  
  background:rgba(226,232,240,.18);  
  margin:10px 6px;  
}
```

```
.side-menu__link{  
  display:flex;  
  align-items:center;  
  gap:10px;  
  padding:10px;
```

```

border-radius:10px;
color:#e5e7eb;
text-decoration:none;
}

.side-menu__link:hover{ background:rgba(148,163,184,.16); }

.side-menu__link.is-active{
background:rgba(30,58,138,.22);
outline:1px solid rgba(30,58,138,.35);
}

li.danger .side-menu__link{
margin-top:10px;
background:rgba(239,68,68,.12);
outline:1px solid rgba(239,68,68,.25);
}

/* Main content */
.client-grid
{

padding:30px;
background:#fbfdff;

}

.client-grid .office-panel:first-child{

```

```
max-width:420px;
margin:0 auto 14px;
}
```

```
.client-panel{
background:#fff;
border:1px solid #e5e7eb;
border-radius:12px;
padding:16px;
box-shadow:0 8px 22px rgba(15,23,42,.04);
margin-bottom:14px;
}
```

```
/* Land Details box */
```

```
.form-actions{
display:flex;
gap:10px;
justify-content:center;
align-items: center;
padding-top:12px;
}
```

```
legend{ padding:0 10px; color:#0b1220; font-weight:700; }
```

```
/* Two columns */
```

```
.two-col{
display:grid;
grid-template-columns:1fr 1fr;
gap:20px;
```

```

}

/* Form controls */

.inputbox{
  display:grid;
  gap:6px;          /* space between label and input */
  margin-bottom:18px; /* space between fields */
}

.inputboxlist{

  display:grid;
  gap:6px;          /* space between label and input */
  margin-bottom:18px; /* space between fields */
  width: 300px;

}

label{ font-size:.9rem; color:#334155; font-weight:700; }

.required{ color:#ef4444; }

input[type="text"],
input[type="number"],
input[type="tel"],
input[type="email"],
select,
textarea{
  width:100%;

```

```

padding:11px 12px;
border:1px solid #e5e7eb;
border-radius:10px;
background:#fff;
color:#0f172a;
outline:none;
min-width:0;
}

input:focus,
select:focus,
textarea:focus{
    border-color:rgba(30,58,138,.8);
    box-shadow:0 0 0 4px rgba(30,58,138,.12);
}

textarea{ resize:vertical; min-height:90px; }

/* Disabled fields */
input:disabled,
select:disabled,
textarea:disabled{
    background:#f1f5f9;
    color:#64748b;
    border-color:#e2e8f0;
    cursor:not-allowed;
}

/* Buttons */

```

```
.form-actions{  
  display:flex;  
  gap:10px;  
  justify-content:center;  
  padding-top:12px;  
}
```

```
input[type="submit"],  
input[type="reset"]{  
  border:1px solid #e5e7eb;  
  border-radius:10px;  
  padding:10px 14px;  
  cursor:pointer;  
  font-weight:800;  
  transition:all 0.2s ease;  
}
```

```
/* Submit base */  
input[type="submit"]{  
  background:#0b1220;  
  border-color:rgba(30,58,138,.8);  
  color:#fff;  
}
```

```
/* Reset base */  
input[type="reset"]{  
  background:#fff;  
  color:#0f172a;  
}
```

```
/* Hover ONLY when enabled */  
input[type="submit"]:not(:disabled):hover{  
    background:#1e3a8a;  
    border-color:#1e3a8a;  
}
```

```
input[type="reset"]:not(:disabled):hover{  
    background:#374151;  
    border-color:#374151;  
    color:#fff;  
}
```

```
/* Disabled buttons (grey + no hover) */  
input[type="submit"]:disabled,  
input[type="reset"]:disabled{  
    background:#e5e7eb;  
    color:#9ca3af;  
    border-color:#e5e7eb;  
    cursor:not-allowed;  
    box-shadow:none;  
    transform:none;  
}
```

```
fieldset{  
    border:2px solid #0b1220;  
    border-radius:12px;  
    padding:14px;  
}
```

```
.toggleBtn{
  background:#0b1220;
  border-color:rgba(30,58,138,.8);
  color:#fff;
  border:1px solid #e5e7eb;
  border-radius:10px;
  padding:10px 14px;
  cursor:pointer;
  font-weight:800;
  transition:all 0.2s ease;
}
```

```
/* Report tables */
```

```
.report-table{
  width:100%;
  max-width:100%;
  border-collapse:collapse;
  margin:0 auto;
  overflow-x:auto;
}
```

```
@media (max-width: 1100px) {
  .report-table,
  .report-table th,
  .report-table td {
    font-size: 0.9rem;
  }
}
```

```
.report-table th,  
.report-table td{  
  border: 1px solid #e5e7eb;  
  padding: 10px;  
  text-align: left;  
  vertical-align: top;  
}
```

```
.report-table th{  
  background: #0b1220;  
  color: #e5e7eb;  
  font-weight: 800;  
}  
.report-table tr:nth-child(even){  
  background: #f8fafc;  
}
```

```
/* sort buttons */  
.sort-actions{  
  justify-content: center;  
  gap: 12px;  
}
```

```
.sort-btn{  
  border: 1px solid rgba(129,140,248,.55);  
  border-radius: 10px;  
  padding: 10px 14px;  
  font-weight: 800;
```

```
    cursor:pointer;
    background:#0b1220;
    color:#e5e7eb;
    transition:all .2s ease;
}
```

```
.sort-btn:not(:disabled):hover{
    background:#1e3a8a;
    border-color:#1e3a8a;
}
```

```
.sort-btn:disabled{
    background:rgba(148,163,184,.18);
    border-color:rgba(148,163,184,.25);
    color:rgba(226,232,240,.55);
    cursor:not-allowed;
}
```

Data base connection:

Db.inc.php

<!--

Name: Ismael Charaf Megrini

Student Number: C00313241

Date:2/5/2026

-->

<html>

<body>

<?php

\$hostname = "localhost";

```
$username="bidmaster";  
$password="Auct10nRul3$";  
$dbname="Auctioneers";  
$con = mysqli_connect ($hostname, $username, $password, $dbname); //connect to db  
if (!$con)  
{  
    die ("Failed to connect to MySQL: ". mysqli_connect_error());  
}  
?>  
</body>  
</html>
```

Screens:

Add Client

Add a new Client



CLIENT MAINTENANCE

- Add a New Client
- Delete a Client
- Amend / View a Client

Exit

Client Details

Full Name: *

Enter name...

Email Address: *

client@example.com

Eircode: *

e.g. D02 X285

Client Type: *

--Select Type--

Phone Number: *

(353) - 871262837

Postal Address: *

Enter full address...

Reset

Add New Client

Delete Client

Delete Client



CLIENT MAINTENANCE

- Add a New Client
- Delete a Client
- Amend / View a Client

Exit

--Client List--

Client Details

Person Id:

Email:

Name:

Client Type:

Eircode:

Address:

Phone:

Cancel

Delete Client

Amend/View a Client

MPN
ESTATES

CLIENT MAINTENANCE

Add a New Client

Delete a Client

Amend / View a Client

Exit

Amend/View Client Maintenance

Sarah

Client Details

View Details

Full Name:

Sarah

Postal Address:

22 Lake View, Cork

Email Address:

sarah.lee@email.com

Eircode:

C01AB34

Phone Number:

0862345678

Client Type:

Seller

Save Changes

Land Property Report

MPN
ESTATES

CLIENT MAINTENANCE

Add a New Client

Delete a Client

Amend / View a Client

Exit

Land Property Report


Existing Properties

Acreage

Property Number	Address	No. of Acres	Quotas	Residence Details	Status	Asking Price	Select
5	6 Riverside Cottage Tullow Road Beside River Slaney, 3km from town	5	3	Charming 2-bedroom cottage in fair condition; includes kitchen, living area, and bathroom, with pote	For Sale	€215000	☐
3	18 Meadow View Old Dublin Road Opposite local primary school, 2km from town centre	11	6	Derelict 2-bedroom cottage with redevelopment potential; existing water and electricity connections	For Sale	€295000	☐
4	72 Oakridge Farm Leighlin Road 5km outside Carlow, near N80	22	14	Spacious 4-bedroom farmhouse in good condition with kitchen, dining room, living area, and two bathr	For Sale	€520000	☐

Client Information

Page 224 of 234



AI Disclosure Forms

Project

AI Disclosure Document

Student Name:	Ismael Charaf Megrini
Student ID:	C00313241
Course Name	Software Development (Hons)
Project Title	Auctioneers Project
Code Unit	Auctioneers (Add Screen)
Date Submitted:	26/3/2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Project

AI Disclosure Document

Student Name:	Ismael Charaf Megrini
Student ID:	C00313241
Course Name	Software Development (Hons)
Project Title	Auctioneers Project
Code Unit	Auctioneers (Delete Screen)
Date Submitted:	26/3/2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Project

AI Disclosure Document

Student Name:	Ismael Charaf Megrini
Student ID:	C00313241
Course Name	Software Development (Hons)

Project Title	Auctioneers Project
Code Unit	Auctioneers (Amend/View Client Screen)
Date Submitted:	26/3/2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:

☒ No, I did not use any AI tools.

☐ Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.

Project

AI Disclosure Document

Student Name: Ismael Charaf Megrini
Student ID: C00313241
Course Name Software Development (Hons)
Project Title Auctioneers Project
Code Unit Auctioneers (Land Property Report)
Date Submitted: 26/3/2026

AI Assistance Disclosure

AI Technologies Used

Indicate whether you used AI technologies in completing this task:



No, I did not use any AI tools.



Yes, I used AI tools. (List all AI technologies used, e.g., ChatGPT, GitHub Copilot, Codeium, Google Bard, etc.)

Prompts Used

If AI was used, describe the prompts or queries you provided to the AI tools:

Nature of Assistance

Indicate how AI technologies contributed to your work by selecting and elaborating on the relevant categories below:

Code Suggestions & Auto-Completion: (e.g., AI suggested code snippets, function implementations, syntax corrections, etc.)

Debugging & Error Fixing: (e.g., AI identified and corrected syntax/logical errors, suggested refactoring, etc.)

Concept Explanation: (e.g., AI provided explanations of algorithms, data structures, programming concepts, etc.)

Optimization & Efficiency Improvements: (e.g., AI suggested more efficient algorithms, reduced complexity, optimized loops, etc.)

Other (Specify):

Use of AI-Generated Output

Describe how you used the AI-generated output in your work:

Verification of AI Output

Explain the steps you took to verify the accuracy and correctness of the AI-generated output:

AI-Generated Content Modifications

Did you modify or refine any AI-generated content before submission? (Check one and provide details.)

☐ Yes, I made modifications. (Explain what was changed and why.)

☐ No, I used AI-generated content as is. (Explain why you did not modify it.)

Acknowledgment & Integrity Statement

By submitting this document, I acknowledge that I have fully disclosed my use of AI technologies in completing this lab sheet.