

ASG CAD MASTER STANDARD - AutoCAD Environment for Aluminium, Glass & Facade Engineering

Standard R0 | 10.10.2026 | Status: issued for internal review. Conventions are informed by ISO 128 (line types / widths), ISO 5455 (scales), ISO 5457 (sheet sizes / borders), ISO 3098 (lettering) and ISO 7200 (title block fields). No formal compliance or certification is claimed - the ISO texts were not available for verification.

1. Design philosophy

1. Model geometry is drawn full size, 1:1, in millimetres.
2. Geometry lives in model space; annotation is annotative in model space or fixed in paper space; sheets live in layouts.
3. Layers are meaningful, coded, documented; object properties are ByLayer.
4. Blocks have predictable names, datum base points and mm insertion units.
5. Dimensions always report true geometry - no text overrides.
6. Annotation is sized by plotted paper height, never by guesswork in model space.
7. Layouts use genuine ISO paper sizes and locked, controlled viewports.
8. Plots are monochrome with a fixed lineweight hierarchy - predictable on every printer and PDF.
9. Proprietary manufacturer data is never invented.
10. Easy to learn, hard to misuse: few styles, clear names, one setup command, one QA command.

2. Package structure

Folder	Content
01_Master_Template	ASG_Master_Template.dxf (+ .dwg/.dwt after AutoCAD step), ASG_Setup.lsp
02_Drawing_Templates	Single-layout templates per sheet size (DXF)
03_Page_Setups	ASG_Page_Setups.csv - page setup definitions (created in AutoCAD by ASG-PAGESETUPS)
04_Plotting_Standards	ASG_Monochrome.ctb
05_CAD_Standards_Documentation	ASG_CAD_Standards.pdf (this document)
06_Layer_Register	ASG_Layer_Register.xlsx / .csv
07_QA_Validation	Validation report PDF/TXT, temporary QA drawing, QA renders
08_Automation_Source	asg_standard.py, build_all.py, qa_validate.py, ASG_Setup.lsp

3. Units and drawing-resident variables (stored in the DXF/DWG/DWT)

Variable	Value	Purpose
\$INSUNITS	4	Insertion units = millimetres (no unit conversion on block insert)
\$MEASUREMENT	1	Metric - acadiso.lin / acadiso.pat used
\$LUNITS	2	Linear units = Decimal
\$LUPREC	0	Linear display precision 0 dp
\$AUNITS	0	Angular units = Decimal Degrees
\$AUPREC	2	Angle precision 0.00
\$ANGBASE	0.0	0 deg = East
\$ANGDIR	0	Counter-clockwise positive
\$LIMMIN	(0.0, 0.0)	Nominal limits origin
\$LIMMAX	(200000.0, 150000.0)	Nominal 200 x 150 m - never restrictive
\$LIMCHECK	0	Limits not enforced (large facade elevations)
\$LTSCALE	1.0	Global linetype scale 1 - dash lengths in paper mm
\$PSLTSCALE	1	Viewport scale controls linetype scale
\$CELTSCALE	1.0	Object linetype scale default
\$LWDISPLAY	1	Show lineweights on screen
\$CELWEIGHT	-1	New objects lineweight ByLayer
\$CECOLOR	256	New objects colour ByLayer
\$ORTHOMODE	0	Ortho off - polar tracking preferred
\$DIMASSOC	2	Associative dimensions follow geometry
\$PLINEGEN	1	Continuous linetype pattern along polylines
\$FILLMODE	1	Fills displayed
\$MIRRTEXT	0	Text not mirrored
\$TEXTSIZE	2.5	Default text height
\$PSTYLEMODE	1	Colour-dependent plot styles (CTB)
\$WORLDVIEW	1	UCS follows WCS in views
\$UCSORG	(0.0, 0.0, 0.0)	UCS origin at WCS origin
\$UCSXDIR	(1.0, 0.0, 0.0)	UCS = World
\$UCSYDIR	(0.0, 1.0, 0.0)	UCS = World
\$VISRETAIN	1	Xref layer overrides retained
\$PROXYGRAPHICS	1	Proxy images saved for interoperability
\$CLAYER	ASG-OUTLINE-PRIMARY	Default current layer (plottable geometry)
\$TEXTSTYLE	ASG-TEXT-ANNO	Default text style
\$DIMSTYLE	ASG-DIM-ANNO	Default dimension style
\$SCMLSTYLE	ASG-MLINE-2	Default multiline style

Precision: ordinary dimensions 0 dp; fabrication details ASG-DIM-DETAIL 0.0; angles 0.00. Rounding DIMRND 0 (no rounding beyond precision). Trailing zeros suppressed on 0-dp styles; shown on DETAIL (0.0). INSUNITS = mm on template and every block prevents unit conversion on insertion.

4. Machine / user-profile settings (NOT stored in any DWG/DWT)

Stored in the AutoCAD profile / registry of each PC. A template cannot enforce them. Recommended values; applied only by the opt-in command ASG-PROFILE.

Variable	Recommended	Purpose
OSMODE	2223	Endpoint, Midpoint, Centre, Node, Intersection, Perpendicular, Extension

Variable	Recommended	Purpose
AUTOSNAP	63	Marker, magnet, tooltip, aperture box, polar + object snap tracking
POLARANG	45	Polar increment
DYNMODE / DYNPROMPT	3 / 1	Dynamic input
SELECTIONCYCLING	2	Cycle overlapping objects with list
GRIPS / GRIPSIZE	1 / 5	Grips on
PICKBOX / APERTURE	4 / 8	Selection target sizes
PICKFIRST / PICKADD	1 / 2	Noun-verb selection, Shift to remove
MSLTSCALE	1	Model-space linetypes follow annotation scale
ANNOAUTOSCALE	0	Do NOT auto-add scales to annotative objects
ANNOALLVISIBLE	0	Show only annotation of the current scale
SAVETIME / ISAVEBAK	10 / 1	Autosave 10 min, keep .bak
LAYOUTREGENCTL	2	Fast layout switching
HPLAYER / DIMLAYER	ASG-HATCH / ASG-DIMENSION	Auto-layer for hatch & dims (AutoCAD 2016+)
REFPATHTYPE	1	Relative xref paths
UCSFOLLOW / UCSVP	0 / 1	UCS stays World per viewport

5. Layer dictionary

Naming: ASG-<FUNCTION>[-<QUALIFIER>], full words, no ambiguous abbreviations. Codes: G = geometry, T = technical, A = annotation, S = sheet. All objects ByLayer.

Code	Layer	ACI	Linetype	LW	Plot	Recommended use
G01	ASG-OUTLINE-PRIMARY	7	Continuous	0.35	Yes	Overall frame / panel outlines in elevation and plan
G02	ASG-OUTLINE-SECONDARY	8	Continuous	0.18	Yes	Edges beyond, minor returns, internal lines
G03	ASG-ALUMINIUM-PROFILE	7	Continuous	0.25	Yes	Frames, mullions, transoms, sashes, beads (elevation and section)
G04	ASG-GLASS	4	Continuous	0.18	Yes	Glass / mirror edges, DGU / laminate interlayer lines
G05	ASG-STAINLESS-STEEL	7	Continuous	0.25	Yes	SS fittings, spigots, channels, handrails, patch plates
G06	ASG-MILD-STEEL	7	Continuous	0.30	Yes	MS brackets, sub-frames, support steel, base plates
G07	ASG-HARDWARE	8	Continuous	0.18	Yes	Hinges, handles, locks, rollers, closers, patch fittings
G08	ASG-FIXING	8	Continuous	0.18	Yes	Anchors, screws, bolts, rivets, fixing brackets
G09	ASG-GASKET	8	Continuous	0.13	Yes	EPDM gaskets, brushes, setting / distance blocks
G10	ASG-SEALANT	8	Continuous	0.13	Yes	Structural / weather silicone, backer rod, tapes
G11	ASG-INSULATION	252	Continuous	0.13	Yes	Insulation and thermal breaks (plots grey)
G12	ASG-CLADDING	7	Continuous	0.25	Yes	ACP / solid panels, flashings, copings
T01	ASG-HIDDEN	8	HIDDEN2	0.18	Yes	Concealed edges, embedded parts
T02	ASG-CENTERLINE	8	CENTER2	0.13	Yes	Axes of symmetry, hole centres, module lines
T03	ASG-CUTTING-PLANE	7	PHANTOM2	0.35	Yes	Section cut lines (markers go on ASG-SYMBOL)
T04	ASG-SECTION-CUT	7	Continuous	0.40	Yes	Outline of material cut by the section plane - heaviest geometry
T05	ASG-HATCH	252	Continuous	0.09	Yes	Pattern hatches in sections (plots grey)
T06	ASG-HATCH-FILL	251	Continuous	0.09	Yes	Solid fill of thin aluminium / steel walls (plots dark grey)
T07	ASG-SETOUT	8	DASHDOT2	0.13	Yes	Opening lines, setting-out lines that must print
T08	ASG-REFERENCE	253	Continuous	0.13	Yes	Architectural / structural background, xrefs (plots light grey)
T09	ASG-CONSTRUCTION	6	Continuous	0.05	NO	Temporary helper lines only - never final geometry
A01	ASG-DIMENSION	3	Continuous	0.13	Yes	All dimensions
A02	ASG-TEXT	7	Continuous	0.18	Yes	Labels, view titles
A03	ASG-TEXT-NOTE	7	Continuous	0.18	Yes	General and specification notes
A04	ASG-MULTILEADER	3	Continuous	0.13	Yes	Callouts and material labels
A05	ASG-TABLE	7	Continuous	0.18	Yes	Schedules, registers, note tables
A06	ASG-LEVEL	3	Continuous	0.18	Yes	FFL / SSL / sill / head level markers
A07	ASG-GRID	8	CENTER	0.13	Yes	Structural / architectural grid lines and bubbles
A08	ASG-REVISION	1	Continuous	0.25	Yes	Revision clouds and delta tags
A09	ASG-SYMBOL	3	Continuous	0.25	Yes	Section / detail / elevation marks, north arrow
S01	ASG-BORDER	7	Continuous	0.50	Yes	Border frame in layouts
S02	ASG-TITLEBLOCK	7	Continuous	0.25	Yes	Title block insert and attributes
S03	ASG-VIEWPORT	6	Continuous	0.00	NO	All layout viewports
S04	ASG-NO PLOT	6	Continuous	0.00	NO	Internal markups, reminders - never printed

ACI	Function	Plotted (ASG_Monochrome.ctb)
7	Primary geometry, metals, text, sheet	Black
8	Secondary geometry, hardware, seals, hidden, centre, grids	Black (thinner weights)
4	Glass and mirror	Black
3	Annotation: dimensions, leaders, levels, symbols	Black
1	Revisions	Black
6	Non-plot: construction, viewport, no-plot	Not plotted (layer plot flag off)

ACI	Function	Plotted (ASG_Monochrome.ctb)
251 / 252 / 253	Fills / hatch & insulation / reference	Grey 36% / 52% / 68% darkness

6. Lineweight matrix and linetypes

Lineweight	Class
0.50 mm	Sheet border
0.40 mm	Section cut outline
0.35 mm	Primary outline, cutting plane
0.30 mm	Mild steel
0.25 mm	Aluminium, stainless, cladding, symbols, title block, revision
0.18 mm	Secondary lines, glass, hardware, fixings, hidden, text
0.13 mm	Dimensions, leaders, centrelines, seals, insulation, set-out, reference
0.09 mm	Hatches and fills

Steps between classes are at least 0.04 mm (ISO 128 ratio ~1.4 between main weights). LTSCALE 1 + PSLTSCALE 1: dash lengths are paper mm in every viewport; MSLTSCALE 1 (profile) applies the annotation scale in model space.

Linetype	Pattern
HIDDEN	Hidden ___ _ _
HIDDEN2	Hidden (.5x) ___ _
CENTER	Center ___ _ _ _
CENTER2	Center (.5x) ___ _ _ _
DASHED	Dashed ___ _
DASHED2	Dashed (.5x) ___ _
DASHDOT	Dash dot ___ . ___
DASHDOT2	Dash dot (.5x) ___ . ___
PHANTOM	Phantom ___ _ _ _
PHANTOM2	Phantom (.5x) ___ _ _ _
DOT	Dot . . .
Continuous	Solid

7. Text system - Arial

Style	Font	Annotative	Use
ASG-TEXT-ANNO	arial.ttf	Yes	Model-space general text / dimension text
ASG-TEXT-NOTE	arial.ttf	Yes	Model-space notes, material labels, leaders
ASG-TEXT-SMALL	arial.ttf	Yes	Small detail notes, profile codes
ASG-TEXT-TITLE	arialbd.ttf	No (paper space)	Detail / view titles (paper space)
ASG-TEXT-HEADING	arialbd.ttf	No (paper space)	Drawing titles, section headings (paper space)
ASG-TEXT-SHEET	arial.ttf	No (paper space)	Title block fields, sheet text (paper space)

Use	Plotted height	Style
General dimensions	2.5 mm	ASG-TEXT-ANNO (via dim style)
Technical notes	2.5 mm	ASG-TEXT-NOTE
Material labels	2.5 mm	ASG-TEXT-NOTE (via ASG-ML-ANNO)
Small detail notes	1.8 mm	ASG-TEXT-SMALL
Detail titles	3.5 mm	ASG-TEXT-TITLE
Drawing titles	5.0 mm	ASG-TEXT-HEADING
Sheet headings	7.0 mm	ASG-TEXT-HEADING (A1); 5.0 on A3/A4

Font availability: Arial / Arial Bold are Windows core fonts present on every company PC and embed in PDF. If missing, AutoCAD substitutes FONTALT (set FONTALT = arial.ttf). Heights are set in paper mm; annotative styles scale them automatically.

8. Dimension system

Style	Annotative	Use
ASG-DIM-ANNO	Yes	Default linear / aligned dimensions in model space, any viewport scale
ASG-DIM-FIXED	No	Non-annotative: paper-space (trans-spatial) dimensioning over viewports, or 1:1 sheets
ASG-DIM-DETAIL	Yes	Fabrication details: 0.0 precision; tolerance switched on per dimension (symmetrical, 0.7 height)
ASG-DIM-ANGULAR	Yes	Angular dimensions, decimal degrees 0.00
ASG-DIM-RADIUS	Yes	Radius dimensions (R prefix automatic), no centre mark
ASG-DIM-DIAMETER	Yes	Diameter dimensions (diameter symbol automatic), centre mark 2.5
Parameter		Value
Text		ASG-TEXT-ANNO 2.5, above line, aligned with line, gap 1.0
Arrowheads		Closed filled 2.5; centre mark 2.5 (DIAMETER), none (RADIUS)
Extension lines		Offset 1.5 from origin, extend 1.25 beyond dim line
Spacing		Baseline / continue spacing 7.0
Fit		Best fit (DIMATFIT 3), text moved beside dim line, force line inside
Linear units		Decimal mm, 0 dp (DETAIL 0.0), '.' separator, rounding 0, trailing zeros suppressed (DETAIL shown)
Angular units		Decimal degrees 0.00
Tolerance		Off; symmetrical +/- precision 0.0 height 0.7 switched on per dimension on DETAIL
Alternate units		Off
Measurement scale		DIMLFAC 1.0 - true geometry
Scale		Annotative styles: DIMSCALE from annotation scale; FIXED: DIMSCALE 1 for paper space

Rule: dimensions always report measured geometry (DIMLFAC 1, DIMASSOC 2). Overriding dimension text is prohibited; fix the geometry instead. No further fixed-scale styles are created - ASG-DIM-FIXED in paper space covers non-annotative workflows.

9. Multileader system

Style	Annotative	Arrow	Text	Frame	Use
ASG-ML-ANNO	Yes	closed filled 2.5	ASG-TEXT-NOTE 2.5	No	Default model-space callouts and material labels
ASG-ML-NOTE	No	closed filled 2.5	ASG-TEXT-NOTE 2.5	No	Paper-space notes pointing into viewports
ASG-ML-DETAIL	Yes	_DOT 1.5	ASG-TEXT-SMALL 1.8	No	Dense 1:1 / 1:2 fabrication details
ASG-ML-REFERENCE	Yes	_OPEN30 2.5	ASG-TEXT-NOTE 2.5	Yes	References to other drawings / details (framed text)

All: straight leader, 2 points max, landing gap 1.0, dogleg 4.0, attachment middle of top line, ByLayer colour. Background mask: per MText (Properties > Text > Background mask, border offset 1.2, use drawing background) where notes cross hatch.

10. Annotative scale governance

Controlled list: 1:1, 1:2, 1:5, 1:10, 1:20, 1:25, 1:50, 1:100. Additional scales only with CAD custodian approval (e.g. 1:200 for site plans).

Object	Rule
Model-space text	Annotative ASG-TEXT-ANNO / -NOTE / -SMALL
Paper-space text	Non-annotative ASG-TEXT-TITLE / -HEADING / -SHEET at true plotted height
Dimensions	ASG-DIM-ANNO family in model space; ASG-DIM-FIXED for paper-space dims
Multileaders	ASG-ML-ANNO / -DETAIL / -REFERENCE in model space; ASG-ML-NOTE in paper space
Symbols	Section / detail / level / grid bubbles annotative
Real-size blocks	Never annotative (hardware, profiles, fixings)
Hatches	Material hatches non-annotative; symbolic fills may be annotative

Workflow: 1) Set the viewport scale and lock the viewport. 2) Double-click into the viewport - CANNOSCALE follows it. 3) Add annotation with ASG-*-ANNO styles. 4) Need the same note in another scale? Select > right-click > Annotative Object Scale > Add (OBJECTSCALE). 5) Keep ANNOAUTOSCALE 0 and ANNOALLVISIBLE 0 to avoid duplicates. 6) Imported drawings with extra scales: -SCALELISTEDIT > Reset, then AUDIT.

11. Tables and schedules

Style	Title	Header	Data	Use
ASG-TABLE-STANDARD	3.5 MC	2.5 MC	2.5 ML	Standard technical tables
ASG-TABLE-MATERIAL	3.5 MC	2.0 MC	2.0 ML	Material schedules
ASG-TABLE-GLASS	3.5 MC	2.0 MC	2.0 ML	Glass schedules
ASG-TABLE-HARDWARE	3.5 MC	2.0 MC	2.0 ML	Hardware schedules
ASG-TABLE-REVISION	suppressed	2.0 MC	2.0 ML	Revision registers
ASG-TABLE-REGISTER	3.5 MC	2.5 MC	2.5 ML	Drawing registers
ASG-TABLE-NOTES	3.5 ML	suppressed	2.5 TL	General notes

Common: ASG-TEXT-SHEET, cell margins H 1.5 / V 1.0, flow top-down, inside grid 0.18, outline 0.35, header fill ACI 254 (light grey), no data fill. Row height = text + 2 x margin (min 6 mm at 2.5). Numbers right/centre, descriptions left. Place tables in paper space on ASG-TABLE. Created by ASG-SETUP.

12. Layouts, page setups and title block

Layout / page setup	Paper (canonical name)	Orient.	Title block	Default viewport
A4-LANDSCAPE / ASG-A4-LANDSCAPE	ISO_full_bleed_A4_(297.00_x_210.00_MM)	L	ASG-TB-A4	1:10 locked
A4-PORTRAIT / ASG-A4-PORTRAIT	ISO_full_bleed_A4_(210.00_x_297.00_MM)	P	ASG-TB-A4	1:10 locked
A3-LANDSCAPE / ASG-A3-LANDSCAPE	ISO_full_bleed_A3_(420.00_x_297.00_MM)	L	ASG-TB-A3	1:20 locked
A3-PORTRAIT / ASG-A3-PORTRAIT	ISO_full_bleed_A3_(297.00_x_420.00_MM)	P	ASG-TB-A3	1:20 locked
A1-LANDSCAPE / ASG-A1-LANDSCAPE	ISO_full_bleed_A1_(841.00_x_594.00_MM)	L	ASG-TB-A1	1:50 locked

All page setups: DWG To PDF.pc3, plot area Layout, scale 1:1 (paper units mm), plot offset centred, ASG_Monochrome.ctb, plot object lineweights ON, lineweights not scaled, plot transparency OFF, paper space last, viewport borders on no-plot layer ASG-VIEWPORT. Border margins 20 mm left (filing) / 10 mm others (ISO 5457 practice). Viewport practice: every viewport on ASG-VIEWPORT, scale set from the controlled list, Display Locked = Yes; unlock only to change the scale.

Title block: separate A4 (180 mm), A3 (180 mm, larger rows) and A1 (250 mm) designs, inserted at scale 1. Hierarchy bottom-up: drawing number / revision / sheet; scale / date / status; signatures; drawing title; client / consultant; project / location; company heading (text, no logo invented). Attributes: PROJECT, LOCATION, CLIENT, CONSULTANT, DWG_TITLE, DWG_TITLE_2, DWG_NO, REV, DATE, DRAWN_BY, CHECKED_BY, APPROVED_BY, SCALE, SHEET_NO, DWG_STATUS.

13. Hatch, block and attribute standards

Material	Pattern	Scale	Angle	Layer	Note
Glass (section)	ANSI31	0.5	0	ASG-HATCH	Thin glass: two lines, no hatch
Aluminium (section)	SOLID	-	-	ASG-HATCH-FILL	Plots dark grey
Mild steel (section)	ANSI32	1.0	0	ASG-HATCH	Lines read 45 deg
Stainless steel (section)	ANSI31	0.75	90	ASG-HATCH	Lines read 135 deg
Concrete	AR-CONC	0.05	0	ASG-REFERENCE	
Masonry / blockwork	ANSI31	1.0	0	ASG-REFERENCE	AR-B816 in elevation
Insulation	INSUL	0.05	0	ASG-INSULATION	Fit to thickness
Sealant	SOLID	-	-	ASG-SEALANT	
Generic fill	ANSI37	1.0	0	ASG-HATCH	

Model-space hatch scale = table scale x drawing scale. Blocks: name ASG-<CATEGORY>-<ITEM>-<VARIANT>, geometry on layer 0 ByBlock/ByLayer, base point at a datum (fixing point / bottom-left / centreline), INSUNITS mm, scale uniformly, real-size items non-annotative, symbols annotative. Manufacturer data only from verified supplier sources.

Attribute tag	Meaning
ITEM_CODE	Item / product code
ITEM_NAME	Item description
SYSTEM_NAME	System / series
MANUFACTURER	Manufacturer / supplier (verified only)
MATERIAL	Base material
FINISH	Finish
COLOUR	Colour / RAL
GLASS_SPEC	Glass specification
REVISION	Block revision

14. Plotting / PDF standard and interoperability

Item	Standard
Device	DWG To PDF.pc3 (AutoCAD standard) - no custom PC3 dependency
Paper	ISO full bleed A4 / A3 / A1 - exact sheet size; border gives margins
Area / scale / offset	Layout, 1:1, centred
Plot style	ASG_Monochrome.ctb (black; 250-254 grey); fallback monochrome.ctb
Lineweights	Plot object lineweights ON, scale lineweights OFF
Transparency / shading	Plot transparency OFF; shaded viewports 'As displayed', 300 dpi
PDF options	Vector 1200 dpi, raster 300 dpi, TrueType as text, layer info OFF for client issue, hyperlinks off
Pre-issue	Freeze/check no-plot layers, AUDIT, PURGE, plot preview, open the PDF and check scale bar / dims
Compatibility	Save AutoCAD 2018 DWG; DXF 2018 for third parties; no proxy objects, no custom objects
Xrefs / PDF import	Relative paths, overlay, ASG-REFERENCE; PDFIMPORT geometry moved to ASG layers

15. Resource separation and portability checklist

Resource	Where it lives	Deploy
Layers, styles, scales, layouts, title blocks	Inside DWT (drawing-resident)	Copy DWT to shared Templates folder
Named page setups	Inside DWT after ASG-SETUP	Travel with DWT
Plot style ASG_Monochrome.ctb	Plot Styles folder (external)	Copy to each PC / shared support path
DWG To PDF.pc3	AutoCAD Plotters folder (ships with AutoCAD)	None
Fonts arial.ttf / arialbd.ttf	Windows Fonts (external)	Present on Windows; check on Mac/viewers
Linetypes	Embedded in DWT (acadiso values)	None
Hatch patterns	acadiso.pat (ships with AutoCAD)	None
OSMODE, grips, autosave, background ...	User profile / registry (external)	Optional ASG-PROFILE per user
QNEW default template	Options > Files (profile)	Set per PC to ASG_Master_Template.dwt

Appendix - layout previews (rendered from the saved master DXF)

A4-LANDSCAPE

SAEED AL SIRAJ GLASS & ALUMINIUM WORKS L.L.C.			
AL SIRAJ GROUP ALUMINIUM, GLASS & FACADE DIVISION UNITED ARAB EMIRATES			
PROJECT PROJECT NAME		LOCATION LOCATION, UAE	
CLIENT CLIENT		CONSULTANT CONSULTANT	
DRAWING TITLE DRAWING TITLE			
DRAWN BY -		CHECKED BY -	APPROVED BY -
SCALE AS SHOWN		DATE DD.MM.YYYY	DRAWING STATUS PRELIMINARY
DRAWING No. AS-YYYY-NNN-DIS-TYP-001		REV R0	SHEET No. 01 OF 01

A4-PORTRAIT

SAEED AL SIRAJ GLASS & ALUMINIUM WORKS L.L.C.			
AL SIRAJ GROUP ALUMINIUM, GLASS & FACADE DIVISION UNITED ARAB EMIRATES			
PROJECT		LOCATION	
PROJECT NAME		LOCATION, UAE	
CLIENT		CONSULTANT	
CLIENT		CONSULTANT	
DRAWING TITLE			
DRAWING TITLE			
DRAWN BY		CHECKED BY	
-		-	
APPROVED BY		-	
SCALE		DATE	
AS SHOWN		DD.MM.YYYY	
DRAWING STATUS		PRELIMINARY	
DRAWING No.		REV	
AS-YYYY-NNN-DIS-TYP-001		R0	
SHEET No.		01 OF 01	

A3-LANDSCAPE

SAEED AL SIRAJ GLASS & ALUMINIUM WORKS L.L.C.			
AL SIRAJ GROUP ALUMINIUM, GLASS & FACADE DIVISION UNITED ARAB EMIRATES			
PROJECT		LOCATION	
PROJECT NAME		LOCATION, UAE	
CLIENT		CONSULTANT	
CLIENT		CONSULTANT	
DRAWING TITLE			
DRAWING TITLE			
DRAWN BY		CHECKED BY	APPROVED BY
-		-	-
SCALE		DATE	DRAWING STATUS
AS SHOWN		DD.MM.YYYY	PRELIMINARY
DRAWING No.		REV	SHEET No.
AS-YYYY-NNN-DIS-TYP-001		R0	01 OF 01

A3-PORTRAIT

A1-LANDSCAPE

SAEED AL SIRAJ GLASS & ALUMINIUM WORKS L.L.C.		
AL SIRAJ GROUP ALUMINIUM, GLASS & FACADE DIVISION UNITED ARAB EMIRATES		
PROJECT	LOCATION	
PROJECT NAME	LOCATION, UAE	
CLIENT	CONSULTANT	
DRAWING TITLE		
DRAWING TITLE		
DRAWN BY	CHECKED BY	APPROVED BY
SCALE	DATE	DRAWING STATUS
AS SHOWN	DD.MM.YYYY	PRELIMINARY
DRAWING NO.	REV	SHEET NO.
AS-YYYY-NNN-DIS-TYP-001	R0	01 OF 01

SAEED AL SIRAJ GLASS & ALUMINIUM WORKS L.L.C.		
AL SIRAJ GROUP ALUMINIUM GLASS & FACADE DIVISION UNITED ARAB EMIRATES		
PROJECT	LOCATION	
PROJECT NAME	LOCATION, UAE	
CLIENT	CONSULTANT	
CLIENT	CONSULTANT	
DRAWING TITLE		
DRAWING TITLE		
DRAWN BY	CHECKED BY	APPROVED BY
DATE	DATE	DRAWING STATUS
AS SHOWN	DD.MM.YYYY	PRELIMINARY
DRAWING NO.	REV	SHEET NO.
AS-YYYY-NNN-DIS-TYP-001	R0	01 OF 01