

Gala: A Python package for galactic dynamics

Adrian M. Price-Whelan^{1,2*}, Author Without ORCID^{2*}, Author with no affiliation^{3¶}, and Ludwig van Beethoven³

¹ Lyman Spitzer, Jr. Fellow, Princeton University, United States  ² Institution Name, Country ³ Independent Researcher, Country ¶ Corresponding author * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

In partnership with



AMERICAN
ASTRONOMICAL
SOCIETY

This article and software are linked with research article DOI [10.3847/xxxxx](https://doi.org/10.3847/xxxxx) <- [update this with the DOI from AAS once you know it.](#), published in the *Astrophysical Journal* <- The name of the AAS journal..

Summary

The forces on stars, galaxies, and dark matter under external gravitational fields lead to the dynamical evolution of structures in the universe. The orbits of these bodies are therefore key to understanding the formation, history, and future state of galaxies. The field of “galactic dynamics,” which aims to model the gravitating components of galaxies to study their structure and evolution, is now well-established, commonly taught, and frequently used in astronomy. Aside from toy problems and demonstrations, the majority of problems require efficient numerical tools, many of which require the same base code (e.g., for performing numerical orbit integration).

Statement of need

Gala is an Astropy-affiliated Python package for galactic dynamics. Python enables wrapping low-level languages (e.g., C) for speed without losing flexibility or ease-of-use in the user-interface. The API for Gala was designed to provide a class-based and user-friendly interface to fast (C or Cython-optimized) implementations of common operations such as gravitational potential and force evaluation, orbit integration, dynamical transformations, and chaos indicators for nonlinear dynamics. Gala also relies heavily on and interfaces well with the implementations of physical units and astronomical coordinate systems in the Astropy package ([Astropy Collaboration, 2013](#)) (`astropy.units` and `astropy.coordinates`).

Gala was designed to be used by both astronomical researchers and by students in courses on gravitational dynamics or astronomy. It has already been used in a number of scientific publications ([Pearson et al., 2017](#)) and has also been used in graduate courses on Galactic dynamics to, e.g., provide interactive visualizations of textbook material ([Binney & Tremaine, 2008](#)). The combination of speed, design, and support for Astropy functionality in Gala will enable exciting scientific explorations of forthcoming data releases from the *Gaia* mission ([Gaia Collaboration, 2016](#)) by students and experts alike.

State of the field

Several tools exist for galactic dynamics computations:

`galpy` (?) is a Python package with similar goals, providing orbit integration and potential classes for galactic dynamics.

`NEMO` (?) is a well-established, comprehensive stellar dynamics

toolbox written primarily in C, offering extensive functionality but with a

steeper learning curve and less integration with modern Python workflows.

Other tools like `GalPot` provide specific Milky Way potential models but lack the broader dynamical analysis capabilities.

Gala was built rather than contributing to existing projects for several reasons. First, Gala was designed from the ground up to integrate seamlessly with the Astropy ecosystem, using `astropy.units` and `astropy.coordinates` as core dependencies rather than optional features. This tight integration enables natural workflows for astronomers already using Astropy. Second, Gala's object-oriented API with consistent interfaces across subpackages (potentials, integrators, dynamics) provides a more modular and extensible design than alternatives available at the time. Third, Gala fills a specific niche between simple demonstration codes and full N-body simulation packages like Gadget (?) – it focuses on the common tasks in galactic dynamics research (orbit integration, potential evaluation, coordinate transformations) while maintaining both performance through C implementations and usability through its Python interface.

Software design

Gala's design philosophy is based on three core principles: (1) to provide a user-friendly, modular, object-oriented API, (2) to use community tools and standards (e.g., Astropy for coordinates and units handling), and (3) to use low-level code (C/C++/Cython) for performance while keeping the user interface in Python. Within each of the main subpackages in gala (`gala.potential`, `gala.dynamics`, `gala.integrate`, etc.), we try to maintain a consistent API for classes and functions. For example, all potential classes share a common base class and implement methods for computing the potential, forces, density, and other derived quantities at given positions. This also works for compositions of potentials (i.e., multi-component potential models), which share the potential base class but also act as a dictionary-like container for different potential components. As another example, all integrators implement a common interface for numerically integrating orbits. The integrators and core potential functions are all implemented in C without support for units, but the Python layer handles unit conversions and prepares data to dispatch to the C layer appropriately. Within the coordinates subpackage, we extend Astropy's coordinate classes to add more specialized coordinate frames and transformations that are relevant for Galactic dynamics and Milky Way research.

Research impact statement

Gala has demonstrated significant research impact and grown both its user base and contributor community since its initial release. The package has evolved through contributions from over 18 developers beyond the original core developer ((?)), with community members adding new features, reporting bugs, and suggesting new features.

While Gala started as a tool primarily to support the core developer's research, it has expanded organically to support a range of applications across domains in astrophysics related to Milky Way and galactic dynamics. The package has been used in over 400 publications (according to Google Scholar) spanning topics in galactic dynamics such as modeling stellar streams (Pearson et al., 2017), Milky Way mass modeling, and interpreting kinematic and stellar population trends in the Galaxy. Gala is integrated within the Astropy ecosystem as an affiliated package and has built functionality that extends the widely-used `astropy.units` and `astropy.coordinates` subpackages. Gala's impact extends beyond citations in research: Because of its focus on usability and user interface design, Gala has also been incorporated into graduate-level galactic dynamics curricula at multiple institutions.

Gala has been downloaded over 100,000 times from PyPI and conda-forge yearly (or ~2,000 downloads per week) over the past few years, demonstrating a broad and active user community. Users span career stages from graduate students to faculty and other established researchers and represent institutions around the world. This broad adoption and active participation

88 validate Gala's role as core community infrastructure for galactic dynamics research.

89 Mathematics

90 Single dollars (\$) are required for inline mathematics e.g. $f(x) = e^{\pi/x}$

91 Double dollars make self-standing equations:

$$\Theta(x) = \begin{cases} 0 & \text{if } x < 0 \\ 1 & \text{else} \end{cases}$$

92 You can also use plain $\LaTeX$ for equations

$$\hat{f}(\omega) = \int_{-\infty}^{\infty} f(x) e^{i\omega x} dx \quad (1)$$

93 and refer to [Equation 1](#) from text.

94 Citations

95 Citations to entries in paper.bib should be in [rMarkdown](#) format.

96 If you want to cite a software repository URL (e.g. something on GitHub without a preferred
97 citation) then you can do it with the example BibTeX entry below for Smith et al. ([2020](#)).

98 For a quick reference, the following citation commands can be used: - @author:2001 ->
99 "Author et al. (2001)" - [@author:2001] -> "(Author et al., 2001)" - [@author1:2001;
100 @author2:2001] -> "(Author1 et al., 2001; Author2 et al., 2002)"

101 Figures

102 Figures can be included like this: Caption for example figure. and referenced from text using
103 [section 8](#).

104 Figure sizes can be customized by adding an optional second parameter: Caption for example
105 figure.

106 AI usage disclosure

107 No generative AI tools were used in the development of this software, the writing of this
108 manuscript, or the preparation of supporting materials.

109 Acknowledgements

110 We acknowledge contributions from Brigitta Sipocz, Syrtis Major, and Semyeong Oh, and
111 support from Kathryn Johnston during the genesis of this project.

112 References

113 Astropy Collaboration. (2013). Astropy: A community Python package for astronomy.
114 *Astronomy and Astrophysics*, 558. <https://doi.org/10.1051/0004-6361/201322068>

- 115 Binney, J., & Tremaine, S. (2008). *Galactic Dynamics: Second Edition*. Princeton University
116 Press. <http://adsabs.harvard.edu/abs/2008gady.book.....B>
- 117 Gaia Collaboration. (2016). The Gaia mission. *Astronomy and Astrophysics*, 595. <https://doi.org/10.1051/0004-6361/201629272>
118
- 119 Pearson, S., Price-Whelan, A. M., & Johnston, K. V. (2017). Gaps in Globular Cluster
120 Streams: Pal 5 and the Galactic Bar. *ArXiv e-Prints*. <http://adsabs.harvard.edu/abs/2017arXiv170304627P>
121
- 122 Smith, A. M., Thaney, K., & Hahnel, M. (2020). Fidgit: An ungodly union of GitHub and
123 figshare. In *GitHub repository*. GitHub. <https://github.com/arfon/fidgit>

DRAFT