

FDP Name: Practical AI for Educators. 10-14 August, 2026

Faculty: Madhiyazhagan R (Madhi Ramamoorthy)

WhatsApp Group: Learners Update

Day-wise Topics

Day 1: Creating GitHub Profile (Readme and Web Page). Use <https://promptCowboy.ai> to create your prompt for GPT/Gemini

Day2: Explore Claude connector, Claude Design, Vercel, Supabase. Download LLM (offline)

Day3: (ChatGPT/Claude) Plugins Skill, Scheduling Jobs. Understanding Work/Code in ChatGPT/Gemini

Claude Certification Link: <https://www.anthropic.com/learn> Creation of Application

Day4:

Day5:

Next Page Step By Step Learning

Day-1 GitHub Portfolio.

Task-1 Creating Portfolio from Scratch

Step 1 — First, open your GitHub profile

At the **top-right corner**:

1. Click your **profile picture/avatar**.
2. Click "**Your profile**".
3. You should now see a URL similar to: <https://github.com/YourUsername>
4. You should now see a URL similar to: <https://github.com/YourUsername>

Phase 1 — Build your professional profile

5. Check your GitHub username ← **we are here**
6. Create your Profile README
7. YourUsername
8. └─ README.md
9. Put a professional academic introduction there.
For example, eventually it might look roughly like:
Dr. Your Name
Academic | Data Science | Data Mining | Machine Learning

Teaching
Research
Projects
Publications
Academic Resources
Contact

Phase 2 — Create your first academic repository

10. Step 1: Check your GitHub username ← we are here
11. Step 2: Create your Profile README

YourUsername

└─ README.md

12. Step 3: Put a professional academic introduction there.

For example, eventually it might look roughly like:

Dr. Your Name

Academic | Data Science | Data Mining | Machine Learning

Teaching

Research

Projects

Publications

Academic Resources

Contact

After your profile is ready, we'll create something like:

Phase 3 — Add selected academic projects

Phase 4 — Add your research/publications

Phase 5 — Pin the best repositories

Task-2 Creating Portfolio website and Host it into GitHub Page

Final Output: For your username **ammlanghosh**, the final website will be: <https://ammlanghosh.github.io> (exact username)

Work Flow

Your GitHub Account | → Create Repository [ammlanghosh.github.io](https://github.com/ammlanghosh) | → Add website files index.html style.css | →

Enable GitHub Pages | → Your Website <https://ammlanghosh.github.io>

(NB: **Do not need to install Git, VS Code, Python, or anything else** for this first version)

Day-1

Step-1 Log in to your GitHub account. Make sure your username is: ammlanghosh

Step 2 — Create your website repository

After logging in:

1. Click the + button at the top-right.
2. Select **New repository**.

You will see a page called **Create a new repository**.

Repository name: Enter exactly: `ammlanghosh.github.io`

(Do **not** enter: portfolio my-website website ammlanghosh-portfolio)

Step 3 — Set the repository to Public

Under **Visibility**, select: ● Public

Step 4 — Add README

Check: ☒ Add a README file. **Click on Crate Repository**

Step 5 — Your repository

You should now see something similar to: `ammlanghosh / ammlanghosh.github.io`

Code

README.md

Step 6 — Create your first webpage

Now we need to create the actual website.

Click:

Add file → Create new file

You will see a box asking for the filename.

Enter: `index.html`

Step 7 — Add your first website

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>AMMLAN GHOSH | Academic Portfolio</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      background: #f5f7fa;
      color: #222;
    }
    header {
      background: #1f2937;
      color: white;
      text-align: center;
      padding: 60px 20px;
    }
    header h1 {
      font-size: 42px;
      margin-bottom: 10px;
    }
    header p {
      font-size: 20px;
    }
    section {
      max-width: 900px;
      margin: 40px auto;
      padding: 30px;
      background: white;
      border-radius: 10px;
    }
    h2 {
      color: #1f2937;
      border-bottom: 2px solid #ddd;
      padding-bottom: 10px;
    }
    .skills span {
      display: inline-block;
      background: #e5e7eb;
      padding: 8px 14px;
      margin: 5px;
      border-radius: 20px;
    }
    .project {
      margin: 20px 0;
      padding: 20px;
      background: #f9fafb;
      border-left: 4px solid #1f2937;
    }
    footer {

```

```
        text-align: center;
        padding: 30px;
        background: #1f2937;
        color: white;
    }
    a {
        color: #2563eb;
    }
</style>
</head>
<body>
<header>
    <h1>AMMLAN GHOSH</h1>
    <p>
        Researcher | Educator | Data Science & Artificial Intelligence
    </p>
</header>
<section>
    <h2>About Me</h2>
    <p>
        Welcome to my professional portfolio.
        I am interested in Data Mining, Machine Learning,
        Artificial Intelligence and Data Analytics.
    </p>
</section>
<section>
    <h2>Research Interests</h2>
    <ul>
        <li>Data Mining</li>
        <li>Machine Learning</li>
        <li>Deep Learning</li>
        <li>Natural Language Processing</li>
        <li>Educational Data Mining</li>
        <li>Healthcare Analytics</li>
        <li>Predictive Analytics</li>
    </ul>
</section>
<section>
    <h2>Technical Skills</h2>
    <div class="skills">
        <span>Python</span>
        <span>SQL</span>
        <span>Machine Learning</span>
        <span>Deep Learning</span>
        <span>NLP</span>
        <span>Data Mining</span>
        <span>Data Analytics</span>
        <span>GitHub</span>
        <span>KNIME</span>
    </div>
</section>
<section>
    <h2>Featured Projects</h2>
    <div class="project">
        <h3>Healthcare Data Mining</h3>
        <p>
            Machine learning based analysis of healthcare datasets for predictive analytics.
        </p>
    </div>
    <div class="project">
        <h3>Multilingual Sentiment Analysis</h3>
        <p>
            NLP-based sentiment analysis for multilingual text data.
        </p>
    </div>
    <div class="project">
        <h3>Gold Price Prediction</h3>
        <p>
            Time-series prediction using machine learning and deep learning approaches.
        </p>
    </div>
</section>
<section>
    <h2>Contact</h2>
    <p>
        GitHub:
        <a href="https://github.com/ammlanghosh">
            github.com/ammlanghosh
        </a>
    </p>
    <p>
        LinkedIn: Add your LinkedIn profile here
    </p>
    <p>
        Email: Add your professional email here
    </p>
</section>
<footer>
    © 2026 AMMLAN GHOSH | Academic Portfolio
</footer>
</body>
</html>
```

Step 8 — Save the webpage

Commit changes: In the commit message, you can enter: **Create portfolio homepage**

After Commit changes Your repository should now look something like:

ammlanghosh.github.io


```
├── index.html
└── README.md
```

Step 9 — Enable GitHub Pages

At the top of your repository, click: **Settings**

Then on the left-hand side look for: **Pages**

(Depending on GitHub's current interface, it may appear under: *Code and automation* → *Pages*)



Step 10 — Configure Build and Deployment

On the **Pages** page, look for: **Build and deployment**

You should see: **Source**

Select: Deploy from a branch

Then you'll see: **Branch**

Select: main

For the folder select: /(root)

So it should look approximately like:

```
Source
Deploy from a branch
Branch
main          / (root)
[Save]
```

Then click: **Save**

Step 11 — Wait a few minutes

GitHub will now build your website. It may take a few minutes. GitHub notes that the initial publication can take **up to 10 minutes**.

After that, your website should be available at: ammlanghosh.github.io

Congratulations! You now have your own website! <https://ammlanghosh.github.io>

Step 12 — How to check whether it worked

Go back to: **Repository** → **Settings** → **Pages**


You should eventually see something like: **Your site is live at ...** Click the link.

You should see your webpage.

Step 13 — How do I change the website later?

Suppose you want to change: **About Me**

You don't need to rebuild the website. Simply: **Repository** → **index.html** → **Edit** and Change the content.



For example:

<p>

I am interested in Data Mining, Machine Learning,
Artificial Intelligence and Data Analytics.

</p>


Change it to whatever you want. Then: **Commit changes**

GitHub Pages will publish the change automatically when the publishing source is updated.

Step 14 — Your website structure will eventually become

You eventually move from the simple one-file website to:

ammlanghosh.github.io



Day-2

Task Explore Claude connector, Claude Design, Vercel, Supabase. Download LLM (offline)

NB: My Laptop has only 20 GB Free SSD Space, RAM 8GB. Thus I select **Ollama Qwen2.5 0.5B**.
(Objective is to test the offline LLM)

Step 1 — Download Ollama

Go to the official Ollama website: [Download Ollama for Windows](#)

Step 2 — Install Ollama (The Ollama application itself requires about 4 GB of space)

Step 3 — Check that Ollama is installed

Press: **Windows key + R**; Type: **cmd** and press **Enter**.

A black Command Prompt window will open.

Type **ollama --version** and press **Enter**.

You should get something similar to: ollama version 0.x.x. If you see a version number, **Ollama is installed correctly**.

Step 4 — Download Qwen2.5 0.5B

In the same Command Prompt, type: **ollama run qwen2.5:0.5b** and press **Enter**.

(The first time you run it, Ollama needs an **internet connection** to download the model.)

Step 5 — Start chatting

After the download finishes, you should see a prompt similar to:

>>> Now type: Hello and press **Enter**.

Then try: **Explain Apriori algorithm in simple terms with an example**.

Qwen2.5 should answer directly in the Command Prompt.

Congratulations! You now have an LLM running locally on your Windows laptop.

(Note: Ollama exposes its local API at: <http://localhost:11434> when running on Windows.)

Step 6 — Exit the model

When you are finished, type: **/bye** or press: **Ctrl + C**

Day 3

Task-1: Configuration of AI Settings

Task -2: Explore Claude Connector, Claude Desing

Task-3: Explore Vercel (Website hosting/deployment) and Supabase (Backend/database)


Task-4: Developing a real life application pertaining to our daily teaching job

Task-4 Step by Step

Application: Student Assignment GitHub Tracker.

Objective: Create a small application where the **Google Sheet is the source of student information**, while **Supabase stores the application's checking/evaluation data**. The application automatically helps you **organize, track, and review the submissions**

Architecture



Google Sheet contents s are like this:

Register Number	Name of the Students	GITHUB LINK
192210379	KOTAPATI PRATHAP	NULL
192210722	ADABALA ADINARAYANA	NULL
192211143	SAI DEEPIKA B	LONG ABSENT
192311017	KALAVALA SAI VARDHAN	https://github.com/saivardhan6699/CSA1611-DWDM.git
192311157	YARRAMSETTY VARUN	https://github.com/EliyazarCheepati/CSA1611-DWDM
192311162	CHEEPATI ELIYAZAR	https://github.com/Yogi9600/Dwdm
192311254	YENKUGARI YOGANARASIMHA	https://github.com/Aksharaa12/Dwdm
192311278	AKSHARAA BALASUBRMANIAN	https://github.com/charmi-saravanan
192324034	CHARMI S	https://github.com/shashankbheemavarapu/CSA1611-DWDM.git
192324123	BHEEMAVARAPU SHASHANK SRINIVAS BRAHMENDRA	https://github.com/Kirthanaa23/DWDM-CSA1611.git
192324244	B KIRTHANAA	https://github.com/suresh2703/CSA1611

Application should Look Like:

Google Sheets = student/submission input.

Attributes are:

RegNo
StdName
GitHubLink

Supabase = application database.

Attributes are:

assignment
repository_status


```
last_checked
marks
faculty_comments
evaluation_status
```

Work Flow:

Google Sheet → Student list → Web application → Search student → Open GitHub repository → Mark as Checked → Enter Marks → Enter Comments → Save to Supabase

(We will eventually create: Google Sheet → Google Sheets API → JavaScript application)

Create your GitHub project

Go to your GitHub account.

Create a new repository: r-assignment-tracker

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk ().*

1

General

Owner *

 ammlanghosh

Repository name *

r-assignment-tracker

✔ r-assignment-tracker is available.

Great repository names are short and memorable. How about [crispy-octo-dollop](#)?

Description

0 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

 Private

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

Create the first version WITHOUT Supabase

Google Sheet → Website → Student list → GitHub link

Create your website files

r-assignment-tracker

```
|
├── index.html
├── style.css
└── app.js
```

(Code is given at the end)

Now Click on the Settings → Page → Then **Build and Deploy** (See Day-1 Task for details)
Your site is live at <https://ammlanghosh.github.io/r-assignment-tracker/>

Some Connectivity error is there. (correction is required)

The screenshot shows a web browser displaying the 'Student Assessment Tracker' application. The page has a light blue background. At the top, there's a title 'Student Assessment Tracker'. Below it, three white boxes show statistics: '0 Total Students', '0 Completed', and '0 Pending'. Below these boxes is a search bar labeled 'Search by Register Number'. Underneath the search bar is a table with three columns: 'RegNo', 'Student Name', and 'GitHub Link'. The table is currently empty, and a message 'Unable to load student data.' is displayed below it. The browser's address bar shows the URL 'https://ammlanghosh.github.io/r-assignment-tracker/'. The Windows taskbar at the bottom shows the search bar, several application icons, and the system tray with the date and time '18:20 13-08-2026'.

Student Assessment Tracker

0
Total Students

0
Completed

0
Pending

Search by Register Number

RegNo	Student Name	GitHub Link
Unable to load student data.		

Create index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Student Assessment Tracker</title>

  <link rel="stylesheet" href="style.css">
</head>

<body>

  <div class="container">

    <h1>Student Assessment Tracker</h1>

    <div class="stats">
      <div class="card">
        <h2 id="totalStudents">0</h2>
        <p>Total Students</p>
      </div>

      <div class="card">
        <h2 id="completedStudents">0</h2>
        <p>Completed</p>
      </div>

      <div class="card">
        <h2 id="pendingStudents">0</h2>
        <p>Pending</p>
      </div>
    </div>

    <div class="search-box">
      <input
        type="text"
        id="searchInput"
        placeholder="Search by Register Number or Student Name"
      >
    </div>

    <table>
      <thead>
        <tr>
          <th>RegNo</th>
          <th>Student Name</th>
          <th>GitHub Link</th>
        </tr>
      </thead>

      <tbody id="studentTableBody">
        <tr>
          <td colspan="3">Loading students...</td>
        </tr>
      </tbody>
    </table>

  </div>

  <!-- Supabase JavaScript Library -->
  <script src="https://cdn.jsdelivr.net/npm/@supabase/supabase-js@2"></script>

  <!-- Your JavaScript -->
  <script src="app.js"></script>

</body>
</html>
```

Create Style.css

```

body {
  font-family: Arial, sans-serif;
  margin: 0;
  background: #f5f7fa;
  color: #222;
}

header {
  background: #1f2937;
  color: white;
  padding: 30px;
  text-align: center;
}

header h1 {
  margin: 0;
}

main {
  max-width: 1100px;
  margin: 30px auto;
  padding: 20px;
}

.summary {
  display: flex;
  gap: 20px;
  margin-bottom: 30px;
}

.card {
  background: white;
  padding: 20px;
  width: 200px;
  border-radius: 10px;
  box-shadow: 0 2px 8px rgba(0,0,0,0.1);
}

.card h3 {
  margin-top: 0;
}

.card p {
  font-size: 28px;
  font-weight: bold;
}

#searchBox {
  width: 100%;
  padding: 12px;
  margin-bottom: 20px;
  border: 1px solid #ccc;
  border-radius: 6px;
  box-sizing: border-box;
}

table {
  width: 100%;
  border-collapse: collapse;
  background: white;
}

th,
td {
  padding: 12px;
  border-bottom: 1px solid #ddd;
  text-align: left;
}

th {
  background: #e5e7eb;
}

```

```

button {
  padding: 8px 12px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}

.github-button {
  background: #24292f;
  color: white;
}

footer {
  text-align: center;
  padding: 20px;
  margin-top: 40px;
  background: #1f2937;
  color: white;
}

```

Create App.jss

```

// =====
// SUPABASE CONFIGURATION
// =====

const SUPABASE_URL = "https://xaeuouylcjgqzswfyow.supabase.co";
const SUPABASE_ANON_KEY = "sb_publishable_9rkbF1GFmH8GpOeobdP86w_6z8bdooa";

// Example:
// const SUPABASE_URL = "https://xxxxxxxxxxxxx.supabase.co";
// const SUPABASE_ANON_KEY = "eyJhbGciOiJIUzI1NiIs...";

// =====
// LOAD STUDENTS
// =====

async function loadStudents() {

  const totalStudentsElement =
    document.getElementById("totalStudents");

  const tableBody =
    document.getElementById("studentTableBody");

  const errorMessage =
    document.getElementById("errorMessage");

  try {

    // Clear previous error
    errorMessage.textContent = "";

    // Fetch data from Supabase
    const response = await fetch(
      `${SUPABASE_URL}/rest/v1/students?select=RegNo,StdName,GitHubLink`,
      {
        method: "GET",

        headers: {
          "apikey": SUPABASE_ANON_KEY,
          "Authorization": `Bearer ${SUPABASE_ANON_KEY}`,
          "Content-Type": "application/json"
        }
      }
    );

    // Check for Supabase error
    if (!response.ok) {

```

```

        const errorText = await response.text();

        throw new Error(
            `Supabase error: ${response.status} - ${errorText}`
        );
    }

    const students = await response.json();

    console.log("Students received:", students);

    // =====
    // TOTAL STUDENTS
    // =====

    totalStudentsElement.textContent = students.length;

    // =====
    // DISPLAY STUDENTS
    // =====

    tableBody.innerHTML = "";

    if (students.length === 0) {

        tableBody.innerHTML = `
            <tr>
                <td colspan="3">
                    No students found.
                </td>
            </tr>
        `;

        return;
    }

    students.forEach(student => {

        const row = document.createElement("tr");

        row.innerHTML = `
            <td>${student.RegNo ?? ""}</td>

            <td>${student.StdName ?? ""}</td>

            <td>
                ${
                    student.GitHubLink
                    ? `<a href="${student.GitHubLink}"
                        target="_blank">
                            GitHub
                        </a>`
                    : "Not Available"
                }
            </td>
        `;

        tableBody.appendChild(row);
    });

} catch (error) {

    console.error("Error loading students:", error);

    totalStudentsElement.textContent = "0";

    tableBody.innerHTML = `
        <tr>
            <td colspan="3">
                Unable to load student data.
    
```

```
        </td>
    </tr>
    `;

    errorMessage.textContent =
        "Error: " + error.message;
}

// =====
// START APPLICATION
// =====

document.addEventListener(
    "DOMContentLoaded",
    loadStudents
);
```